Level Wise Distribution of Diseases for Management in the Health Service of Bangladesh



Ministry of Health & Family Welfare

Level Wise Distribution of Diseases for Health Service Management, Bangladesh

Developed by Health Economics Unit

Published on

2015

Printed by

Bersha (Pvt.) Ltd. 8/3 Babupura Nilkhet, Dhaka-1205 Tel : 02-58617158, 01712713985 E-mail : bersha_123@yahoo.com bersha124@gmail.com

Foreword

Developing a practical and affordable benefit package is one of the important tasks for achieving Universal Health Coverage. It essentially involves a process of selecting, prioritizing and agreeing the services and also identifying the appropriate levels from where the services are to be delivered.

In identifying and selecting diseases and health related problems, International Classification of Diseases (ICD-10) developed by WHO is being used worldwide. ICD is a global standard diagnostic classification for all general epidemiological functions, specially for health management purposes and clinical use. The main purpose of ICD is to harmonize medical recording practices worldwide. It is also used for morbidity and mortality statistics and for decision making in medical practices and reimbursement.

Health Economics Unit of Ministry of Health and Family Welfare as part of their endeavor to develop a benefit package, has identified and listed the services to be delivered from different levels following the ICD-10. It has been developed through a consultative process involving the relevant stakeholders and keeping the epidemiology, technical competence, ability and affordability into active consideration. It is fundamentally a continuous process and the package will be a dynamic one to meet the growing demand, requirement and ability. However, it may be considered as a basic document for further work, pricing of the services and developing the referral guidelines.

I strongly believe that having a comprehensive list of services with appropriate earmarking of delivery levels (primary, secondary and tertiary level) will immensely help in policy making, specially in allocating resources — human, finance and logistics, and also optimizing the health care services in the health system of our country. It will also help towards developing a structured referral system and achieving the goal of becoming fully compliant in using ICD-10.

12/08/20

Syed Monjurul Islam Secretary Ministry of Health & Family Welfare

Acknowledgement

Level Wise Distribution of Diseases for Management in the Health Service of Bangladesh is an organized attempt to list down the diseases to be treated and managed at different the level of health service delivery. It is an output of collaborative efforts by respected Clinicians, experienced Hospital and Health Managers, who used the International Classification of Diseases (ICD) -10 as the basis for classifying the diseases and carefully considered the resources and capacity of the health care facilitates in distributing those across the levels. Health Economics Unit as the coordinator of the process gratefully acknowledges the participation and contribution of all the experts, practitioners, managers and members in outlining the document.

Personally, I would like to record my sincere thanks and gratitude to Dr M A Faiz, Prof Dr Md Ridwanur Rahman and others who actively involved in the process.

This document will require to be changed and updated in regular intervals with the changing landscape of health service delivery – especially mode and capacity of delivery.

I hope that this document will help in improving the efficiency of the health delivery system through a number of ways specially in better understating of the organizational and staff responsibility, enhancing accountability, formulating resource requirement, and in developing a formal referral system.

Md Ashadul Islam Director General Health Economics Unit MOHFW.

Preamble

ICD-10 is the International Statistical Classification of Diseases and Related Health Problems (ICD), a medical classification list by the World Health Organization (WHO). It contains codes for diseases, signs and symptoms, abnormal findings, complaints, social circumstances, and external causes of injury or diseases.

The code set allows more than 14,400 different codes and permits the tracking of many new diagnoses. The codes can be expanded to over 16,000 codes by using optional sub-classifications.

In health care, coding systems are used to differentiate diagnoses and procedures in virtually all treatment settings. Diagnostic and procedural codes are connected to nearly every system and business process in health plans and provider organizations, including reimbursement and claim processes, world wide. The ICD codes provide a standardized approach to categorize disease and patient conditions and surgical, diagnostic and therapeutic procedures in the inpatient setting.

The major benefit of using ICD 10 in Health Service Delivery are operational and strategic planning and designing healthcare delivery systems, measuring the quality, safety and efficacy of care, improving clinical, financial, and administrative performance, conducting research, epidemiological studies, and clinical trials, designing payment systems and processing claims for reimbursement etc.

Identification & type of health services in different level (primary, secondary & tertiary) has not established in our health services, which is creating a lot of challenges for distribution of manpower, logistics and for developing the health benefit package. MOHFW has decided to identify the services in different level for effective strategic planning.

22 chapters of ICD 10 were divided in to 15 working group for identification of diseases level wise, ie primary, secondary and tertiary level, considering the manpower, equipment's and logistics with three categories, "Most common", "Common", "Less Common". The working group composed of experts, according to the chapters. Draft document has developed after the compilation the task of 15 groups. National validation workshop was held for finalization of the document with the relevant stakeholders. The health service benefit package will be developed on the basis of ICD 10, level wise distribution which will contain typically contains a necessary & limited subset of all health care interventions made possible by today's medical technology.

A package can link treatment and prevention activities, rather than viewing them in isolation of one another. It therefore recognizes that treatment activities, and costs, could be eliminated with adequate attention paid to prevention.

> Dr Md Aminul Hasan MBBS. MPH. PhD Coordinator Level wise distribution of diseases for Health Service Management, Bangladesh Health Economics Unit. MOHFW

| Content | L |
|---------|---|
|---------|---|

| 1. Introduction | 7 |
|--|-------|
| 2. Diseases (ICD-10) for primary level | 10-20 |
| 3. Diseases (ICD-10) for Secondary level | 21-42 |
| 4. Diseases (ICD-10) for Tertiary level | 43-83 |
| | |

Introduction

In health care, coding systems are used to differentiate diagnoses and procedures in virtually all treatment settings. Diagnostic and procedural codes are connected to nearly every system and business process in health plans and provider organizations, including reimbursement and claim processes, worldwide.

The International Statistical Classification of Diseases is a diagnosis coding system of diseases and signs, symptoms, abnormal findings, complaints, social circumstances and external causes of injury or diseases and a procedure coding system for inpatient procedures.

The ICD codes provide a standardized approach to categorize disease and patient conditions and surgical, diagnostic and therapeutic procedures in the inpatient setting.

ICD classifications are used to assign codes to diagnoses in virtually all health care settings, including inpatient and outpatient settings and physician offices. ICD codes allow comparison of collection, classification, processing, and presentation of morbidity and mortality statistics globally.

ICD procedure codes are used only on inpatient hospital claims to capture inpatient procedures. Entities that will use the updated ICD-10 codes include hospital and professional billing, registries, clinical and hospital departments, clinical decision support systems, and patient financial services.

Benefit of using ICD 10:

Health Service Delivery:

- 1. Operational and strategic planning and designing healthcare delivery systems
- 2. Measuring the quality, safety and efficacy of care
- 3. Improving clinical, financial, and administrative performance
- 4. Conducting research, epidemiological studies, and clinical trials
- 5. Setting health policy
- 6. Monitoring resource utilization
- 7. Preventing and detecting healthcare fraud and abuse
- 8. Designing payment systems and processing claims for reimbursement
- 9. Tracking public concerns and assessing risks of adverse public health events

Improve patient care: The increased level of detail within ICD-10 is designed to improve the ability to measure quality, safety and efficacy of care, which should ultimately lead to improved patient care.

Improve research: For example, ICD-10 is likely to open new opportunities in injury research and trauma services evaluation, since the code set more accurately classifies the nature of injuries and correlates them with cause, treatment, and outcome. The new code set will also allow the U.S. to conduct comparative effectiveness research with other countries that already use ICD-10.

Lend insight to the setting of health policy: With higher quality data analytics afforded by ICD-10, policy leaders will be empowered to better informed policy decisions.

Facilitate improved public health reporting and tracking: The increased level of detail will enable agencies to track public health risks and trends in greater detail.

Improve clinical, financial and administrative performance: The quality data afforded by ICD-10 can reveal insights into patterns of care and more. These insights enable administrators to make more informed decisions and achieve positive clinical and financial outcomes.

Allow for monitoring of resource utilization: The ICD-10 codes will allow administrators to track the amount of time spent on procedures, enabling them to better allocate resources.

At present, identification & type of health services in different level (primary, secondary & tertiary) has not established, which has created a lot of challenges for distribution of manpower, logistics and for developing the health benefit package. MOHFW has decided to identify the services in different level for effective strategic planning.

Steps of development: In the beginning of the process, literature review and other necessary documents regarding ICD 10 for development of the 1st draft . After development of 1st draft based on the literature review, a planning workshop was held with the aim to develop the document.

22 chapters of ICD 10 were divided in to 15 working group for identification of diseases, level wise, ie primary, secondary and tertiary level, considering the manpower, equipments and logistics with three categories, "Most common", "Common", "Less Common". The working group composed of specialists & experts, according to the chapters. 2nd Draft document has developed after the compilation the task of 15 groups. National validation workshop was held for finalization of the document with the relevant stakeholders.

ICD-10 represents a bold and necessary move for the healthcare industry. The hope is that this more precise information detailing patient maladies and treatments will fuel the effort to utilize the many benefits brought by Big Data, machine learning, and advanced analytics, including prediction, classification, and the discovery of hidden knowledge waiting to be found in healthcare's immense data stores.

ICD 10 & Benefit package: The health service benefit package will be developed on the basis of ICD10, level wise distribution.

Benefit Package of health services will have the following distinguishing features:

- It typically contains a necessary & limited subset of all health care interventions made possible by today's medical technology.
- Interventions are not randomly assigned to the package; rather, they result from a prioritization process to achieve specific technical and/or social objectives.
- Interventions are not independent from each other within the package. In fact, many are chosen specifically to complement or reinforce each other so that there is synergism among them.

Designing a package of services has certain advantages. By pooling together a number of interventions, it may be possible to take advantage of the shared use of inputs and therefore reduce the cost of obtaining services. Grouping together services in a package has the following benefits:

- The link between treatment and prevention
- Multiple outputs from inputs
- Identification of all required inputs
- Coordination of resources
- Directing demand for services

A package can link treatment and prevention activities, rather than viewing them in isolation of one another. It therefore recognizes that treatment activities, and costs, could be eliminated with adequate attention paid to prevention.

Uses of ICD 10 code in benefit package:

Operations Management - The Operations Management business processes use ICD-10 codes for processing claims, service authorization, and capitation pricing, to check recipient lifetime limits, verify clinical appropriateness of services, and suspend encounters

Program Management - Program Management activities include adding new codes, adjusting rates associated with codes, and adding and updating existing rates, benefits, provider information, and drug formulary information.

Contractor Management - Contractor Management business area processes include Requests for Proposals (RFP), reviews of content against an RFP, designates contractor/vendor, handles the protest process, negotiates contracts, and notifies parties.

Primary Level

| Code | Name of the Diseases | UHC | No. |
|---------|---|-----|-----|
| A00 | Cholera | VC | 1 |
| A00.a | Cholera With AKI | VC | 1 |
| A01 | Typhoid and paratyphoid fevers | VC | 1 |
| A01.0 | Typhoid fever | VC | 1 |
| A01.a | Paratyphoid fever A/ B/C | С | 1 |
| A03 | Shigellosis | VC | 1 |
| A04 | Other bacterial intestinal infections | С | 1 |
| A06 | Amoebiasis | VC | 1 |
| A06.0 | Acute amoebic dysentery | VC | 1 |
| A06.1 | Chronic intestinal amoebiasis | VC | 1 |
| A07 | Other protozoal intestinal diseases | VC | 1 |
| A07.1 | Giardiasis [lambliasis] | VC | 1 |
| A08 | Viral and other specified intestinal infections | VC | 1 |
| A08.0 | Rotaviral enteritis | VC | 1 |
| A22.0 | Cutaneous anthrax | VC | 1 |
| A30 | Leprosy [Hansen's disease] | С | 1 |
| A37 | Whooping cough | С | 1 |
| A51 | Early syphilis | С | 1 |
| A54 | Gonococcal infection | С | 1 |
| A59 | Trichomoniasis | LC | 1 |
| A82 | Rabies | С | 1 |
| A90 | Dengue fever [classical dengue] | VC | 1 |
| A93.1 | Sandfly fever | VC | 1 |
| Assault | (X85-Y09) | С | 1 |
| B00 | Herpesviral [herpes simplex] infections | VC | 1 |
| B00.5+ | Herpesviral ocular disease | С | 1 |
| B01 | Varicella [chickenpox] | С | 1 |
| B01.b | Varicella without complication | С | 1 |
| B02 | Zoster [herpes zoster] | С | 1 |
| B05 | Measles | VC | 1 |
| B26 | Mumps | VC | 1 |
| B26.9 | Mumps without complication | С | 1 |
| B26.a | Mumps with complication | С | 1 |
| B30 | Viral conjunctivitis | VC | 1 |
| B35 | Dermatophytosis | VC | 1 |
| B35.0 | Tinea barbae and tinea capitis | VC | 1 |
| B35.1 | Tinea unguium | VC | 1 |
| B35.2 | Tinea manuum | VC | 1 |
| B35.3 | Tinea pedis | VC | 1 |
| B35.4 | Tinea corporis | VC | 1 |
| B35.5 | Tinea imbricata | LC | 1 |
| B35.6 | Tinea cruris | VC | 1 |
| B36 | Other superficial mycoses | VC | 1 |

VC=Very common, C= Common, LC= Less common

| Code | Name of the Diseases | UHC | No. |
|-------|---|-----|-----|
| B36.0 | Pityriasis versicolor | VC | 1 |
| B37 | Candidiasis | VC | 1 |
| B50 | Plasmodium falciparum malaria | С | 1 |
| B51 | Plasmodium vivax malaria | VC | 1 |
| B51.b | Vivax malaria withlout complication | VC | 1 |
| B52 | Plasmodium malariae malaria | LC | 1 |
| B74 | Filariasis | С | 1 |
| B76 | Hookworm diseases | VC | 1 |
| B76.0 | Ancylostomiasis | VC | 1 |
| B77 | Ascariasis | VC | 1 |
| B78 | Strongyloidiasis | С | 1 |
| B79 | Trichuriasis | LC | 1 |
| B80 | Enterobiasis | С | 1 |
| B86 | Scabies | VC | 1 |
| D17 | Benign lipomatous neoplasm | VC | 1 |
| D50 | Iron deficiency anaemia | VC | 1 |
| D64 | Other anaemias | VC | 1 |
| D73.0 | Hyposplenism | С | 1 |
| D73.3 | Abscess of spleen | С | 1 |
| D74 | Methaemoglobinaemia | LC | 1 |
| E05.9 | Thyrotoxicosis, unspecified | С | 1 |
| E10 | Insulin-dependent diabetes mellitus | VC | 1 |
| E10.9 | Insulin-dependent diabetes mellitus without complications | LC | 1 |
| E11 | Non-insulin-dependent diabetes mellitus | VC | 1 |
| E15 | Nondiabetic hypoglycaemic coma | С | 1 |
| E24.2 | Drug-induced Cushing's syndrome | VC | 1 |
| E28 | Ovarian dysfunction | С | 1 |
| E53.0 | Riboflavin deficiency | VC | 1 |
| E53.1 | Pyridoxine deficiency | С | 1 |
| E53.8 | Deficiency of other specified B group vitamins | С | 1 |
| E61.7 | Deficiency of multiple nutrient elements | С | 1 |
| E66 | Obesity | VC | 1 |
| E78.2 | Mixed hyperlipidaemia | С | 1 |
| E79.0 | Hyperuricaemia without signs of inflammatory arthritis and tophaceous | С | 1 |
| E79.a | Hyperuricaemia signs of inflammatory arthritis and tophaceous | С | 1 |
| F18 | Mental and behavioural disorders due to use of volatile solvents | С | 1 |
| F32 | Depressive episode | С | 1 |
| F33 | Recurrent depressive disorder | С | 1 |
| F52 | Sexual dysfunction, not caused by organic disorder or disease | С | 1 |
| F53 | Mental and behavioural disorders associated with the puerperium, not | С | 1 |
| F54 | Psychological and behavioural factors associated with disorders or | LC | 1 |
| F55 | Abuse of non-dependence-producing substances | С | 1 |
| G43 | Migraine | С | 1 |
| G43.0 | Migraine without aura [common migraine] | С | 1 |
| G43.1 | Migraine with aura [classical migraine] | C | 1 |
| G43.2 | Status migrainosus | C | 1 |

| Code | Name of the Diseases | UHC | No. |
|-------|--|-----|-----|
| G47 | Sleep disorders | С | 1 |
| G51 | Facial nerve disorders | С | 1 |
| G51.0 | Bell's palsy | С | 1 |
| G51.1 | Geniculate ganglionitis | С | 1 |
| H01.0 | Blepharitis | С | 1 |
| H10 | Conjunctivitis | VC | 1 |
| H10 A | Viral conjunctivitis | VC | 1 |
| H60.3 | Other infective otitis externa | LC | 1 |
| H69.9 | Eustachian tube disorder, unspecified | С | 1 |
| H72 | Perforation of tympanic membrane | VC | 1 |
| I00 | Rheumatic fever without mention of heart involvement | С | 1 |
| I11 | Hypertensive heart disease | VC | 1 |
| I47 | Paroxysmal tachycardia | С | 1 |
| I51.7 | Cardiomegaly | С | 1 |
| I70 | Atherosclerosis | С | 1 |
| I88 | Nonspecific lymphadenitis | С | 1 |
| I89.0 | Lymphoedema, not elsewhere classified | С | 1 |
| J00 | Acute nasopharyngitis [common cold] | VC | 1 |
| J01 | Acute sinusitis | С | 1 |
| J01.0 | Acute maxillary sinusitis | С | 1 |
| J01.1 | Acute frontal sinusitis | С | 1 |
| J02 | Acute pharyngitis | VC | 1 |
| J03 | Acute tonsillitis | VC | 1 |
| J04 | Acute laryngitis and tracheitis | С | 1 |
| J04.1 | Acute tracheitis | С | 1 |
| J04.2 | Acute laryngotracheitis | С | 1 |
| J05 | Acute obstructive laryngitis [croup] and epiglottitis | С | 1 |
| J06.0 | Acute laryngopharyngitis | С | 1 |
| J06.9 | Acute upper respiratory infection, unspecified | VC | 1 |
| J11 | Influenza, virus not identified | VC | 1 |
| J13 | Pneumonia due to Streptococcus pneumoniae | VC | 1 |
| J15.9 | Bacterial pneumonia, unspecified / CAP | VC | 1 |
| J18.9 | Pneumonia, unspecified | С | 1 |
| J20 | Acute bronchitis | С | 1 |
| J21 | Acute bronchiolitis | VC | 1 |
| J22 | Unspecified acute lower respiratory infection | VC | 1 |
| J30 | Vasomotor and allergic rhinitis | VC | 1 |
| J30.1 | Allergic rhinitis due to pollen | VC | 1 |
| J34.0 | Abscess, furuncle and carbuncle of nose | С | 1 |
| J34.3 | Hypertrophy of nasal turbinates | VC | 1 |
| J35 | Chronic diseases of tonsils and adenoids | VC | 1 |
| J41 | Simple and mucopurulent chronic bronchitis | C | 1 |
| J41.0 | Simple chronic bronchitis | C | 1 |
| J41.1 | Mucopurulent chronic bronchitis | C | 1 |
| J41.8 | Mixed simple and mucopurulent chronic bronchitis | C | 1 |
| J44.1 | Chronic obstructive pulmonary disease with acute exacerbation, | VC | 1 |

| Code | Name of the Diseases | UHC | No. |
|-------|--|-----|-----|
| J45 | Asthma | VC | 1 |
| J45.0 | Predominantly allergic asthma | VC | 1 |
| J46 | Status asthmaticus | VC | 1 |
| J81 | Pulmonary oedema | VC | 1 |
| J85 | Abscess of lung and mediastinum | С | 1 |
| J85.1 | Abscess of lung with pneumonia | С | 1 |
| J91* | Pleural effusion in conditions classified elsewhere | VC | 1 |
| J93 | Pneumothorax | VC | 1 |
| J98.6 | Disorders of diaphragm | LC | 1 |
| K00.1 | Supernumerary teeth | С | 1 |
| K02 | Dental caries | VC | 1 |
| K02.0 | Caries limited to enamel | С | 1 |
| K02.1 | Caries of dentine | С | 1 |
| K02.2 | Caries of cementum | С | 1 |
| K02.3 | Arrested dental caries | С | 1 |
| K04 | Diseases of pulp and periapical tissues | С | 1 |
| K04.0 | Pulpitis | С | 1 |
| K04.1 | Necrosis of pulp | С | 1 |
| K04.2 | Pulp degeneration | С | 1 |
| K05 | Gingivitis and periodontal diseases | С | 1 |
| K05.0 | Acute gingivitis | С | 1 |
| K05.1 | Chronic gingivitis | С | 1 |
| K05.2 | Acute periodontitis | С | 1 |
| K05.3 | Chronic periodontitis | С | 1 |
| K05.4 | Periodontosis | С | 1 |
| K11 | Diseases of salivary glands | С | 1 |
| K12 | Stomatitis and related lesions | С | 1 |
| K13 | Other diseases of lip and oral mucosa | LC | 1 |
| K14.4 | Atrophy of tongue papillae | С | 1 |
| K20 | Oesophagitis | С | 1 |
| K21 | Gastro-oesophageal reflux disease | VC | 1 |
| K21.0 | Gastro-oesophageal reflux disease with oesophagitis | С | 1 |
| K21.9 | Gastro-oesophageal reflux disease without oesophagitis | С | 1 |
| K30 | Dyspepsia | VC | 1 |
| K58 | Irritable bowel syndrome | VC | 1 |
| K58.0 | Irritable bowel syndrome with diarrhoea | VC | 1 |
| K58.9 | Irritable bowel syndrome without diarrhoea | VC | 1 |
| K59.0 | Constipation | VC | 1 |
| K59.1 | Functional diarrhoea | VC | 1 |
| K60.0 | Acute anal fissure | С | 1 |
| K74 | Fibrosis and cirrhosis of liver | С | 1 |
| L01 | Impetigo | С | 1 |
| L02 | Cutaneous abscess, furuncle and carbuncle | VC | 1 |
| L03 | Cellulitis | VC | 1 |
| L04 | Acute lymphadenitis | VC | 1 |
| L08 | Other local infections of skin and subcutaneous tissue | С | 1 |

| Code | Name of the Diseases | UHC | No. |
|-------|--|-----|-----|
| L20 | Atopic dermatitis | С | 1 |
| L21 | Seborrhoeic dermatitis | С | 1 |
| L22 | Diaper [napkin] dermatitis | С | 1 |
| L23 | Allergic contact dermatitis | С | 1 |
| L24 | Irritant contact dermatitis | С | 1 |
| L25 | Unspecified contact dermatitis | С | 1 |
| L29 | Pruritus | VC | 1 |
| L30 | Other dermatitis | С | 1 |
| L30.3 | Infective dermatitis | С | 1 |
| L30.5 | Pityriasis alba | VC | 1 |
| L30.9 | Dermatitis, unspecified | С | 1 |
| L43 | Lichen planus | С | 1 |
| L50 | Urticaria | VC | 1 |
| L50.0 | Allergic urticaria | VC | 1 |
| L50.1 | Idiopathic urticaria | VC | 1 |
| L50.2 | Urticaria due to cold and heat | С | 1 |
| L50.6 | Contact urticaria | С | 1 |
| L50.8 | Other urticaria | С | 1 |
| L60 | Nail disorders | VC | 1 |
| L60.0 | Ingrowing nail | LC | 1 |
| L60.1 | Onycholysis | LC | 1 |
| L60.4 | Beau's lines | С | 1 |
| L63 | Alopecia areata | С | 1 |
| L63.0 | Alopecia (capitis) totalis | С | 1 |
| L64 | Androgenic alopecia | VC | 1 |
| L67 | Hair colour and hair shaft abnormalities | С | 1 |
| L70 | Acne | VC | 1 |
| L71 | Rosacea | С | 1 |
| L72 | Follicular cysts of skin and subcutaneous tissue | С | 1 |
| L72.0 | Epidermal cyst | С | 1 |
| L80 | Vitiligo | С | 1 |
| L81.1 | Chloasma | VC | 1 |
| L81.2 | Freckles | VC | 1 |
| L83 | Acanthosis nigricans | С | 1 |
| L84 | Corns and callosities | С | 1 |
| L85 | Other epidermal thickening | С | 1 |
| L85.3 | Xerosis cutis | С | 1 |
| L89 | Decubitus ulcer | С | 1 |
| L91.0 | Keloid scar | C | 1 |
| L97 | Ulcer of lower limb, not elsewhere classified | C | 1 |
| M00 | Pyogenic arthritis | C | 1 |
| M05 | Seropositive rheumatoid arthritis | VC | 1 |
| M25.5 | Pain in joint | VC | 1 |
| M40 | Kyphosis and lordosis | C | 1 |
| M43 | Other deforming dorsopathies | C | 1 |
| M43.6 | Torticollis | C | 1 |

| Code | Name of the Diseases | UHC | No. |
|--------|--|-----|-----|
| M53.2 | Radiculopathy | С | 1 |
| M53.3 | Cervicalgia | С | 1 |
| M53.9 | Sciatica | С | 1 |
| M54 | Lumbago with sciatica | С | 1 |
| M54.0 | Low back pain | VC | 1 |
| M62.0 | | С | 1 |
| M63* | Synovitis and tenosynovitis | С | 1 |
| M63.3* | Trigger finger | С | 1 |
| M66.5 | Ganglion | С | 1 |
| M67.4 | Soft tissue disorders re1`lated to use, overuse and pressure | С | 1 |
| N00 | Acute nephritic syndrome | VC | 1 |
| N04 | Nephrotic syndrome | VC | 1 |
| N05 | Unspecified nephritic syndrome | С | 1 |
| N13 | Obstructive and reflux uropathy | С | 1 |
| N17 | Acute renal failure | С | 1 |
| N19 | Unspecified renal failure | С | 1 |
| N20 | Calculus of kidney and ureter | VC | 1 |
| N20.0 | Calculus of kidney | VC | 1 |
| N20.1 | Calculus of ureter | VC | 1 |
| N21.0 | Calculus in bladder | С | 1 |
| N21.1 | Calculus in urethra | LC | 1 |
| N30 | Cystitis | VC | 1 |
| N30.0 | Acute cystitis | С | 1 |
| N32 | Other disorders of bladder | С | 1 |
| N32.0 | Bladder-neck obstruction | С | 1 |
| N34 | Urethritis and urethral syndrome | VC | 1 |
| N34.1 | Nonspecific urethritis | VC | 1 |
| N39 | Other disorders of urinary system | С | 1 |
| N40 | Hyperplasia of prostate | VC | 1 |
| N41 | Inflammatory diseases of prostate | С | 1 |
| N43.4 | Spermatocele | LC | 1 |
| N45 | Orchitis and epididymitis | С | 1 |
| N47 | Redundant prepuce, phimosis and paraphimosis | VC | 1 |
| N72 | Inflammatory disease of cervix uteri | С | 1 |
| N73.0 | Acute parametritis and pelvic cellulitis | С | 1 |
| N73.1 | Chronic parametritis and pelvic cellulitis | С | 1 |
| N76 | Other inflammation of vagina and vulva | LC | 1 |
| N76.2 | Acute vulvitis | С | 1 |
| N82 | Fistulae involving female genital tract | С | 1 |
| N90.4 | Leukoplakia of vulva | LC | 1 |
| N91.3 | Primary oligomenorrhoea | С | 1 |
| N91.4 | Secondary oligomenorrhoea | С | 1 |
| N92 | Excessive, frequent and irregular menstruation | С | 1 |
| N92.0 | Excessive and frequent menstruation with regular cycle | С | 1 |
| N92.1 | Excessive and frequent menstruation with irregular cycle | С | 1 |
| N92.2 | Excessive menstruation at puberty | С | 1 |

| Code | Name of the Diseases | UHC | No. |
|-------|---|-----|-----|
| N93 | Other abnormal uterine and vaginal bleeding | С | 1 |
| N93.0 | Postcoital and contact bleeding | С | 1 |
| N94 | Pain and other conditions associated with female genital organs and | С | 1 |
| N94.1 | Dyspareunia | С | 1 |
| N94.2 | Vaginismus | LC | 1 |
| N94.3 | Premenstrual tension syndrome | VC | 1 |
| N94.4 | Primary dysmenorrhoea | С | 1 |
| N94.5 | Secondary dysmenorrhoea | С | 1 |
| N95.2 | Postmenopausal atrophic vaginitis | С | 1 |
| N96 | Habitual aborter | С | 1 |
| O01.1 | Incomplete and partial hydatidiform mole | С | 1 |
| O02.0 | Blighted ovum and nonhydatidiform mole | С | 1 |
| O03 | Spontaneous abortion | VC | 1 |
| O03.0 | Spontaneous abortion, incomplete, complicated by genital tract | С | 1 |
| O07 | Failed attempted abortion | С | 1 |
| O07.4 | Failed medical abortion, without complication | С | 1 |
| O07.9 | Other and unspecified failed attempted abortion, without complication | LC | 1 |
| O20 | Haemorrhage in early pregnancy | С | 1 |
| O20.0 | Threatened abortion | VC | 1 |
| O20.8 | Other haemorrhage in early pregnancy | VC | 1 |
| O20.9 | Haemorrhage in early pregnancy, unspecified | VC | 1 |
| O21 | Excessive vomiting in pregnancy | VC | 1 |
| O21.0 | Mild hyperemesis gravidarum | VC | 1 |
| O21.2 | Late vomiting of pregnancy | LC | 1 |
| O21.8 | Other vomiting complicating pregnancy | LC | 1 |
| 021.9 | Vomiting of pregnancy, unspecified | LC | 1 |
| O22.4 | Haemorrhoids in pregnancy | С | 1 |
| O22.9 | Venous complication in pregnancy, unspecified | LC | 1 |
| 023 | Infections of genitourinary tract in pregnancy | VC | 1 |
| O23.1 | Infections of bladder in pregnancy | VC | 1 |
| 023.2 | Infections of urethra in pregnancy | LC | 1 |
| 023.3 | Infections of other parts of urinary tract in pregnancy | LC | 1 |
| 023.4 | Unspecified infection of urinary tract in pregnancy | LC | 1 |
| 023.5 | Infections of the genital tract in pregnancy | С | 1 |
| 023.9 | Other and unspecified genitourinary tract infection in pregnancy | LC | 1 |
| O26 | Maternal care for other conditions predominantly related to pregnancy | LC | 1 |
| O26.0 | Excessive weight gain in pregnancy | С | 1 |
| O26.1 | Low weight gain in pregnancy | VC | 1 |
| 026.4 | Herpes gestationis | LC | 1 |
| O26.5 | Maternal hypotension syndrome | LC | 1 |
| O26.9 | Pregnancy-related condition, unspecified | LC | 1 |
| 029.9 | Complication of anaesthesia during pregnancy, unspecified | LC | 1 |
| O47 | False labour | VC | 1 |
| O47.0 | False labour before 37 completed weeks of gestation | VC | 1 |
| 047.1 | False labour at or after 37 completed weeks of gestation | VC | 1 |
| O47.9 | False labour, unspecified | LC | 1 |

| Code | Name of the Diseases | UHC | No. |
|-------|---|-----|-----|
| 066.4 | Failed trial of labour, unspecified | С | 1 |
| 066.5 | Failed application of vacuum extractor and forceps, unspecified | LC | 1 |
| O68 | Labour and delivery complicated by fetal stress [distress] | VC | 1 |
| O68.0 | Labour and delivery complicated by fetal heart rate anomaly | VC | 1 |
| O68.1 | Labour and delivery complicated by meconium in amniotic fluid | VC | 1 |
| O68.2 | Labour and delivery complicated by fetal heart rate anomaly with | LC | 1 |
| O68.3 | Labour and delivery complicated by biochemical evidence of fetal stress | LC | 1 |
| 068.8 | Labour and delivery complicated by other evidence of fetal stress | LC | 1 |
| 068.9 | Labour and delivery complicated by fetal stress, unspecified | LC | 1 |
| 069 | Labour and delivery complicated by umbilical cord complications | LC | 1 |
| O69.0 | Labour and delivery complicated by prolapse of cord | LC | 1 |
| O69.1 | Labour and delivery complicated by cord around neck, with compression | VC | 1 |
| O69.2 | Labour and delivery complicated by other cord entanglement | LC | 1 |
| 069.3 | Labour and delivery complicated by short cord | LC | 1 |
| 069.4 | Labour and delivery complicated by vasa praevia | LC | 1 |
| 069.5 | Labour and delivery complicated by vascular lesion of cord | LC | 1 |
| 069.8 | Labour and delivery complicated by other cord complications | LC | 1 |
| 069.9 | Labour and delivery complicated by cord complication, unspecified | LC | 1 |
| O70 | Perineal laceration during delivery | VC | 1 |
| O70.0 | First degree perineal laceration during delivery | VC | 1 |
| O70.1 | Second degree perineal laceration during delivery | VC | 1 |
| O70.2 | Third degree perineal laceration during delivery | LC | 1 |
| O70.9 | Perineal laceration during delivery, unspecified | С | 1 |
| 072 | Postpartum haemorrhage | VC | 1 |
| 073 | Retained placenta and membranes, without haemorrhage | VC | 1 |
| 073.0 | Retained placenta without haemorrhage | VC | 1 |
| 073.1 | Retained portions of placenta and membranes, without haemorrhage | VC | 1 |
| 074.5 | Spinal and epidural anaesthesia-induced headache during labour and | VC | 1 |
| 075.4 | Other complications of obstetric surgery and procedures | LC | 1 |
| 075.5 | Delayed delivery after artificial rupture of membranes | LC | 1 |
| 075.6 | Delayed delivery after spontaneous or unspecified rupture of membranes | LC | 1 |
| 075.9 | Complication of labour and delivery, unspecified | LV | 1 |
| O80 | Single spontaneous delivery | VC | 1 |
| O80.0 | Spontaneous vertex delivery | VC | 1 |
| O80.1 | Spontaneous breech delivery | С | 1 |
| O80.8 | Other single spontaneous delivery | VC | 1 |
| O80.9 | Single spontaneous delivery, unspecified | VC | 1 |
| 081 | Single delivery by forceps and vacuum extractor | С | 1 |
| O81.0 | Low forceps delivery | VC | 1 |
| 081.1 | Mid-cavity forceps delivery | LC | 1 |
| 081.2 | Mid-cavity forceps with rotation | LC | 1 |
| 081.3 | Other and unspecified forceps delivery | LC | 1 |
| 081.4 | Vacuum extractor delivery | VC | 1 |

| Code | Name of the Diseases | UHC | No. |
|-------|--|---------|-----|
| 082 | Single delivery by caesarean section | VC | 1 |
| 082.0 | Delivery by elective caesarean section | VC | 1 |
| 082.1 | Delivery by emergency caesarean section | VC | 1 |
| 085 | Puerperal sepsis | VC | 1 |
| 086 | Other puerperal infections | VC | 1 |
| 086.0 | Infection of obstetric surgical wound | С | 1 |
| 086.1 | Other infection of genital tract following delivery | LC | 1 |
| 086.2 | Urinary tract infection following delivery | LC | 1 |
| 086.3 | Other genitourinary tract infections following delivery | LC | 1 |
| 086.8 | Other specified puerperal infections | LC | 1 |
| 087.2 | Haemorrhoids in the puerperium | С | 1 |
| 089 | Complications of anaesthesia during the puerperium | LC | 1 |
| 089.0 | Pulmonary complications of anaesthesia during the puerperium | LC | 1 |
| 089.1 | Cardiac complications of anaesthesia during the puerperium | LC | 1 |
| 089.2 | Central nervous system complications of anaesthesia during the | LC | 1 |
| 089.4 | Spinal and epidural anaesthesia-induced headache during the | VC | 1 |
| | puerperium | | _ |
| O90.0 | Disruption of caesarean section wound | C | 1 |
| O90.1 | Disruption of perineal obstetric wound | C | 1 |
| O90.2 | Haematoma of obstetric wound | C | 1 |
| 091 | Infections of breast associated with childbirth | VC | 1 |
| 091.0 | Infection of nipple associated with childbirth | VC | 1 |
| 091.1 | Abscess of breast associated with childbirth | C | 1 |
| 091.2 | Nonpurulent mastitis associated with childbirth | LC | 1 |
| O92 | Other disorders of breast and lactation associated with childbirth | LC | 1 |
| O92.0 | Retracted nipple associated with childbirth | LC | 1 |
| 092.1 | Cracked nipple associated with childbirth | C LC | 1 |
| 092.2 | Other and unspecified disorders of breast associated with childbirth | | 1 |
| O92.5 | Suppressed lactation | C | 1 |
| P00 | Fetus and newborn affected by maternal conditions that may be unrelated | VC | 1 |
| P02.4 | Fetus and newborn affected by prolapsed cord | LC | 1 |
| P02.5 | Fetus and newborn affected by other compression of umbilical cord | LC | 1 |
| P03.2 | Fetus and newborn affected by forceps delivery | VC | 1 |
| P03.4 | Fetus and newborn affected by caesarean delivery | VC | 1 |
| P08.2 | Post-term infant, not heavy for gestational age | С | 1 |
| P12.0 | Cephalhaematoma due to birth injury | VC | 1 |
| P12.1 | Chignon due to birth injury | VC | 1 |
| P12.3 | Bruising of scalp due to birth injury | VC | 1 |
| P12.4 | Monitoring injury of scalp of newborn | С | 1 |
| P15.4 | Birth injury to face | LC | 1 |
| P24.1 | Neonatal aspiration of amniotic fluid and mucus | VC | 1 |
| P39.0 | Neonatal infective mastitis | LC | 1 |
| P39.1 | Neonatal conjunctivitis and dacryocystitis | C | 1 |
| P39.4 | Neonatal skin infection | VC | 1 |
| P54.6 | Neonatal vaginal haemorrhage | C | 1 |

| Code | Name of the Diseases | UHC | No. |
|-------|--|-----|-----|
| P80 | Hypothermia of newborn | С | 1 |
| P80.0 | Cold injury syndrome | С | 1 |
| P83.1 | Neonatal erythema toxicum | VC | 1 |
| P83.4 | Breast engorgement of newborn | С | 1 |
| P92 | Feeding problems of newborn | LC | 1 |
| P92.0 | Vomiting in newborn | LC | 1 |
| P92.2 | Slow feeding of newborn | VC | 1 |
| P92.3 | Underfeeding of newborn | VC | 1 |
| P92.4 | Overfeeding of newborn | VC | 1 |
| P92.5 | Neonatal difficulty in feeding at breast | VC | 1 |
| P92.8 | Other feeding problems of newborn | VC | 1 |
| P92.9 | Feeding problem of newborn, unspecified | LC | 1 |
| R00 | Abnormalities of heart beat | VC | 1 |
| R00.0 | Tachycardia, unspecified | VC | 1 |
| R00.1 | Bradycardia, unspecified | VC | 1 |
| R03 | Abnormal blood-pressure reading, without diagnosis | С | 1 |
| R03.0 | Elevated blood-pressure reading, without diagnosis of hypertension | С | 1 |
| R03.1 | Nonspecific low blood-pressure reading | С | 1 |
| R04.0 | Epistaxis | С | 1 |
| R04.2 | Haemoptysis | С | 1 |
| R04.8 | Haemorrhage from other sites in respiratory passages | С | 1 |
| R04.9 | Haemorrhage from respiratory passages, unspecified | С | 1 |
| R05 | Cough | С | 1 |
| R06 | Abnormalities of breathing | С | 1 |
| R06.0 | Dyspnoea | С | 1 |
| R06.1 | Stridor | С | 1 |
| R06.2 | Wheezing | С | 1 |
| R06.3 | Periodic breathing | С | 1 |
| R06.4 | Hyperventilation | С | 1 |
| R06.5 | Mouth breathing | С | 1 |
| R06.6 | Hiccough | С | 1 |
| R06.7 | Sneezing | С | 1 |
| R06.8 | Other and unspecified abnormalities of breathing | С | 1 |
| R07 | Pain in throat and chest | С | 1 |
| R07.0 | Pain in throat | С | 1 |
| R07.1 | Chest pain on breathing | С | 1 |
| R07.2 | Precordial pain | С | 1 |
| R07.3 | Other chest pain | С | 1 |
| R07.4 | Chest pain, unspecified | С | 1 |
| R09 | Other symptoms and signs involving the circulatory and respiratory | С | 1 |
| R09.0 | Asphyxia | С | 1 |
| R09.1 | Pleurisy | C | 1 |
| R09.3 | Abnormal sputum | C | 1 |
| R10.0 | Acute abdomen | C | 1 |
| R10.1 | Pain localized to upper abdomen | C | 1 |
| R10.2 | Pelvic and perineal pain | C | 1 |

| Code | Name of the Diseases | UHC | No. |
|---------|---|-----|-----|
| R10.3 | Pain localized to other parts of lower abdomen | С | 1 |
| R10.4 | Other and unspecified abdominal pain | С | 1 |
| R11 | Nausea and vomiting | С | 1 |
| R12 | Heartburn | С | 1 |
| R13 | Dysphagia | С | 1 |
| R14 | Flatulence and related conditions | С | 1 |
| R21 | Rash and other nonspecific skin eruption | VC | 1 |
| R22 | Localized swelling, mass and lump of skin and subcutaneous tissue | VC | 1 |
| R22.0 | Localized swelling, mass and lump, head | VC | 1 |
| R22.1 | Localized swelling, mass and lump, neck | VC | 1 |
| R22.2 | Localized swelling, mass and lump, trunk | VC | 1 |
| R22.3 | Localized swelling, mass and lump, upper limb | VC | 1 |
| R22.4 | Localized swelling, mass and lump, lower limb | VC | 1 |
| R22.7 | Localized swelling, mass and lump, multiple sites | VC | 1 |
| R22.9 | Localized swelling, mass and lump, unspecified | VC | 1 |
| R23 | Other skin changes | VC | 1 |
| R59.0 | Localized enlarged lymph nodes | VC | 1 |
| R59.1 | Generalized enlarged lymph nodes | VC | 1 |
| R59.9 | Enlarged lymph nodes, unspecified | VC | 1 |
| R60 | Oedema, not elsewhere classified | VC | 1 |
| R60.0 | Localized oedema | VC | 1 |
| R73 | Elevated blood glucose level | VC | 1 |
| R73.0 | Abnormal glucose tolerance test | VC | 1 |
| R73.9 | Hyperglycaemia, unspecified | VC | 1 |
| R74 | Abnormal serum enzyme levels | VC | 1 |
| R80 | Isolated proteinuria | VC | 1 |
| R81 | Glycosuria | VC | 1 |
| R82 | Other abnormal findings in urine | VC | 1 |
| S00 | Superficial injury of head | С | 1 |
| S00.0 | Superficial injury of scalp | C | 1 |
| S00.3 | Superficial injury of nose | LC | 1 |
| S00.4 | Superficial injury of ear | LC | 1 |
| S00.5 | Superficial injury of lip and oral cavity | LC | 1 |
| S03.2 | Dislocation of tooth | С | 1 |
| S20.0 | Contusion of breast | LC | 1 |
| Symptom | s and signs involving the digestive system and abdomen (R10-R19) | VC | 1 |
| Symptom | s and signs involving the skin and subcutaneous tissue (R20-R23) | VC | 1 |
| Symptom | s and signs involving the nervous and musculoskeletal systems | VC | 1 |
| T17.1 | Foreign body in nostril | C | 1 |
| T17.2 | Foreign body in pharynx | C | 1 |
| T18.0 | Foreign body in mouth | C | 1 |
| T31.0 | Burns involving less than 10% of body surface | C | 1 |

Secondary Level

| ICD-10 (Block) | Name of the Diseases | DH | No. |
|-------------------|---|----|-----|
| A05 | Other bacterial foodborne intoxications | С | 1 |
| A05.0 | Foodborne staphylococcal intoxication | С | 1 |
| A06.4 | Amoebic liver adscess | С | 1 |
| A18.0+ | Tuberculosis of bones and joints | С | 1 |
| A18.2 | Tuberculous peripheral lymphadenopathy | С | 1 |
| A18.4 | Tuberculosis of skin and subcutaneous tissue | С | 1 |
| A19 | Miliary tuberculosis | LC | 1 |
| A24.1 | Acute and fulminating melioidosis | LC | 1 |
| A24.2 | Subacute and chronic melioidosis | LC | 1 |
| A24.3 | Other melioidosis | LC | 1 |
| A24.4 | Melioidosis, unspecified | LC | 1 |
| A26 | Erysipeloid | LC | 1 |
| A39 | Meningococcal infection | С | 1 |
| A39.2 | Acute meningococcaemia | С | 1 |
| A57 | Chancroid | С | 1 |
| A75 | Typhus fever | LC | 1 |
| A92 | Other mosquito-borne viral fevers | С | 1 |
| B06 | Rubella [German measles] | LC | 1 |
| B06.b | Rubella without emplication | LC | 1 |
| B07 | Viral warts | С | 1 |
| B15 | Acute hepatitis A | VC | 1 |
| B15.0 | Hepatitis A with hepatic coma | С | 1 |
| B15.9 | Hepatitis A without hepatic coma | С | 1 |
| B16 | Acute hepatitis B | VC | 1 |
| B17.2 | Acute hepatitis E | VC | 1 |
| B52.8 | Plasmodium malariae malaria with other complications | LC | 1 |
| B52.9 | Plasmodium malariae malaria without complication | LC | 1 |
| B53 | Other parasitologically confirmed malaria, not elsewhere classified | LC | 1 |
| B54 | Unspecified malaria | LC | 1 |
| B75 | Trichinellosis | LC | 1 |
| B85 | Pediculosis and phthiriasis | LC | 1 |
| C00 | Malignant neoplasm of lip | LC | 1 |
| C43 | Malignant melanoma of skin | LC | 1 |
| C50 | Malignant neoplasm of breast | VC | 1 |
| C53 | Malignant neoplasm of cervix uteri | С | 1 |
| C56 | Malignant neoplasm of ovary | С | 1 |
| C77 | Secondary and unspecified malignant neoplasm of lymph nodes | С | 1 |
| Certain | early complications of trauma (T79) | С | 1 |
| Chronic | rheumatic heart diseases (I05-I09) | С | 1 |
| D03 | Melanoma in situ | LC | 1 |
| D04 | Carcinoma in situ of skin | LC | 1 |
| D10 | Benign neoplasm of mouth and pharynx | LC | 1 |

VC=Very common, C= Common, LC= Less common

| ICD-10 (Block) | Name of the Diseases | DH | No. |
|-------------------|---|----|-----|
| D11 | Benign neoplasm of major salivary glands | LC | 1 |
| D12 | Benign neoplasm of colon, rectum, anus and anal canal | С | 1 |
| D12.8 | Rectum | С | 1 |
| D16.0 | Scapula and long bones of upper limb | LC | 1 |
| D16.2 | Long bones of lower limb | С | 1 |
| D18 | Haemangioma and lymphangioma, any site | С | 1 |
| D20.1 | Peritoneum | LC | 1 |
| D22 | Melanocytic naevi | LC | 1 |
| D23 | Other benign neoplasms of skin | LC | 1 |
| D24 | Benign neoplasm of breast | С | 1 |
| D25 | Leiomyoma of uterus | С | 1 |
| D27 | Benign neoplasm of ovary | С | 1 |
| D28 | Benign neoplasm of other and unspecified female genital organs | LC | 1 |
| D28.0 | Vulva | LC | 1 |
| D28.1 | Vagina | LC | 1 |
| D29 | Benign neoplasm of male genital organs | LC | 1 |
| D34 | Benign neoplasm of thyroid gland | С | 1 |
| E03 | Other hypothyroidism | С | 1 |
| E05 | Thyrotoxicosis [hyperthyroidism] | С | 1 |
| E05.0 | Thyrotoxicosis with diffuse goitre | С | 1 |
| E10.0 | Insulin-dependent diabetes mellitus with coma | С | 1 |
| E11.0 | Non-insulin-dependent diabetes mellitus with coma | С | 1 |
| E11.1 | Non-insulin-dependent diabetes mellitus with ketoacidosis | С | 1 |
| E22.1 | Hyperprolactinaemia | С | 1 |
| E22.2 | Syndrome of inappropriate secretion of antidiuretic hormone | С | 1 |
| E24 | Cushing's syndrome | С | 1 |
| E28.2 | Polycystic ovarian syndrome | С | 1 |
| E40 | Kwashiorkor | С | 1 |
| E41 | Nutritional marasmus | С | 1 |
| E42 | Marasmic kwashiorkor | С | 1 |
| E44 | Protein-energy malnutrition of moderate and mild degree | С | 1 |
| E44.0 | Moderate protein-energy malnutrition | С | 1 |
| E44.1 | Mild protein-energy malnutrition | С | 1 |
| E45 | Retarded development following protein-energy malnutrition | С | 1 |
| E50.0 | Vitamin A deficiency with conjunctival xerosis | С | 1 |
| E50.1 | Vitamin A deficiency with Bitot's spot and conjunctival xerosis | С | 1 |
| E50.2 | Vitamin A deficiency with corneal xerosis | С | 1 |
| E50.3 | Vitamin A deficiency with corneal ulceration and xerosis | С | 1 |
| E50.4 | Vitamin A deficiency with keratomalacia | С | 1 |
| E50.5 | Vitamin A deficiency with night blindness | С | 1 |
| E50.6 | Vitamin A deficiency with xerophthalmic scars of cornea | С | 1 |
| E50.7 | Other ocular manifestations of vitamin A deficiency | С | 1 |
| E50.8 | Other manifestations of vitamin A deficiency | С | 1 |
| E50.9 | Vitamin A deficiency, unspecified | С | 1 |
| E51 | Thiamine deficiency | С | 1 |
| E51.1 | Beriberi | С | 1 |

| ICD-10 (Block) | Name of the Diseases | DH | No. |
|-------------------|--|----|-----|
| E54 | Ascorbic acid deficiency | LC | 1 |
| E65 | Localized adiposity | С | 1 |
| E86 | Volume depletion | С | 1 |
| E87.0 | Hyperosmolality and hypernatraemia | С | 1 |
| E87.1 | Hypo-osmolality and hyponatraemia | С | 1 |
| E87.2 | Acidosis | С | 1 |
| E87.3 | Alkalosis | С | 1 |
| E87.4 | Mixed disorder of acid-base balance | С | 1 |
| E87.5 | Hyperkalaemia | С | 1 |
| E87.6 | Hypokalaemia | С | 1 |
| E87.7 | Fluid overload | С | 1 |
| F06.4 | Organic anxiety disorder | С | 1 |
| F40.0 | Agoraphobia | С | 1 |
| F40.1 | Social phobias | С | 1 |
| F40.2 | Specific (isolated) phobias | С | 1 |
| F41 | Other anxiety disorders | С | 1 |
| F41.0 | Panic disorder [episodic paroxysmal anxiety] | С | 1 |
| F41.1 | Generalized anxiety disorder | С | 1 |
| F42 | Obsessive-compulsive disorder | С | 1 |
| F43 | Reaction to severe stress, and adjustment disorders | С | 1 |
| F44 | Dissociative [conversion] disorders | С | 1 |
| F48 | Other neurotic disorders | С | 1 |
| F48.0 | Neurasthenia | С | 1 |
| F66 | Psychological and behavioural disorders associated with sexual | LC | 1 |
| F70 | Mild mental retardation | С | 1 |
| G00.9 | Bacterial meningitis, unspecified | С | 1 |
| G03 | Meningitis due to other and unspecified causes | LC | 1 |
| G03.0 | Nonpyogenic meningitis | LC | 1 |
| G24.0 | Drug-induced dystonia | C | 1 |
| G24.3 | Spasmodic torticollis | С | 1 |
| G24.4 | Idiopathic orofacial dystonia | LC | 1 |
| G24.5 | Blepharospasm | LC | 1 |
| G24.8 | Other dystonia | LC | 1 |
| G24.9 | Dystonia, unspecified | LC | 1 |
| G25.2 | Other specified forms of tremor | С | 1 |
| G25.4 | Drug-induced chorea | С | 1 |
| G25.8 | Other specified extrapyramidal and movement disorders | С | 1 |
| G40 | Epilepsy | C | 1 |
| G44 | Other headache syndromes | LC | 1 |
| G44.0 | Cluster headache syndrome | LC | 1 |
| G44.1 | Vascular headache, not elsewhere classified | LC | 1 |
| G44.2 | Tension-type headache | LC | 1 |
| G44.3 | Chronic post-traumatic headache | LC | 1 |
| G44.4 | Drug-induced headache, not elsewhere classified | LC | 1 |
| G45 | Transient cerebral ischaemic attacks and related syndromes | С | 1 |
| G47.1 | Disorders of excessive somnolence [hypersomnias] | LC | 1 |

| ICD-10 (Block) | Name of the Diseases | DH | No. |
|-------------------|--|----|-----|
| G47.2 | Disorders of the sleep-wake schedule | LC | 1 |
| G47.4 | Narcolepsy and cataplexy | LC | 1 |
| G50 | Disorders of trigeminal nerve | LC | 1 |
| G50.0 | Trigeminal neuralgia | LC | 1 |
| G50.1 | Atypical facial pain | LC | 1 |
| G52.0 | Disorders of olfactory nerve | LC | 1 |
| G53.0* | Postzoster neuralgia (B02.2+) | С | 1 |
| G54 | Nerve root and plexus disorders | С | 1 |
| G59.0* | Diabetic mononeuropathy (E10-E14+ with common fourth character .4) | LC | 1 |
| G63.2* | Diabetic polyneuropathy (E10-E14+ with common fourth character .4) | VC | 1 |
| G63.3* | Polyneuropathy in other endocrine and metabolic diseases (E00-E07+, | VC | 1 |
| G63.4* | Polyneuropathy in nutritional deficiency (E40-E64+) | VC | 1 |
| G63.5* | Polyneuropathy in systemic connective tissue disorders (M30-M35+) | VC | 1 |
| G63.6* | Polyneuropathy in other musculoskeletal disorders (M00-M25+, M40-M96+) | VC | 1 |
| H00 | Hordeolum and chalazion | С | 1 |
| H00.1 | Chalazion | С | 1 |
| H04 | Disorders of lacrimal system | С | 1 |
| H04.0 | Dacryoadenitis | С | 1 |
| H04.1 | Other disorders of lacrimal gland | С | 1 |
| H04.2 | Epiphora | С | 1 |
| H04.3 | Acute and unspecified inflammation of lacrimal passages | С | 1 |
| H04.4 | Chronic inflammation of lacrimal passages | С | 1 |
| H04.5 | Stenosis and insufficiency of lacrimal passages | С | 1 |
| H10.0 | Mucopurulent conjunctivitis | С | 1 |
| H10.8 | Other conjunctivitis | С | 1 |
| H25 | Senile cataract | VC | 1 |
| H25.0 | Senile incipient cataract | VC | 1 |
| H25.1 | Senile nuclear cataract | VC | 1 |
| H25.2 | Senile cataract, morgagnian type | VC | 1 |
| H25.8 | Other senile cataract | VC | 1 |
| H25.9 | Senile cataract, unspecified | VC | 1 |
| H52 | Disorders of refraction and accommodation | VC | 1 |
| H52.0 | Hypermetropia | VC | 1 |
| H52.1 | Муоріа | VC | 1 |
| H52.2 | Astigmatism | VC | 1 |
| H52.3 | Anisometropia and aniseikonia | VC | 1 |
| H52.4 | Presbyopia | VC | 1 |
| H52.5 | Disorders of accommodation | VC | 1 |
| H52.6 | Other disorders of refraction | VC | 1 |
| H52.7 | Disorder of refraction, unspecified | VC | 1 |
| H60 | Otitis externa | С | 1 |
| H60.1 | Cellulitis of external ear | UC | 1 |
| H65 | Nonsuppurative otitis media | С | 1 |
| H65.0 | Acute serous otitis media | С | 1 |
| H65.1 | Other acute nonsuppurative otitis media | С | 1 |
| H65.2 | Chronic serous otitis media | С | 1 |

| ICD-10 (Block) | Name of the Diseases | DH | No. |
|-------------------|---|----|-----|
| H65.3 | Chronic mucoid otitis media | С | 1 |
| H65.4 | Other chronic nonsuppurative otitis media | С | 1 |
| H65.9 | Nonsuppurative otitis media, unspecified | С | 1 |
| H70 | Mastoiditis and related conditions | С | 1 |
| H70.1 | Chronic mastoiditis | С | 1 |
| H70.9 | Mastoiditis, unspecified | LC | 1 |
| H71 | Cholesteatoma of middle ear | VC | 1 |
| ICD-10 (Block) | Osteopathies in diseases classified elsewhere | LC | 1 |
| K35.a | With Complication | С | 1 |
| K40.a.1 | With Complication | С | 1 |
| K40.b.1 | With Complication | С | 1 |
| K41.a.1 | With Complication | LC | 1 |
| K41.b.1 | With Complication | LC | 1 |
| K42.a | With Complication | LC | 1 |
| K51 | Ulcerative colitis | С | 1 |
| K55.0 | Acute vascular disorders of intestine | LC | 1 |
| K57 | Diverticular disease of intestine | LC | 1 |
| K59.2 | Neurogenic bowel, not elsewhere classified | LC | 1 |
| K59.3 | Megacolon, not elsewhere classified | LC | 1 |
| K60.4 | Rectal fistula | С | 1 |
| K70.3 | Alcoholic cirrhosis of liver | LC | 1 |
| K70.4 | Alcoholic hepatic failure | LC | 1 |
| K71 | Toxic liver disease | LC | 1 |
| K72 | Hepatic failure, not elsewhere classified | LC | 1 |
| K72.0 | Acute and subacute hepatic failure | LC | 1 |
| K72.1 | Chronic hepatic failure | LC | 1 |
| K72.9 | Hepatic failure, unspecified | LC | 1 |
| K74.3 | Primary biliary cirrhosis | LC | 1 |
| K74.4 | Secondary biliary cirrhosis | LC | 1 |
| K75.9 | Inflammatory liver disease, unspecified | LC | 1 |
| K76.0 | Fatty (change of) liver, not elsewhere classified | C | 1 |
| K76.5 | Hepatic veno-occlusive disease | LC | 1 |
| K76.6 | Portal hypertension | LC | 1 |
| K76.7 | | LC | 1 |
| L26 | Exfoliative dermatitis | LC | 1 |
| L27 | Dermatitis due to substances taken internally | LC | 1 |
| L28 | Lichen simplex chronicus and prurigo | LC | 1 |
| L30.4 | Erythema intertrigo | LC | 1 |
| L40 | Psoriasis | C | 1 |
| L40.0 | Psoriasis vulgaris | C | 1 |
| L40.1 | Generalized pustular psoriasis | C | 1 |
| L41 | Parapsoriasis | LC | 1 |
| L45* | Papulosquamous disorders in diseases classified elsewhere | C | 1 |
| L59.0 | Erythema ab igne [dermatitis ab igne] | LC | 1 |
| L60.2 | Onychogryphosis | LC | 1 |

| ICD-10 (Block) | Name of the Diseases | DH | No. |
|-------------------|---|----|-----|
| L60.3 | Nail dystrophy | LC | 1 |
| L62.0* | Clubbed nail pachydermoperiostosis (M89.4+) | С | 1 |
| L68 | Hypertrichosis | С | 1 |
| L68.0 | Hirsutism | С | 1 |
| L85.0 | Acquired ichthyosis | VC | 1 |
| L88 | Pyoderma gangrenosum | LC | 1 |
| L91 | Hypertrophic disorders of skin | С | 1 |
| L92 | Granulomatous disorders of skin and subcutaneous tissue | С | 1 |
| L92.1 | Necrobiosis lipoidica, not elsewhere classified | С | 1 |
| M00.1 | Pneumococcal arthritis and polyarthritis | LC | 1 |
| M01.1* | Tuberculous arthritis (A18.0+) | С | 1 |
| M02 | Reactive arthropathies | С | 1 |
| M02.3 | Reiter's disease | С | 1 |
| M02.8 | Other reactive arthropathies | С | 1 |
| M05.8 | Other seropositive rheumatoid arthritis | С | 1 |
| M06.0 | Seronegative rheumatoid arthritis | С | 1 |
| M10 | Gout | С | 1 |
| M13.9 | Arthritis, unspecified | С | 1 |
| M15 | Polyarthrosis | С | 1 |
| M15.0 | Primary generalized (osteo)arthrosis | С | 1 |
| M15.1 | Heberden's nodes (with arthropathy) | С | 1 |
| M15.2 | Bouchard's nodes (with arthropathy) | С | 1 |
| M15.3 | Secondary multiple arthrosis | С | 1 |
| M15.4 | Erosive (osteo)arthrosis | С | 1 |
| M25.0 | Haemarthrosis | LC | 1 |
| M25.4 | Effusion of joint | С | 1 |
| M25.7 | Osteophyte | С | 1 |
| M40.1 | Other secondary kyphosis | С | 1 |
| M41 | Scoliosis | LC | 1 |
| M42 | Spinal osteochondrosis | LC | 1 |
| M43.0 | Spondylolysis | LC | 1 |
| M43.1 | Spondylolisthesis | LC | 1 |
| M43.2 | Other fusion of spine | LC | 1 |
| M43.3 | Recurrent atlantoaxial subluxation with myelopathy | LC | 1 |
| M45 | Ankylosing spondylitis | С | 1 |
| M46 | Other inflammatory spondylopathies | С | 1 |
| M46.0 | Spinal enthesopathy | C | 1 |
| M46.1 | Sacroiliitis, not elsewhere classified | С | 1 |
| M46.2 | Spondylosis | С | 1 |
| M47.9 | Traumatic spondylopathy | C | 1 |
| M48.3 | Tuberculosis of spine (A18.0+) | C | 1 |
| M53.0 | Dorsalgia | LC | 1 |
| M63.2* | Calcific tendinitis | LC | 1 |
| M70.4 | Other bursopathies | С | 1 |
| M72.8 | Shoulder lesions | C | 1 |
| M92.4 | Other osteochondropathies | LC | 1 |

| ICD-10 (Block) | Name of the Diseases | DH | No. |
|-------------------|--|----|-----|
| N15.1 | Renal and perinephric abscess | LC | 1 |
| N18 | Chronic renal failure | VC | 1 |
| N21 | Calculus of lower urinary tract | С | 1 |
| N34.0 | Urethral abscess | LC | 1 |
| N39.3 | Stress incontinence | С | 1 |
| N39.4 | Other specified urinary incontinence | С | 1 |
| N41.0 | Acute prostatitis | С | 1 |
| N41.1 | Chronic prostatitis | С | 1 |
| N43 | Hydrocele and spermatocele | С | 1 |
| N43.0 | Encysted hydrocele | С | 1 |
| N44 | Torsion of testis | С | 1 |
| N60 | Benign mammary dysplasia | LC | 1 |
| N60.0 | Solitary cyst of breast | LC | 1 |
| N60.1 | Diffuse cystic mastopathy | LC | 1 |
| N60.2 | Fibroadenosis of breast | LC | 1 |
| N60.3 | Fibrosclerosis of breast | LC | 1 |
| N60.4 | Mammary duct ectasia | LC | 1 |
| N61 | Inflammatory disorders of breast | С | 1 |
| N64 | Other disorders of breast | С | 1 |
| N64.0 | Fissure and fistula of nipple | С | 1 |
| N64.3 | Galactorrhoea not associated with childbirth | VC | 1 |
| N64.4 | Mastodynia | С | 1 |
| N70 | Salpingitis and oophoritis | С | 1 |
| N70.0 | Acute salpingitis and oophoritis | LC | 1 |
| N70.1 | Chronic salpingitis and oophoritis | С | 1 |
| N71 | Inflammatory disease of uterus, except cervix | С | 1 |
| N76.0 | Acute vaginitis | LC | 1 |
| N76.1 | Subacute and chronic vaginitis | LC | 1 |
| N76.5 | Ulceration of vagina | С | 1 |
| N76.6 | Ulceration of vulva | С | 1 |
| N80 | Endometriosis | С | 1 |
| N81 | Female genital prolapse | VC | 1 |
| N81.0 | Female urethrocele | LC | 1 |
| N81.1 | Cystocele | LC | 1 |
| N81.2 | Incomplete uterovaginal prolapse | С | 1 |
| N81.3 | Complete uterovaginal prolapse | LC | 1 |
| N81.6 | Rectocele | LC | 1 |
| N82.0 | Vesicovaginal fistula | С | 1 |
| N82.2 | Fistula of vagina to small intestine | С | 1 |
| N82.3 | Fistula of vagina to large intestine | С | 1 |
| N83.5 | Torsion of ovary, ovarian pedicle and fallopian tube | LC | 1 |
| N83.6 | Haematosalpinx | LC | 1 |
| N84 | Polyp of female genital tract | LC | 1 |
| N85 | Other noninflammatory disorders of uterus, except cervix | LC | 1 |
| N85.0 | Endometrial glandular hyperplasia | LC | 1 |
| N85.1 | Endometrial adenomatous hyperplasia | LC | 1 |

| ICD-10 (Block) | Name of the Diseases | DH | No. |
|-------------------|---|----|-----|
| N85.2 | Hypertrophy of uterus | LC | 1 |
| N85.3 | Subinvolution of uterus | LC | 1 |
| N85.4 | Malposition of uterus | LC | 1 |
| N85.5 | Inversion of uterus | LC | 1 |
| N85.6 | Intrauterine synechiae | LC | 1 |
| N85.7 | Haematometra | LC | 1 |
| N86 | Erosion and ectropion of cervix uteri | LC | 1 |
| N87 | Dysplasia of cervix uteri | LC | 1 |
| N88 | Other noninflammatory disorders of cervix uteri | LC | 1 |
| N89.4 | Leukoplakia of vagina | LC | 1 |
| N89.5 | Stricture and atresia of vagina | LC | 1 |
| N89.6 | Tight hymenal ring | LC | 1 |
| N91 | Absent, scanty and rare menstruation | LC | 1 |
| N91.0 | Primary amenorrhoea | LC | 1 |
| N91.1 | Secondary amenorrhoea | LC | 1 |
| N92.4 | Excessive bleeding in the premenopausal period | С | 1 |
| N95 | Menopausal and other perimenopausal disorders | С | 1 |
| N95.0 | Postmenopausal bleeding | С | 1 |
| N98.1 | Hyperstimulation of ovaries | LC | 1 |
| O00 | Ectopic pregnancy | VC | 1 |
| O00.0 | Abdominal pregnancy | LC | 1 |
| O00.1 | Tubal pregnancy | VC | 1 |
| O00.2 | Ovarian pregnancy | С | 1 |
| O00.8 | Other ectopic pregnancy | С | 1 |
| O00.9 | Ectopic pregnancy, unspecified | С | 1 |
| O01 | Hydatidiform mole | VC | 1 |
| O01.0 | Classical hydatidiform mole | VC | 1 |
| 001.9 | Hydatidiform mole, unspecified | С | 1 |
| O02.1 | Missed abortion | VC | 1 |
| O02.8 | Other specified abnormal products of conception | С | 1 |
| O02.9 | Abnormal product of conception, unspecified | С | 1 |
| 003.1 | Spontaneous abortion, incomplete, complicated by delayed or excessive | С | 1 |
| O03.2 | Spontaneous abortion, incomplete, complicated by embolism | LC | 1 |
| O03.5 | Spontaneous abortion, complete or unspecified, complicated by genital | С | 1 |
| 003.6 | Spontaneous abortion, complete or unspecified, complicated by delayed | С | 1 |
| O03.7 | Spontaneous abortion, complete or unspecified, complicated by embolism | LC | 1 |
| O03.8 | Spontaneous abortion, complete or unspecified, with other and | LC | 1 |
| O03.9 | Spontaneous abortion, complete or unspecified, without complication | С | 1 |
| O04 | Medical abortion | LC | 1 |
| 006 | Unspecified abortion | VC | 1 |
| O07.0 | Failed medical abortion, complicated by genital tract and pelvic | С | 1 |
| O07.1 | Failed medical abortion, complicated by delayed or excessive | С | 1 |
| O07.2 | Failed medical abortion, complicated by embolism | LC | 1 |
| 007.3 | Failed medical abortion, with other and unspecified complications | LC | 1 |
| O07.5 | Other and unspecified failed attempted abortion, complicated by genital | LC | 1 |
| O07.6 | Other and unspecified failed attempted abortion, complicated by delayed | LC | 1 |

| ICD-10 (Block) | Name of the Diseases | DH | No. |
|-------------------|---|----|-----|
| O07.7 | Other and unspecified failed attempted abortion, complicated by | LC | 1 |
| O07.8 | Other and unspecified failed attempted abortion, with other and | LC | 1 |
| O08 | Complications following abortion and ectopic and molar pregnancy | С | 1 |
| O08.0 | Genital tract and pelvic infection following abortion and ectopic and | LC | 1 |
| 011 | Pre-existing hypertensive disorder with superimposed proteinuria | С | 1 |
| 012 | Gestational [pregnancy-induced] oedema and proteinuria without | С | 1 |
| O12.0 | Gestational oedema | С | 1 |
| 012.1 | Gestational proteinuria | С | 1 |
| 012.2 | Gestational oedema with proteinuria | С | 1 |
| 013 | Gestational [pregnancy-induced] hypertension without significant | С | 1 |
| 014 | Gestational [pregnancy-induced] hypertension with significant | С | 1 |
| O14.0 | Moderate pre-eclampsia | VC | 1 |
| 014.9 | Pre-eclampsia, unspecified | VC | 1 |
| 016 | Unspecified maternal hypertension | LC | 1 |
| O23.0 | Infections of kidney in pregnancy | С | 1 |
| O24 | Diabetes mellitus in pregnancy | VC | 1 |
| O24.1 | Pre-existing diabetes mellitus, non-insulin-dependent | VC | 1 |
| O24.3 | Pre-existing diabetes mellitus, unspecified | VC | 1 |
| O24.4 | Diabetes mellitus arising in pregnancy | VC | 1 |
| O24.9 | Diabetes mellitus in pregnancy, unspecified | VC | 1 |
| O25 | Malnutrition in pregnancy | LC | 1 |
| O26.2 | Pregnancy care of habitual aborter | С | 1 |
| O28 | Abnormal findings on antenatal screening of mother | LC | 1 |
| O28.0 | Abnormal haematological finding on antenatal screening of mother | LC | 1 |
| O28.1 | Abnormal biochemical finding on antenatal screening of mother | LC | 1 |
| O28.2 | Abnormal cytological finding on antenatal screening of mother | LC | 1 |
| O28.3 | Abnormal ultrasonic finding on antenatal screening of mother | LC | 1 |
| O28.4 | Abnormal radiological finding on antenatal screening of mother | LC | 1 |
| O28.5 | Abnormal chromosomal and genetic finding on antenatal screening of | LC | 1 |
| O28.8 | Other abnormal findings on antenatal screening of mother | LC | 1 |
| O28.9 | Abnormal finding on antenatal screening of mother, unspecified | LC | 1 |
| 029 | Complications of anaesthesia during pregnancy | LC | 1 |
| O30 | Multiple gestation | VC | 1 |
| O30.0 | Twin pregnancy | VC | 1 |
| O30.1 | Triplet pregnancy | LC | 1 |
| O30.2 | Quadruplet pregnancy | LC | 1 |
| O30.8 | Other multiple gestation | LC | 1 |
| O30.9 | Multiple gestation, unspecified | LC | 1 |
| 031 | Complications specific to multiple gestation | LC | 1 |
| O31.0 | Papyraceous fetus | LC | 1 |
| 031.1 | Continuing pregnancy after abortion of one fetus or more | LC | 1 |
| O31.8 | Other complications specific to multiple gestation | LC | 1 |
| O32 | Maternal care for known or suspected malpresentation of fetus | С | 1 |
| O32.0 | Maternal care for unstable lie | С | 1 |
| O32.1 | Maternal care for breech presentation | С | 1 |
| O32.2 | Maternal care for transverse and oblique lie | LC | 1 |

| Page -2 | 29 |
|---------|----|
|---------|----|

| ICD-10 (Block) | Name of the Diseases | DH | No. |
|-------------------|--|----|-----|
| 032.3 | Maternal care for face, brow and chin presentation | LC | 1 |
| 032.4 | Maternal care for high head at term | С | 1 |
| 032.5 | Maternal care for multiple gestation with malpresentation of one fetus | С | 1 |
| 032.6 | Maternal care for compound presentation | LC | 1 |
| O32.8 | Maternal care for other malpresentation of fetus | LC | 1 |
| 032.9 | Maternal care for malpresentation of fetus, unspecified | LC | 1 |
| 033 | Maternal care for known or suspected disproportion | LC | 1 |
| 033.5 | Maternal care for disproportion due to unusually large fetus | С | 1 |
| 034.1 | Maternal care for tumour of corpus uteri | VC | 1 |
| 034.2 | Maternal care due to uterine scar from previous surgery | LC | 1 |
| 036.3 | Maternal care for signs of fetal hypoxia | С | 1 |
| 036.4 | Maternal care for intrauterine death | VC | 1 |
| 036.5 | Maternal care for poor fetal growth | VC | 1 |
| O36.6 | Maternal care for excessive fetal growth | VC | 1 |
| O40 | Polyhydramnios | С | 1 |
| O41.0 | Oligohydramnios | VC | 1 |
| O42 | Premature rupture of membranes | VC | 1 |
| O42.0 | Premature rupture of membranes, onset of labour within 24 hours | VC | 1 |
| 042.1 | Premature rupture of membranes, onset of labour after 24 hours | VC | 1 |
| O42.2 | Premature rupture of membranes, labour delayed by therapy | VC | 1 |
| 042.9 | Premature rupture of membranes, unspecified | С | 1 |
| O44 | Placenta praevia | VC | 1 |
| O44.0 | Placenta praevia specified as without haemorrhage | VC | 1 |
| O48 | Prolonged pregnancy | VC | 1 |
| 061 | Failed induction of labour | VC | 1 |
| O61.0 | Failed medical induction of labour | VC | 1 |
| 061.1 | Failed instrumental induction of labour | VC | 1 |
| 061.8 | Other failed induction of labour | LC | 1 |
| 061.9 | Failed induction of labour, unspecified | LC | 1 |
| O62 | Abnormalities of forces of labour | LC | 1 |
| O62.0 | Primary inadequate contractions | LC | 1 |
| 062.1 | Secondary uterine inertia | LC | 1 |
| O62.2 | Other uterine inertia | LC | 1 |
| 062.3 | Precipitate labour | LC | 1 |
| O62.4 | Hypertonic, incoordinate, and prolonged uterine contractions | LC | 1 |
| O62.8 | Other abnormalities of forces of labour | LC | 1 |
| O62.9 | Abnormality of forces of labour, unspecified | LC | 1 |
| 063 | Long labour | VC | 1 |
| O63.0 | Prolonged first stage (of labour) | VC | 1 |
| 063.1 | Prolonged second stage (of labour) | VC | 1 |
| O63.2 | Delayed delivery of second twin, triplet, etc. | LC | 1 |
| 063.9 | Long labour, unspecified | LC | 1 |
| O64 | Obstructed labour due to malposition and malpresentation of fetus | VC | 1 |
| O64.0 | Obstructed labour due to incomplete rotation of fetal head | VC | 1 |
| 064.1 | Obstructed labour due to breech presentation | VC | 1 |
| O64.2 | Obstructed labour due to face presentation | LC | 1 |

| Page - | 30 |
|--------|----|
|--------|----|

| ICD-10 (Block) | Name of the Diseases | DH | No. |
|-------------------|---|----|-----|
| 064.3 | Obstructed labour due to brow presentation | LC | 1 |
| 064.4 | Obstructed labour due to shoulder presentation | LC | 1 |
| 064.5 | Obstructed labour due to compound presentation | LC | 1 |
| O64.8 | Obstructed labour due to other malposition and malpresentation | LC | 1 |
| 064.9 | Obstructed labour due to malposition and malpresentation, unspecified | LC | 1 |
| 065 | Obstructed labour due to maternal pelvic abnormality | LC | 1 |
| O65.0 | Obstructed labour due to deformed pelvis | LC | 1 |
| 065.1 | Obstructed labour due to generally contracted pelvis | LC | 1 |
| O65.2 | Obstructed labour due to pelvic inlet contraction | LC | 1 |
| 065.3 | Obstructed labour due to pelvic outlet and mid-cavity contraction | LC | 1 |
| 065.4 | Obstructed labour due to fetopelvic disproportion, unspecified | LC | 1 |
| 065.5 | Obstructed labour due to abnormality of maternal pelvic organs | LC | 1 |
| 065.8 | Obstructed labour due to other maternal pelvic abnormalities | LC | 1 |
| 065.9 | Obstructed labour due to maternal pelvic abnormality, unspecified | LC | 1 |
| 066 | Other obstructed labour | LC | 1 |
| 066.2 | Obstructed labour due to unusually large fetus | С | 1 |
| 066.3 | Obstructed labour due to other abnormalities of fetus | LC | 1 |
| 066.8 | Other specified obstructed labour | LC | 1 |
| 066.9 | Obstructed labour, unspecified | LC | 1 |
| O67 | Labour and delivery complicated by intrapartum haemorrhage, not | С | 1 |
| 070.3 | Fourth degree perineal laceration during delivery | LC | 1 |
| 071 | Other obstetric trauma | LC | 1 |
| 071.0 | Rupture of uterus before onset of labour | С | 1 |
| 071.1 | Rupture of uterus during labour | С | 1 |
| 071.2 | Postpartum inversion of uterus | LC | 1 |
| 071.3 | Obstetric laceration of cervix | С | 1 |
| 071.4 | Obstetric high vaginal laceration alone | LC | 1 |
| 071.5 | Other obstetric injury to pelvic organs | LC | 1 |
| 071.7 | Obstetric haematoma of pelvis | LC | 1 |
| 071.8 | Other specified obstetric trauma | LC | 1 |
| 071.9 | Obstetric trauma, unspecified | LC | 1 |
| 072.0 | Third-stage haemorrhage | VC | 1 |
| 072.1 | Other immediate postpartum haemorrhage | VC | 1 |
| 072.2 | Delayed and secondary postpartum haemorrhage | VC | 1 |
| 074 | Complications of anaesthesia during labour and delivery | LC | 1 |
| 074.0 | Aspiration pneumonitis due to anaesthesia during labour and delivery | LC | 1 |
| 074.1 | Other pulmonary complications of anaesthesia during labour and delivery | LC | 1 |
| 074.2 | Cardiac complications of anaesthesia during labour and delivery | LC | 1 |
| 074.3 | Central nervous system complications of anaesthesia during labour and | LC | 1 |
| 074.4 | Toxic reaction to local anaesthesia during labour and delivery | LC | 1 |
| 074.6 | Other complications of spinal and epidural anaesthesia during labour | LC | 1 |
| 074.7 | Failed or difficult intubation during labour and delivery | LC | 1 |
| 074.8 | Other complications of anaesthesia during labour and delivery | LC | 1 |
| 074.9 | Complication of anaesthesia during labour and delivery, unspecified | LC | 1 |
| 075 | Other complications of labour and delivery, not elsewhere classified | LC | 1 |
| 075.0 | Maternal distress during labour and delivery | LC | 1 |

| ICD-10 (Block) | Name of the Diseases | DH | No. |
|-------------------|---|----|-----|
| 075.1 | Shock during or following labour and delivery | LC | 1 |
| 075.2 | Pyrexia during labour, not elsewhere classified | LC | 1 |
| 075.3 | Other infection during labour | LC | 1 |
| 075.7 | Vaginal delivery following previous caesarean section | LC | 1 |
| 075.8 | Other specified complications of labour and delivery | LC | 1 |
| 081.5 | Delivery by combination of forceps and vacuum extractor | LC | 1 |
| 082.2 | Delivery by caesarean hysterectomy | LC | 1 |
| O82.8 | Other single delivery by caesarean section | VC | 1 |
| O82.9 | Delivery by caesarean section, unspecified | VC | 1 |
| 083 | Other assisted single delivery | VC | 1 |
| O83.0 | Breech extraction | С | 1 |
| 083.1 | Other assisted breech delivery | С | 1 |
| 083.2 | Other manipulation-assisted delivery | LC | 1 |
| 083.4 | Destructive operation for delivery | LC | 1 |
| 083.8 | Other specified assisted single delivery | LC | 1 |
| 083.9 | Assisted single delivery, unspecified | LC | 1 |
| 084 | Multiple delivery | С | 1 |
| O84.0 | Multiple delivery, all spontaneous | С | 1 |
| O84.1 | Multiple delivery, all by forceps and vacuum extractor | С | 1 |
| O84.2 | Multiple delivery, all by caesarean section | С | 1 |
| O84.8 | Other multiple delivery | С | 1 |
| O84.9 | Multiple delivery, unspecified | С | 1 |
| 089.3 | Toxic reaction to local anaesthesia during the puerperium | LC | 1 |
| 089.5 | Other complications of spinal and epidural anaesthesia during the | LC | 1 |
| 089.6 | Failed or difficult intubation during the puerperium | LC | 1 |
| O89.8 | Other complications of anaesthesia during the puerperium | LC | 1 |
| 089.9 | Complication of anaesthesia during the puerperium, unspecified | LC | 1 |
| O90 | Complications of the puerperium, not elsewhere classified | LC | 1 |
| O92.6 | Galactorrhoea | LC | 1 |
| O92.7 | Other and unspecified disorders of lactation | LC | 1 |
| 095 | Obstetric death of unspecified cause | LC | 1 |
| 096 | Death from any obstetric cause occurring more than 42 days but less | LC | 1 |
| O97 | Death from sequelae of direct obstetric causes | LC | 1 |
| O98 | Maternal infectious and parasitic diseases classifiable elsewhere but | С | 1 |
| O98.0 | Tuberculosis complicating pregnancy, childbirth and the puerperium | LC | 1 |
| 098.1 | Syphilis complicating pregnancy, childbirth and the puerperium | LC | 1 |
| 098.2 | Gonorrhoea complicating pregnancy, childbirth and the puerperium | LC | 1 |
| 098.3 | Other infections with a predominantly sexual mode of transmission | LC | 1 |
| O98.4 | Viral hepatitis complicating pregnancy, childbirth and the puerperium | LC | 1 |
| 098.5 | Other viral diseases complicating pregnancy, childbirth and the | LC | 1 |
| 098.6 | Protozoal diseases complicating pregnancy, childbirth and the | LC | 1 |
| 098.8 | Other maternal infectious and parasitic diseases complicating | LC | 1 |
| 098.9 | Unspecified maternal infectious or parasitic disease complicating | LC | 1 |
| 099 | Other maternal diseases classifiable elsewhere but complicating | LC | 1 |
| P00.0 | Fetus and newborn affected by maternal hypertensive disorders | VC | 1 |
| P00.1 | Fetus and newborn affected by maternal renal and urinary tract diseases | VC | 1 |

| Page | -32 |
|------|-----|
|------|-----|

| ICD-10 (Block) | Name of the Diseases | DH | No. |
|-------------------|---|----|-----|
| P00.5 | Fetus and newborn affected by maternal injury | LC | 1 |
| P00.6 | Fetus and newborn affected by surgical procedure on mother | LC | 1 |
| P00.7 | Fetus and newborn affected by other medical procedures on mother, not | LC | 1 |
| P00.8 | Fetus and newborn affected by other maternal conditions | LC | 1 |
| P00.9 | Fetus and newborn affected by unspecified maternal condition | LC | 1 |
| P01 | Fetus and newborn affected by maternal complications of pregnancy | LC | 1 |
| P01.0 | Fetus and newborn affected by incompetent cervix | С | 1 |
| P01.4 | Fetus and newborn affected by ectopic pregnancy | LC | 1 |
| P01.5 | Fetus and newborn affected by multiple pregnancy | VC | 1 |
| P01.7 | Fetus and newborn affected by malpresentation before labour | С | 1 |
| P01.8 | Fetus and newborn affected by other maternal complications of pregnancy | С | 1 |
| P01.9 | Fetus and newborn affected by maternal complication of pregnancy | LC | 1 |
| P02 | Fetus and newborn affected by complications of placenta, cord and | LC | 1 |
| P02.1 | Fetus and newborn affected by other forms of placental separation and | VC | 1 |
| P02.2 | Fetus and newborn affected by other and unspecified morphological and | LC | 1 |
| P02.6 | Fetus and newborn affected by other and unspecified conditions of | LC | 1 |
| P02.9 | Fetus and newborn affected by abnormality of membranes, unspecified | LC | 1 |
| P03 | Fetus and newborn affected by other complications of labour and | LC | 1 |
| P03.0 | Fetus and newborn affected by breech delivery and extraction | C | 1 |
| P03.1 | Fetus and newborn affected by other malpresentation, malposition and | C | 1 |
| P03.3 | Fetus and newborn affected by delivery by vacuum extractor [ventouse] | VC | 1 |
| P03.5 | Fetus and newborn affected by precipitate delivery | LC | 1 |
| P03.6 | Fetus and newborn affected by abnormal uterine contractions | VC | 1 |
| P07.1 | Other low birth weight | VC | 1 |
| P07.3 | Other preterm infants | C | 1 |
| P08 | Disorders related to long gestation and high birth weight | VC | 1 |
| P08.1 | Other heavy for gestational age infants | C | 1 |
| P14.0 | Erb's paralysis due to birth injury | LC | 1 |
| P14.1 | Klumpke's paralysis due to birth injury | LC | 1 |
| P15.5 | Birth injury to external genitalia | LC | 1 |
| P15.6 | Subcutaneous fat necrosis due to birth injury | LC | 1 |
| P20 | Intrauterine hypoxia | C | 1 |
| P20.0 | Intrauterine hypoxia Intrauterine hypoxia first noted before onset of labour | C | 1 |
| P20.1 | Intrauterine hypoxia first noted during labour and delivery | C | 1 |
| P20.1 P20.9 | Intrauterine hypoxia inst noted during labour and derivery | C | 1 |
| P21.1 | Mild and moderate birth asphyxia | VC | 1 |
| P22.1 | Transient tachypnoea of newborn | C | 1 |
| P22.9 | Respiratory distress of newborn, unspecified | C | 1 |
| P23.0 | Congenital pneumonia due to viral agent | C | |
| P23.0 P23.1 | Congenital pneumonia due to Chlamydia | C | 1 |
| P23.1 P23.2 | | C | 1 |
| | Congenital pneumonia due to staphylococcus | 1 | 1 |
| P23.3 | Congenital pneumonia due to streptococcus, group B | C | 1 |
| P23.4 | Congenital pneumonia due to Escherichia coli | C | 1 |
| P23.5 | Congenital pneumonia due to Pseudomonas | C | 1 |
| P23.6 | Congenital pneumonia due to other bacterial agents | C | 1 |
| P23.8 | Congenital pneumonia due to other organisms VC=Very common C= Common LC= Less common | С | 1 |

| ICD-10 (Block) | Name of the Diseases | DH | No. |
|-------------------|---|----|-----|
| P23.9 | Congenital pneumonia, unspecified | С | 1 |
| P24.3 | Neonatal aspiration of milk and regurgitated food | С | 1 |
| P24.8 | Other neonatal aspiration syndromes | С | 1 |
| P24.9 | Neonatal aspiration syndrome, unspecified | LC | 1 |
| P28.2 | Cyanotic attacks of newborn | С | 1 |
| P28.3 | Primary sleep apnoea of newborn | С | 1 |
| P28.4 | Other apnoea of newborn | С | 1 |
| P36 | Bacterial sepsis of newborn | VC | 1 |
| P36.0 | Sepsis of newborn due to streptococcus, group B | VC | 1 |
| P36.1 | Sepsis of newborn due to other and unspecified streptococci | VC | 1 |
| P36.2 | Sepsis of newborn due to Staphylococcus aureus | VC | 1 |
| P36.3 | Sepsis of newborn due to other and unspecified staphylococci | VC | 1 |
| P36.4 | Sepsis of newborn due to Escherichia coli | VC | 1 |
| P36.5 | Sepsis of newborn due to anaerobes | VC | 1 |
| P36.8 | Other bacterial sepsis of newborn | VC | 1 |
| P36.9 | Bacterial sepsis of newborn, unspecified | VC | 1 |
| P39.3 | Neonatal urinary tract infection | LC | 1 |
| P39.8 | Other specified infections specific to the perinatal period | С | 1 |
| P39.9 | Infection specific to the perinatal period, unspecified | С | 1 |
| P59.3 | Neonatal jaundice from breast milk inhibitor | С | 1 |
| P61.2 | Anaemia of prematurity | С | 1 |
| P70.0 | Syndrome of infant of mother with gestational diabetes | С | 1 |
| P70.1 | Syndrome of infant of a diabetic mother | С | 1 |
| P74.1 | Dehydration of newborn | VC | 1 |
| P78.1 | Other neonatal peritonitis | С | 1 |
| P78.2 | Neonatal haematemesis and melaena due to swallowed maternal blood | LC | 1 |
| P78.3 | Noninfective neonatal diarrhoea | С | 1 |
| P83.5 | Congenital hydrocele | С | 1 |
| P91.0 | Neonatal cerebral ischaemia | С | 1 |
| P91.3 | Neonatal cerebral irritability | LC | 1 |
| P92.1 | Regurgitation and rumination in newborn | LC | 1 |
| Q21 | Congenital malformations of cardiac septa | С | 1 |
| Q21.0 | Ventricular septal defect | С | 1 |
| Q21.1 | Atrial septal defect | С | 1 |
| Q21.2 | Atrioventricular septal defect | С | 1 |
| Q43.6 | Congenital fistula of rectum and anus | LC | 1 |
| Q67.8 | Other congenital deformities of chest | LC | 1 |
| Q68 | Other congenital musculoskeletal deformities | LC | 1 |
| Q68.0 | Congenital deformity of sternocleidomastoid muscle | LC | 1 |
| Q68.1 | Congenital deformity of hand | LC | 1 |
| Q68.2 | Congenital deformity of knee | LC | 1 |
| Q68.3 | Congenital bowing of femur | LC | 1 |
| Q68.4 | Congenital bowing of tibia and fibula | LC | 1 |
| Q68.5 | Congenital bowing of long bones of leg, unspecified | LC | 1 |
| Q68.8 | Other specified congenital musculoskeletal deformities | LC | 1 |
| Q69 | Polydactyly | LC | 1 |

| ICD-10 (Block) | Name of the Diseases | DH | No. |
|-------------------|---|----|-----|
| Q69.0 | Accessory finger(s) | LC | 1 |
| Q69.1 | Accessory thumb(s) | LC | 1 |
| Q69.2 | Accessory toe(s) | LC | 1 |
| Q69.9 | Polydactyly, unspecified | LC | 1 |
| Q70 | Syndactyly | LC | 1 |
| Q70.0 | Fused fingers | LC | 1 |
| Q70.1 | Webbed fingers | LC | 1 |
| Q70.2 | Fused toes | LC | 1 |
| Q70.3 | Webbed toes | LC | 1 |
| Q70.4 | Polysyndactyly | LC | 1 |
| Q70.9 | Syndactyly, unspecified | LC | 1 |
| Q71 | Reduction defects of upper limb | LC | 1 |
| Q71.0 | Congenital complete absence of upper limb(s) | LC | 1 |
| Q71.1 | Congenital absence of upper arm and forearm with hand present | LC | 1 |
| Q71.2 | Congenital absence of both forearm and hand | LC | 1 |
| Q71.3 | Congenital absence of hand and finger(s) | LC | 1 |
| Q71.4 | Longitudinal reduction defect of radius | LC | 1 |
| Q71.5 | Longitudinal reduction defect of ulna | LC | 1 |
| Q71.6 | Lobster-claw hand | LC | 1 |
| Q71.8 | Other reduction defects of upper limb(s) | LC | 1 |
| Q71.9 | Reduction defect of upper limb, unspecified | LC | 1 |
| Q72 | Reduction defects of lower limb | LC | 1 |
| Q72.0 | Congenital complete absence of lower limb(s) | LC | 1 |
| Q72.1 | Congenital absence of thigh and lower leg with foot present | LC | 1 |
| Q72.2 | Congenital absence of both lower leg and foot | LC | 1 |
| Q72.3 | Congenital absence of foot and toe(s) | LC | 1 |
| Q72.4 | Longitudinal reduction defect of femur | LC | 1 |
| Q72.5 | Longitudinal reduction defect of tibia | LC | 1 |
| Q72.6 | Longitudinal reduction defect of fibula | LC | 1 |
| Q72.7 | Split foot | LC | 1 |
| Q72.8 | Other reduction defects of lower limb(s) | LC | 1 |
| Q72.9 | Reduction defect of lower limb, unspecified | LC | 1 |
| Q75.3 | Macrocephaly | LC | 1 |
| R00.2 | Palpitations | VC | 1 |
| R00.8 | Other and unspecified abnormalities of heart beat | LC | 1 |
| R01 | Cardiac murmurs and other cardiac sounds | LC | 1 |
| R01.0 | Benign and innocent cardiac murmurs | LC | 1 |
| R01.1 | Cardiac murmur, unspecified | LC | 1 |
| R01.2 | Other cardiac sounds | LC | 1 |
| R04 | Haemorrhage from respiratory passages | LC | 1 |
| R04.1 | Haemorrhage from throat | LC | 1 |
| R09.2 | Respiratory arrest | LC | 1 |
| R15 | Faecal incontinence | LC | 1 |
| R16 | Hepatomegaly and splenomegaly, not elsewhere classified | VC | 1 |
| R16.0 | Hepatomegaly, not elsewhere classified | VC | 1 |
| R16.1 | Splenomegaly, not elsewhere classified | VC | 1 |

| ICD-10 (Block) | Name of the Diseases | DH | No. |
|-------------------|---|----|-----|
| R16.2 | Hepatomegaly with splenomegaly, not elsewhere classified | VC | 1 |
| R17 | Unspecified jaundice | VC | 1 |
| R18 | Ascites | VC | 1 |
| R19 | Other symptoms and signs involving the digestive system and abdomen | VC | 1 |
| R19.0 | Intra-abdominal and pelvic swelling, mass and lump | VC | 1 |
| R19.1 | Abnormal bowel sounds | VC | 1 |
| R19.2 | Visible peristalsis | VC | 1 |
| R19.3 | Abdominal rigidity | VC | 1 |
| R19.4 | Change in bowel habit | VC | 1 |
| R19.5 | Other faecal abnormalities | VC | 1 |
| R19.6 | Halitosis | LC | 1 |
| R19.8 | Other specified symptoms and signs involving the digestive system | LC | 1 |
| R20 | Disturbances of skin sensation | LC | 1 |
| R20.0 | Anaesthesia of skin | LC | 1 |
| R20.1 | Hypoaesthesia of skin | LC | 1 |
| R20.2 | Paraesthesia of skin | LC | 1 |
| R20.3 | Hyperaesthesia | LC | 1 |
| R20.8 | Other and unspecified disturbances of skin sensation | LC | 1 |
| R23.0 | Cyanosis | LC | 1 |
| R23.1 | Pallor | LC | 1 |
| R23.2 | Flushing | LC | 1 |
| R23.3 | Spontaneous ecchymoses | LC | 1 |
| R23.4 | Changes in skin texture | LC | 1 |
| R23.8 | Other and unspecified skin changes | LC | 1 |
| R25 | Abnormal involuntary movements | LC | 1 |
| R25.0 | Abnormal head movements | LC | 1 |
| R25.1 | Tremor, unspecified | LC | 1 |
| R25.2 | Cramp and spasm | LC | 1 |
| R25.3 | Fasciculation | LC | 1 |
| R25.8 | Other and unspecified abnormal involuntary movements | LC | 1 |
| R26 | Abnormalities of gait and mobility | LC | 1 |
| R26.0 | Ataxic gait | LC | 1 |
| R26.1 | Paralytic gait | LC | 1 |
| R29 | Other symptoms and signs involving the nervous and musculoskeletal | LC | 1 |
| R29.0 | Tetany | LC | 1 |
| R29.1 | Meningismus | LC | 1 |
| R29.2 | Abnormal reflex | LC | 1 |
| R29.3 | Abnormal posture | LC | 1 |
| R29.4 | Clicking hip | LC | 1 |
| R29.8 | Other and unspecified symptoms and signs involving the nervous and | LC | 1 |
| R30 | Pain associated with micturition | LC | 1 |
| R30.0 | Dysuria | LC | 1 |
| R30.1 | Vesical tenesmus | LC | 1 |
| R30.9 | Painful micturition, unspecified | LC | 1 |
| R31 | Unspecified haematuria | LC | 1 |
| R32 | Unspecified urinary incontinence | LC | 1 |

| ICD-10 (Block) | Name of the Diseases | DH | No. |
|-------------------|---|----|-----|
| R33 | Retention of urine | LC | 1 |
| R34 | Anuria and oliguria | LC | 1 |
| R35 | Polyuria | LC | 1 |
| R36 | Urethral discharge | LC | 1 |
| R39 | Other symptoms and signs involving the urinary system | LC | 1 |
| R39.0 | Extravasation of urine | LC | 1 |
| R39.1 | Other difficulties with micturition | LC | 1 |
| R39.2 | Extrarenal uraemia | LC | 1 |
| R39.8 | Other and unspecified symptoms and signs involving the urinary system | LC | 1 |
| R43.0 | Anosmia | LC | 1 |
| R43.1 | Parosmia | LC | 1 |
| R43.2 | Parageusia | LC | 1 |
| R43.8 | Other and unspecified disturbances of smell and taste | LC | 1 |
| R44 | Other symptoms and signs involving general sensations and perceptions | LC | 1 |
| R44.0 | Auditory hallucinations | LC | 1 |
| R44.1 | Visual hallucinations | LC | 1 |
| R44.2 | Other hallucinations | LC | 1 |
| R44.3 | Hallucinations, unspecified | LC | 1 |
| R44.8 | Other and unspecified symptoms and signs involving general sensations | LC | 1 |
| R45 | Symptoms and signs involving emotional state | LC | 1 |
| R45.0 | Nervousness | LC | 1 |
| R45.1 | Restlessness and agitation | LC | 1 |
| R45.2 | Unhappiness | LC | 1 |
| R45.3 | Demoralization and apathy | LC | 1 |
| R45.4 | Irritability and anger | LC | 1 |
| R45.5 | Hostility | LC | 1 |
| R45.6 | Physical violence | LC | 1 |
| R45.7 | State of emotional shock and stress, unspecified | LC | 1 |
| R45.8 | Other symptoms and signs involving emotional state | LC | 1 |
| R46 | Symptoms and signs involving appearance and behaviour | LC | 1 |
| R46.0 | Very low level of personal hygiene | LC | 1 |
| R46.1 | Bizarre personal appearance | LC | 1 |
| R46.2 | Strange and inexplicable behaviour | LC | 1 |
| R46.3 | Overactivity | LC | 1 |
| R46.4 | Slowness and poor responsiveness | LC | 1 |
| R46.5 | Suspiciousness and marked evasiveness | LC | 1 |
| R46.6 | Undue concern and preoccupation with stressful events | LC | 1 |
| R46.7 | Verbosity and circumstantial detail obscuring reason for contact | LC | 1 |
| R46.8 | Other symptoms and signs involving appearance and behaviour | LC | 1 |
| R47 | Speech disturbances, not elsewhere classified | LC | 1 |
| R47.0 | Dysphasia and aphasia | LC | 1 |
| R47.1 | Dysarthria and anarthria | LC | 1 |
| R47.8 | Other and unspecified speech disturbances | LC | 1 |
| R48 | Dyslexia and other symbolic dysfunctions, not elsewhere classified | LC | 1 |
| R48.0 | Dyslexia and alexia | LC | 1 |
| R48.1 | Agnosia | LC | 1 |

| ICD-10 (Block) | Name of the Diseases | DH | No. |
|-------------------|--|----|-----|
| R48.2 | Apraxia | LC | 1 |
| R48.8 | Other and unspecified symbolic dysfunctions | LC | 1 |
| R49 | Voice disturbances | LC | 1 |
| R49.0 | Dysphonia | LC | 1 |
| R49.1 | Aphonia | LC | 1 |
| R49.2 | Hypernasality and hyponasality | LC | 1 |
| R49.8 | Other and unspecified voice disturbances | LC | 1 |
| R50 | Fever of unknown origin | VC | 1 |
| R50.0 | Fever with chills | VC | 1 |
| R50.1 | Persistent fever | VC | 1 |
| R50.9 | Fever, unspecified | VC | 1 |
| R51 | Headache | VC | 1 |
| R52 | Pain, not elsewhere classified | VC | 1 |
| R52.0 | Acute pain | VC | 1 |
| R52.1 | Chronic intractable pain | VC | 1 |
| R52.2 | Other chronic pain | VC | 1 |
| R52.9 | Pain, unspecified | VC | 1 |
| R53 | Malaise and fatigue | LC | 1 |
| R54 | Senility | LC | 1 |
| R55 | Syncope and collapse | LC | 1 |
| R56 | Convulsions, not elsewhere classified | VC | 1 |
| R56.0 | Febrile convulsions | VC | 1 |
| R56.8 | Other and unspecified convulsions | VC | 1 |
| R57 | Shock, not elsewhere classified | VC | 1 |
| R57.0 | Cardiogenic shock | VC | 1 |
| R57.1 | Hypovolaemic shock | VC | 1 |
| R57.8 | Other shock | VC | 1 |
| R57.9 | Shock, unspecified | VC | 1 |
| R58 | Haemorrhage, not elsewhere classified | VC | 1 |
| R59 | Enlarged lymph nodes | VC | 1 |
| R60.1 | Generalized oedema | VC | 1 |
| R60.9 | Oedema, unspecified | VC | 1 |
| R61 | Hyperhidrosis | LC | 1 |
| R61.0 | Localized hyperhidrosis | LC | 1 |
| R61.1 | Generalized hyperhidrosis | LC | 1 |
| R61.9 | Hyperhidrosis, unspecified | LC | 1 |
| R62 | Lack of expected normal physiological development | LC | 1 |
| R62.0 | Delayed milestone | LC | 1 |
| R62.8 | Other lack of expected normal physiological development | LC | 1 |
| R62.9 | Lack of expected normal physiological development, unspecified | LC | 1 |
| R63 | Symptoms and signs concerning food and fluid intake | LC | 1 |
| R63.0 | Anorexia | LC | 1 |
| R63.1 | Polydipsia | LC | 1 |
| R63.2 | Polyphagia | LC | 1 |
| R63.3 | Feeding difficulties and mismanagement | LC | 1 |
| R63.4 | Abnormal weight loss | LC | 1 |

| ICD-10 (Block) | Name of the Diseases | DH | No. |
|-------------------|---|----|-----|
| R63.5 | Abnormal weight gain | LC | 1 |
| R63.8 | Other symptoms and signs concerning food and fluid intake | LC | 1 |
| R64 | Cachexia | LC | 1 |
| R68 | Other general symptoms and signs | LC | 1 |
| R68.0 | Hypothermia, not associated with low environmental temperature | LC | 1 |
| R68.1 | Nonspecific symptoms peculiar to infancy | LC | 1 |
| R68.2 | Dry mouth, unspecified | LC | 1 |
| R68.3 | Clubbing of fingers | LC | 1 |
| R68.8 | Other specified general symptoms and signs | LC | 1 |
| R69 | Unknown and unspecified causes of morbidity | LC | 1 |
| R70 | Elevated erythrocyte sedimentation rate and abnormality of plasma | VC | 1 |
| R70.0 | Elevated erythrocyte sedimentation rate | VC | 1 |
| R70.1 | Abnormal plasma viscosity | VC | 1 |
| R71 | Abnormality of red blood cells | VC | 1 |
| R72 | Abnormality of white blood cells, not elsewhere classified | VC | 1 |
| R74.0 | Elevation of levels of transaminase and lactic acid dehydrogenase [LDH] | LC | 1 |
| R74.8 | Abnormal levels of other serum enzymes | LC | 1 |
| R74.9 | Abnormal level of unspecified serum enzyme | LC | 1 |
| R75 | Laboratory evidence of human immunodeficiency virus [HIV] | LC | 1 |
| R76 | Other abnormal immunological findings in serum | LC | 1 |
| R76.0 | Raised antibody titre | LC | 1 |
| R76.1 | Abnormal reaction to tuberculin test | LC | 1 |
| R82.0 | Chyluria | LC | 1 |
| R82.1 | Myoglobinuria | LC | 1 |
| R82.2 | Biliuria | LC | 1 |
| R82.3 | Haemoglobinuria | LC | 1 |
| R82.4 | Acetonuria | LC | 1 |
| R82.5 | Elevated urine levels of drugs, medicaments and biological substances | LC | 1 |
| R82.6 | Abnormal urine levels of substances chiefly nonmedicinal as to source | LC | 1 |
| R82.7 | Abnormal findings on microbiological examination of urine | VC | 1 |
| R82.8 | Abnormal findings on cytological and histological examination of urine | VC | 1 |
| R82.9 | Other and unspecified abnormal findings in urine | VC | 1 |
| R83 | Abnormal findings in cerebrospinal fluid | VC | 1 |
| R83.0 | Abnormal findings in cerebrospinal fluid, abnormal level of enzymes | VC | 1 |
| R83.1 | Abnormal findings in cerebrospinal fluid, abnormal level of hormones | VC | 1 |
| R83.2 | Abnormal findings in cerebrospinal fluid, abnormal level of other | VC | 1 |
| R83.3 | Abnormal findings in cerebrospinal fluid, abnormal level of substances | VC | 1 |
| R94.2 | Abnormal results of pulmonary function studies | VC | 1 |
| R94.3 | Abnormal results of cardiovascular function studies | VC | 1 |
| R94.4 | Abnormal results of kidney function studies | VC | 1 |
| R94.5 | Abnormal results of liver function studies | VC | 1 |
| R94.6 | Abnormal results of thyroid function studies | VC | 1 |
| R94.7 | Abnormal results of other endocrine function studies | LC | 1 |
| R94.8 | Abnormal results of function studies of other organs and systems | LC | 1 |
| R95 | Sudden infant death syndrome | LC | 1 |
| R96 | Other sudden death, cause unknown | LC | 1 |

| Page - | -39 |
|--------|-----|
|--------|-----|

| ICD-10 (Block) | Name of the Diseases | DH | No. |
|-------------------|---|----|-----|
| R96.0 | Instantaneous death | LC | 1 |
| R96.1 | Death occurring less than 24 hours from onset of symptoms, not | LC | 1 |
| R98 | Unattended death | LC | 1 |
| R99 | Other ill-defined and unspecified causes of mortality | LC | 1 |
| S00.1 | Contusion of eyelid and periocular area | LC | 1 |
| S00.2 | Other superficial injuries of eyelid and periocular area | LC | 1 |
| S01 | Open wound of head | С | 1 |
| S01.4 | Open wound of cheek and temporomandibular area | LC | 1 |
| S03.0 | Dislocation of jaw | LC | 1 |
| S10 | Superficial injury of neck | С | 1 |
| S11 | Open wound of neck | С | 1 |
| S16 | Injury of muscle and tendon at neck level | LC | 1 |
| S20 | Superficial injury of thorax | LC | 1 |
| S21 | Open wound of thorax | LC | 1 |
| S27.0 | Traumatic pneumothorax | LC | 1 |
| S27.1 | Traumatic haemothorax | LC | 1 |
| S27.2 | Traumatic haemopneumothorax | LC | 1 |
| S30 | Superficial injury of abdomen, lower back and pelvis | С | 1 |
| S31.3 | Open wound of scrotum and testes | С | 1 |
| S31.4 | Open wound of vagina and vulva | LC | 1 |
| S40 | Superficial injury of shoulder and upper arm | LC | 1 |
| S41 | Open wound of shoulder and upper arm | LC | 1 |
| S42 | Fracture of shoulder and upper arm | LC | 1 |
| S42.0 | Fracture of clavicle | VC | 1 |
| S42.3 | Fracture of shaft of humerus | LC | 1 |
| S43 | Dislocation, sprain and strain of joints and ligaments of shoulder | С | 1 |
| S50 | Superficial injury of forearm | С | 1 |
| S50.9 | Superficial injury of forearm, unspecified | С | 1 |
| S52 | Fracture of forearm | С | 1 |
| S52.2 | Fracture of shaft of ulna | LC | 1 |
| S52.3 | Fracture of shaft of radius | LC | 1 |
| S52.4 | Fracture of shafts of both ulna and radius | LC | 1 |
| S52.5 | Fracture of lower end of radius | С | 1 |
| S52.6 | Fracture of lower end of both ulna and radius | LC | 1 |
| S53 | Dislocation, sprain and strain of joints and ligaments of elbow | LC | 1 |
| S53.0 | Dislocation of radial head | С | 1 |
| S60 | Superficial injury of wrist and hand | LC | 1 |
| S60.0 | Contusion of finger(s) without damage to nail | LC | 1 |
| S60.1 | Contusion of finger(s) with damage to nail | LC | 1 |
| S61 | Open wound of wrist and hand | LC | 1 |
| S61.0 | Open wound of finger(s) without damage to nail | LC | 1 |
| S61.1 | Open wound of finger(s) with damage to nail | LC | 1 |
| S62.6 | Fracture of other finger | С | 1 |
| S63 | Dislocation, sprain and strain of joints and ligaments at wrist and | LC | 1 |
| S63.1 | Dislocation of finger | С | 1 |
| S63.5 | Sprain and strain of wrist | С | 1 |

VC=Very common, C= Common, LC= Less common

| ICD-10 (Block) | Name of the Diseases | DH | No. |
|-------------------|--|----|-----|
| \$63.6 | Sprain and strain of finger(s) | С | 1 |
| S68.1 | Traumatic amputation of other single finger (complete)(partial) | С | 1 |
| S70 | Superficial injury of hip and thigh | LC | 1 |
| S80 | Superficial injury of lower leg | С | 1 |
| S81 | Open wound of lower leg | С | 1 |
| S81.7 | Multiple open wounds of lower leg | LC | 1 |
| S82.4 | Fracture of fibula alone | LC | 1 |
| S82.5 | Fracture of medial malleolus | LC | 1 |
| S82.6 | Fracture of lateral malleolus | LC | 1 |
| S86 | Injury of muscle and tendon at lower leg level | LC | 1 |
| S86.0 | Injury of Achilles tendon | С | 1 |
| S86.9 | Injury of unspecified muscle and tendon at lower leg level | LC | 1 |
| S90 | Superficial injury of ankle and foot | С | 1 |
| S90.1 | Contusion of toe(s) without damage to nail | LC | 1 |
| S90.2 | Contusion of toe(s) with damage to nail | LC | 1 |
| S90.7 | Multiple superficial injuries of ankle and foot | LC | 1 |
| S91 | Open wound of ankle and foot | С | 1 |
| S91.1 | Open wound of toe(s) without damage to nail | С | 1 |
| S91.2 | Open wound of toe(s) with damage to nail | LC | 1 |
| S92.4 | Fracture of great toe | LC | 1 |
| S92.5 | Fracture of other toe | LC | 1 |
| S93 | Dislocation, sprain and strain of joints and ligaments at ankle and | VC | 1 |
| S93.0 | Dislocation of ankle joint | VC | 1 |
| S93.1 | Dislocation of toe(s) | LC | 1 |
| S93.4 | Sprain and strain of ankle | С | 1 |
| S97.1 | Crushing injury of toe(s) | С | 1 |
| S98 | Traumatic amputation of ankle and foot | LC | 1 |
| S98.1 | Traumatic amputation of one toe | С | 1 |
| S98.2 | Traumatic amputation of two or more toes | LC | 1 |
| T00 | Superficial injuries involving multiple body regions | С | 1 |
| T15 | Foreign body on external eye | VC | 1 |
| T15.1 | Foreign body in conjunctival sac | С | 1 |
| T16 | Foreign body in ear | С | 1 |
| T17 | Foreign body in respiratory tract | С | 1 |
| T17.0 | Foreign body in nasal sinus | С | 1 |
| T17.3 | Foreign body in larynx | С | 1 |
| T18.5 | Foreign body in anus and rectum | С | 1 |
| T19 | Foreign body in genitourinary tract | C | 1 |
| T19.0 | Foreign body in urethra | LC | 1 |
| T19.1 | Foreign body in bladder | C | 1 |
| T19.2 | Foreign body in vulva and vagina | C | 1 |
| T19.3 | Foreign body in uterus [any part] | C | 1 |
| T21 | Burn and corrosion of trunk | C | 1 |
| T22 | Burn and corrosion of shoulder and upper limb, except wrist and hand | C | 1 |
| T31.1 | Burns involving 10-19% of body surface | C | 1 |
| T32.0 | Corrosions involving less than 10% of body surface | С | 1 |

| ICD-10 (Block) | Name of the Diseases | DH | No. |
|-------------------|---|----|-----|
| T32.1 | Corrosions involving 10-19% of body surface | LC | 1 |
| T36.0 | Penicillins | LC | 1 |
| T36.1 | Cefalosporins and other-lactam antibiotics | LC | 1 |
| T36.3 | Macrolides | LC | 1 |
| T37 | Poisoning by other systemic anti-infectives and antiparasitics | LC | 1 |
| T40.7 | Cannabis (derivatives) | LC | 1 |
| T41.3 | Local anaesthetics | LC | 1 |
| T42.3 | Barbiturates | С | 1 |
| T42.4 | Benzodiazepines | С | 1 |
| T47.2 | Stimulant laxatives | LC | 1 |
| T47.6 | Antidiarrhoeal drugs | LC | 1 |
| T48 | Poisoning by agents primarily acting on smooth and skeletal muscles | LC | 1 |
| T51.0 | Ethanol | С | 1 |
| T51.1 | Methanol | С | 1 |
| T53.1 | Chloroform | LC | 1 |
| T54 | Toxic effect of corrosive substances | LC | 1 |
| T57.0 | Arsenic and its compounds | С | 1 |
| T60 | Toxic effect of pesticides | С | 1 |
| T61 | Toxic effect of noxious substances eaten as seafood | LC | 1 |
| T62 | Toxic effect of other noxious substances eaten as food | LC | 1 |
| T63 | Toxic effect of contact with venomous animals | LC | 1 |
| T63.0 | Snake venom | LC | 1 |
| T67.0 | Heatstroke and sunstroke | С | 1 |
| T67.1 | Heat syncope | С | 1 |
| T67.2 | Heat cramp | С | 1 |
| T67.3 | Heat exhaustion, anhydrotic | С | 1 |
| T67.4 | Heat exhaustion due to salt depletion | С | 1 |
| T75.4 | Effects of electric current | С | 1 |
| T78.0 | Anaphylactic shock due to adverse food reaction | С | 1 |
| T78.1 | Other adverse food reactions, not elsewhere classified | С | 1 |
| T78.2 | Anaphylactic shock, unspecified | С | 1 |
| T78.3 | Angioneurotic oedema | LC | 1 |
| T79.4 | Traumatic shock | LC | 1 |
| T83 | Complications of genitourinary prosthetic devices, implants and grafts | С | 1 |
| T84 | Complications of internal orthopaedic prosthetic devices, implants and | С | 1 |
| T85 | Complications of other internal prosthetic devices, implants and grafts | С | 1 |

Tertiary Level

| Code | Name of the Diseases | MCH & SH | No. |
|----------------|--|-------------|-----|
| C01 | Malignant neoplasm of base of tongue | LC | 1 |
| C02 | Malignant neoplasm of other and unspecified parts of tongue | LC | 1 |
| C02.1 | Border of tongue | LC | 1 |
| C03 | Malignant neoplasm of gum | LC | 1 |
| C04 | Malignant neoplasm of floor of mouth | LC | 1 |
| C06 | Malignant neoplasm of other and unspecified parts of mouth | LC | 1 |
| C06.0 | Cheek mucosa | С | 1 |
| C08 | Malignant neoplasm of other and unspecified major salivary glands | LC | 1 |
| C08.0 | Submandibular gland | LC | 1 |
| C08.1 | Sublingual gland | LC | 1 |
| C09 | Malignant neoplasm of tonsil | LC | 1 |
| C10 | Malignant neoplasm of oropharynx | LC | 1 |
| C11 | Malignant neoplasm of nasopharynx | LC | 1 |
| C12 | Malignant neoplasm of pyriform sinus | LC | 1 |
| C14 | Malignant neoplasm of other and ill-defined sites in the lip, oral | LC | 1 |
| C15 | Malignant neoplasm of oesophagus | C | 1 |
| C15.1 | Thoracic part of oesophagus | LC | 1 |
| C15.2 | Abdominal part of oesophagus | L | 1 |
| C15.5 | Lower third of oesophagus | C | 1 |
| C16 | Malignant neoplasm of stomach | C | 1 |
| C16.2 | Body of stomach | C | 1 |
| C16.3 | Pyloric antrum | C | 1 |
| C16.4 | Pylorus | C | 1 |
| C17 | Malignant neoplasm of small intestine | LC | 1 |
| C18 | Malignant neoplasm of shar messare Malignant neoplasm of colon | C | 1 |
| C18.0 | Caecum | C | 1 |
| C18.2 | Ascending colon | C | 1 |
| C18.7 | Sigmoid colon | C | 1 |
| C19 | Malignant neoplasm of rectosigmoid junction | C | 1 |
| C20 | Malignant neoplasm of rectum | VC | 1 |
| C21 | Malignant neoplasm of rectain Malignant neoplasm of anus and anal canal | | 1 |
| C21.1 | Anal canal | | 1 |
| C22 | Malignant neoplasm of liver and intrahepatic bile ducts | C | 1 |
| C22.0 | Liver cell carcinoma | C | 1 |
| C22.0 | Intrahepatic bile duct carcinoma | C | 1 |
| C22.1 C22.2 | Hepatoblastoma | LC | 1 |
| 022.2 | Angiosarcoma of liver | | 1 |
| C22.4 | Other sarcomas of liver | | 1 |
| C22.4 C22.7 | Other specified carcinomas of liver | | 1 |
| C22.7 C22.9 | Liver, unspecified | | 1 |
| C22.9 C23 | Malignant neoplasm of gallbladder | LC | 1 |
| | Malignant neoplasm of other and unspecified parts of biliary tract | | 1 |
| C24 | wangnant neoplasm of other and unspectified parts of binary tract | | 1 |

VC=Very common, C= Common, LC= Less common

| Code | Name of the Diseases | MCH & SH | No. |
|-------|--|-------------|-----|
| C25 | Malignant neoplasm of pancreas | C | 1 |
| C25.0 | Head of pancreas | C | 1 |
| C26 | Malignant neoplasm of other and ill-defined digestive organs | LC | 1 |
| C30 | Malignant neoplasm of nasal cavity and middle ear | C | 1 |
| C31 | Malignant neoplasm of accessory sinuses | LC | 1 |
| C32 | Malignant neoplasm of larynx | С | 1 |
| C33 | Malignant neoplasm of trachea | LC | 1 |
| C34 | Malignant neoplasm of bronchus and lung | С | 1 |
| C37 | Malignant neoplasm of thymus | LC | 1 |
| C38 | Malignant neoplasm of heart, mediastinum and pleura | LC | 1 |
| C39 | Malignant neoplasm of other and ill-defined sites in the respiratory | LC | 1 |
| C40 | Malignant neoplasm of bone and articular cartilage of limbs | С | 1 |
| C41 | Malignant neoplasm of bone and articular cartilage of other and | LC | 1 |
| C44 | Other malignant neoplasms of skin | LC | 1 |
| C45 | Mesothelioma | LC | 1 |
| C46 | Kaposi's sarcoma | LC | 1 |
| C47 | Malignant neoplasm of peripheral nerves and autonomic nervous system | LC | 1 |
| C48 | Malignant neoplasm of retroperitoneum and peritoneum | LC | 1 |
| C48.0 | Retroperitoneum | LC | 1 |
| C49 | Malignant neoplasm of other connective and soft tissue | LC | 1 |
| C49.2 | Connective and soft tissue of lower limb, including hip | LC | 1 |
| C51 | Malignant neoplasm of vulva | С | 1 |
| C58 | Malignant neoplasm of placenta | LC | 1 |
| C60 | Malignant neoplasm of penis | LC | 1 |
| C61 | Malignant neoplasm of prostate | С | 1 |
| C62 | Malignant neoplasm of testis | LC | 1 |
| C63 | Malignant neoplasm of other and unspecified male genital organs | LC | 1 |
| C64 | Malignant neoplasm of kidney, except renal pelvis | LC | 1 |
| C67 | Malignant neoplasm of bladder | С | 1 |
| C68 | Malignant neoplasm of other and unspecified urinary organs | LC | 1 |
| C69 | Malignant neoplasm of eye and adnexa | LC | 1 |
| C69.2 | Retina | LC | 1 |
| C70 | Malignant neoplasm of meninges | LC | 1 |
| C71 | Malignant neoplasm of brain | LC | 1 |
| C72 | Malignant neoplasm of spinal cord, cranial nerves and other parts of | LC | 1 |
| C73 | Malignant neoplasm of thyroid gland | LC | 1 |
| C74 | Malignant neoplasm of adrenal gland | LC | 1 |
| C75 | Malignant neoplasm of other endocrine glands and related structures | LC | 1 |
| C76 | Malignant neoplasm of other and ill-defined sites | LC | 1 |
| C78 | Secondary malignant neoplasm of respiratory and digestive organs | LC | 1 |
| C78.0 | Secondary malignant neoplasm of lung | LC | 1 |
| C78.7 | Secondary malignant neoplasm of liver | С | 1 |
| C79 | Secondary malignant neoplasm of other sites | LC | 1 |
| C79.2 | Secondary malignant neoplasm of skin | LC | 1 |
| C79.3 | Secondary malignant neoplasm of brain and cerebral meninges | LC | 1 |

| Code | Name of the Diseases | MCH & | No. |
|---------|--|-------|------|
| Coue | Nume of the Discuses | SH | 110. |
| C79.4 | Secondary malignant neoplasm of other and unspecified parts of nervous | LC | 1 |
| C81 | Hodgkin's disease | LC | 1 |
| C82 | Follicular [nodular] non-Hodgkin's lymphoma | LC | 1 |
| C83 | Diffuse non-Hodgkin's lymphoma | LC | 1 |
| C84 | Peripheral and cutaneous T-cell lymphomas | LC | 1 |
| C85 | Other and unspecified types of non-Hodgkin's lymphoma | LC | 1 |
| C88 | Malignant immunoproliferative diseases | LC | 1 |
| C90 | Multiple myeloma and malignant plasma cell neoplasms | LC | 1 |
| C90.0 | Multiple myeloma | LC | 1 |
| C91 | Lymphoid leukaemia | С | 1 |
| C91.0 | Acute lymphoblastic leukaemia | С | 1 |
| C91.1 | Chronic lymphocytic leukaemia | С | 1 |
| C92 | Myeloid leukaemia | С | 1 |
| C92.0 | Acute myeloid leukaemia | С | 1 |
| C92.1 | Chronic myeloid leukaemia | С | 1 |
| C93 | Monocytic leukaemia | LC | 1 |
| C95 | Leukaemia of unspecified cell type | LC | 1 |
| C96 | Other and unspecified malignant neoplasms of lymphoid, haematopoietic | LC | 1 |
| Cerebra | l palsy and other paralytic syndromes (G80-G83) | LC | 1 |
| Certain | zoonotic bacterial diseases (A20-A28) | LC | 1 |
| Cleft l | ip and cleft palate (Q35-Q37) | С | 1 |
| Coagula | tion defects, purpura and other haemorrhagic conditions (D65-D69) | LC | 1 |
| Complic | ations of labour and delivery (O60-O75) | С | 1 |
| Complic | ations of surgical and medical care, not elsewhere classified | LC | 1 |
| Congeni | tal malformations, deformations and chromosomal abnormalities | LC | 1 |
| Congeni | tal malformations of the nervous system (Q00-Q07) | LC | 1 |
| D00 | Carcinoma in situ of oral cavity, oesophagus and stomach | LC | 1 |
| D01 | Carcinoma in situ of other and unspecified digestive organs | LC | 1 |
| D02 | Carcinoma in situ of middle ear and respiratory system | LC | 1 |
| D05 | Carcinoma in situ of breast | LC | 1 |
| D06 | Carcinoma in situ of cervix uteri | LC | 1 |
| D07 | Carcinoma in situ of other and unspecified genital organs | LC | 1 |
| D09 | Carcinoma in situ of other and unspecified sites | LC | 1 |
| D11.0 | Parotid gland | С | 1 |
| D13 | Benign neoplasm of other and ill-defined parts of digestive system | LC | 1 |
| D14 | Benign neoplasm of middle ear and respiratory system | LC | 1 |
| D15 | Benign neoplasm of other and unspecified intrathoracic organs | LC | 1 |
| D17.5 | Benign lipomatous neoplasm of intra-abdominal organs | LC | 1 |
| D17.6 | Benign lipomatous neoplasm of spermatic cord | LC | 1 |
| D20 | Benign neoplasm of soft tissue of retroperitoneum and peritoneum | С | 1 |
| D20.0 | Retroperitoneum | С | 1 |
| D22.1 | Melanocytic naevi of eyelid, including canthus | LC | 1 |
| D22.2 | Melanocytic naevi of ear and external auricular canal | LC | 1 |
| D26 | Other benign neoplasms of uterus | LC | 1 |
| D29.1 | Prostate | С | 1 |

| Code | Name of the Diseases | MCH & SH | No. |
|-------|---|-------------|-----|
| D30 | Benign neoplasm of urinary organs | LC | 1 |
| D31 | Benign neoplasm of eye and adnexa | LC | 1 |
| D32 | Benign neoplasm of meninges | LC | 1 |
| D33 | Benign neoplasm of brain and other parts of central nervous system | LC | 1 |
| D33.4 | Spinal cord | LC | 1 |
| D35 | Benign neoplasm of other and unspecified endocrine glands | LC | 1 |
| D35.1 | Parathyroid gland | LC | 1 |
| D35.2 | Pituitary gland | LC | 1 |
| D36 | Benign neoplasm of other and unspecified sites | LC | 1 |
| D37 | Neoplasm of uncertain or unknown behaviour of oral cavity and digestive | LC | 1 |
| D38 | Neoplasm of uncertain or unknown behaviour of middle ear and | LC | 1 |
| D39 | Neoplasm of uncertain or unknown behaviour of female genital organs | LC | 1 |
| D40 | Neoplasm of uncertain or unknown behaviour of male genital organs | LC | 1 |
| D41 | Neoplasm of uncertain or unknown behaviour of urinary organs | LC | 1 |
| D42 | Neoplasm of uncertain or unknown behaviour of meninges | LC | 1 |
| D43 | Neoplasm of uncertain or unknown behaviour of brain and central nervous | LC | 1 |
| D44 | Neoplasm of uncertain or unknown behaviour of endocrine glands | LC | 1 |
| D45 | Polycythaemia vera | LC | 1 |
| D46 | Myelodysplastic syndromes | LC | 1 |
| D47 | Other neoplasms of uncertain or unknown behaviour of lymphoid, | LC | 1 |
| D48 | Neoplasm of uncertain or unknown behaviour of other and unspecified | LC | 1 |
| O08.1 | Delayed or excessive haemorrhage following abortion and ectopic and | LC | 1 |
| O08.2 | Embolism following abortion and ectopic and molar pregnancy | LC | 1 |
| O08.3 | Shock following abortion and ectopic and molar pregnancy | VC | 1 |
| O08.4 | Renal failure following abortion and ectopic and molar pregnancy | LC | 1 |
| O08.5 | Metabolic disorders following abortion and ectopic and molar pregnancy | LC | 1 |
| 008.6 | Damage to pelvic organs and tissues following abortion and ectopic and | С | 1 |
| O08.7 | Other venous complications following abortion and ectopic and molar | LC | 1 |
| 010.1 | Pre-existing hypertensive heart disease complicating pregnancy, | LC | 1 |
| O10.2 | Pre-existing hypertensive renal disease complicating pregnancy, | LC | 1 |
| 010.3 | Pre-existing hypertensive heart and renal disease complicating | LC | 1 |
| 010.4 | Pre-existing secondary hypertension complicating pregnancy, childbirth | LC | 1 |
| 010.9 | Unspecified pre-existing hypertension complicating pregnancy | С | 1 |
| 014.1 | Severe pre-eclampsia | VC | 1 |
| 015 | Eclampsia | VC | 1 |
| 015.0 | Eclampsia in pregnancy | VC | 1 |
| 015.1 | Eclampsia in labour | VC | 1 |
| 015.2 | Eclampsia in the puerperium | С | 1 |
| 015.9 | Eclampsia, unspecified as to time period | LC | 1 |
| 021.1 | Hyperemesis gravidarum with metabolic disturbance | С | 1 |
| O22 | Venous complications in pregnancy | LC | 1 |
| O22.0 | Varicose veins of lower extremity in pregnancy | LC | 1 |
| O22.1 | Genital varices in pregnancy | LC | 1 |
| O22.2 | Superficial thrombophlebitis in pregnancy | LC | 1 |
| 022.3 | Deep phlebothrombosis in pregnancy | LC | 1 |

| Code | Name of the Diseases | MCH & SH | No. |
|----------------|--|-------------|-----|
| O22.5 | Cerebral venous thrombosis in pregnancy | LC | 1 |
| 022.3 | Other venous complications in pregnancy | LC | 1 |
| 022.0 | Pre-existing diabetes mellitus, insulin-dependent | VC | 1 |
| 024.0 | Pre-existing manutrition-related diabetes mellitus | LC | 1 |
| 024.2 | Retained intrauterine contraceptive device in pregnancy | LC | 1 |
| 026.6 | Liver disorders in pregnancy, childbirth and the puerperium | LC | 1 |
| 026.7 | Subluxation of symphysis (publis) in pregnancy, childbirth and the | LC | 1 |
| 026.8 | Other specified pregnancy-related conditions | LC | 1 |
| 020.0 | Pulmonary complications of anaesthesia during pregnancy | LC | 1 |
| 029.1 | Cardiac complications of anaesthesia during pregnancy | LC | 1 |
| 029.2 | Central nervous system complications of anaesthesia during pregnancy | LC | 1 |
| 029.3 | Toxic reaction to local anaesthesia during pregnancy | LC | 1 |
| 029.3 | Spinal and epidural anaesthesia-induced headache during pregnancy | VC | 1 |
| 029.4 | Other complications of spinal and epidural anaesthesia during pregnancy | LC | 1 |
| 029.5 | Failed or difficult intubation during pregnancy | LC | 1 |
| 029.0 | Other complications of anaesthesia during pregnancy | LC | 1 |
| 029.8 | | LC | 1 |
| | Continuing pregnancy after intrauterine death of one fetus or more | LC | |
| O33.0 O33.1 | Maternal care for disproportion due to deformity of maternal pelvic | LC | 1 |
| | Maternal care for disproportion due to generally contracted pelvis | LC | 1 |
| 033.2 | Maternal care for disproportion due to inlet contraction of pelvis | LC | 1 |
| 033.3 | Maternal care for disproportion due to outlet contraction of pelvis | LC | 1 |
| 033.4 | Maternal care for disproportion of mixed maternal and fetal origin | C | 1 |
| O33.6 O33.7 | Maternal care for disproportion due to hydrocephalic fetus | LC | 1 |
| 033.8 | Maternal care for disproportion due to other fetal deformities | LC | 1 |
| 033.9 | Maternal care for disproportion of other origin Maternal care for disproportion, unspecified | LC | 1 |
| 033.9 | Maternal care for known or suspected abnormality of pelvic organs | LC | 1 |
| 034.0 | | LC | 1 |
| 034.0 | Maternal care for congenital malformation of uterus | C | 1 |
| 034.3 | Maternal care for cervical incompetence Maternal care for other abnormalities of cervix | LC | 1 |
| 034.4 | | LC | 1 |
| | Maternal care for other abnormalities of gravid uterus | LC | 1 |
| 034.6 | Maternal care for abnormality of vagina Maternal care for abnormality of vulva and perineum | LC | 1 |
| 034.7 | · · | | |
| 034.8 | Maternal care for other abnormalities of pelvic organs | LC LC | 1 |
| 034.9 | Maternal care for abnormality of pelvic organ, unspecified | | 1 |
| 035 | Maternal care for known or suspected fetal abnormality and damage | LC | 1 |
| 035.0 | Maternal care for (suspected) central nervous system malformation in | LC | 1 |
| 035.1 | Maternal care for (suspected) chromosomal abnormality in fetus | LC | 1 |
| 035.2 | Maternal care for (suspected) hereditary disease in fetus | LC | 1 |
| 035.3 | Maternal care for (suspected) damage to fetus from viral disease in | LC | 1 |
| 035.4 | Maternal care for (suspected) damage to fetus from alcohol | LC | 1 |
| 035.5 | Maternal care for (suspected) damage to fetus by drugs | LC | 1 |
| 035.6 | Maternal care for (suspected) damage to fetus by radiation | LC | 1 |
| 035.7 | Maternal care for (suspected) damage to fetus by other medical | LC | 1 |
| 035.8 | Maternal care for other (suspected) fetal abnormality and damage | LC | 1 |

| Code | Name of the Diseases | MCH & SH | No. |
|-------|---|-------------|-----|
| 035.9 | Maternal care for (suspected) fetal abnormality and damage, unspecified | LC | 1 |
| 036 | Maternal care for other known or suspected fetal problems | LC | 1 |
| O36.0 | Maternal care for rhesus isoimmunization | С | 1 |
| 036.1 | Maternal care for other isoimmunization | LC | 1 |
| 036.2 | Maternal care for hydrops fetalis | LC | 1 |
| 036.3 | Maternal care for signs of fetal hypoxia | С | 1 |
| 036.7 | Maternal care for viable fetus in abdominal pregnancy | LC | 1 |
| 036.8 | Maternal care for other specified fetal problems | LC | 1 |
| 036.9 | Maternal care for fetal problem, unspecified | LC | 1 |
| O41 | Other disorders of amniotic fluid and membranes | LC | 1 |
| 041.1 | Infection of amniotic sac and membranes | С | 1 |
| O41.8 | Other specified disorders of amniotic fluid and membranes | LC | 1 |
| 041.9 | Disorder of amniotic fluid and membranes, unspecified | LC | 1 |
| 043 | Placental disorders | LC | 1 |
| O43.0 | Placental transfusion syndromes | LC | 1 |
| 043.1 | Malformation of placenta | LC | 1 |
| O43.8 | Other placental disorders | LC | 1 |
| 043.9 | Placental disorder, unspecified | LC | 1 |
| 044.1 | Placenta praevia with haemorrhage | VC | 1 |
| O45 | Premature separation of placenta [abruptio placentae] | VC | 1 |
| O45.0 | Premature separation of placenta with coagulation defect | С | 1 |
| O45.8 | Other premature separation of placenta | LC | 1 |
| 045.9 | Premature separation of placenta, unspecified | LC | 1 |
| O46 | Antepartum haemorrhage, not elsewhere classified | LC | 1 |
| O46.0 | Antepartum haemorrhage with coagulation defect | LC | 1 |
| O46.8 | Other antepartum haemorrhage | LC | 1 |
| 046.9 | Antepartum haemorrhage, unspecified | LC | 1 |
| O60 | Preterm delivery | VC | 1 |
| 066.0 | Obstructed labour due to shoulder dystocia | LC | 1 |
| 066.1 | Obstructed labour due to locked twins | LC | 1 |
| O67.0 | Intrapartum haemorrhage with coagulation defect | LC | 1 |
| O67.8 | Other intrapartum haemorrhage | LC | 1 |
| 067.9 | Intrapartum haemorrhage, unspecified | LC | 1 |
| 071.6 | Obstetric damage to pelvic joints and ligaments | LC | 1 |
| 072.3 | Postpartum coagulation defects | LC | 1 |
| 083.3 | Delivery of viable fetus in abdominal pregnancy | LC | 1 |
| 086.4 | Pyrexia of unknown origin following delivery | LC | 1 |
| O87 | Venous complications in the puerperium | LC | 1 |
| O87.0 | Superficial thrombophlebitis in the puerperium | LC | 1 |
| O87.1 | Deep phlebothrombosis in the puerperium | LC | 1 |
| 087.3 | Cerebral venous thrombosis in the puerperium | LC | 1 |
| O87.8 | Other venous complications in the puerperium | LC | 1 |
| 087.9 | Venous complication in the puerperium, unspecified | LC | 1 |
| O88 | Obstetric embolism | LC | 1 |
| 088.0 | Obstetric air embolism | LC | 1 |

| Code | Name of the Diseases | MCH & | No. |
|-------|---|-------|------|
| Couc | Nume of the Discuses | SH | 110. |
| O88.1 | Amniotic fluid embolism | LC | 1 |
| O88.2 | Obstetric blood-clot embolism | LC | 1 |
| 088.3 | Obstetric pyaemic and septic embolism | LC | 1 |
| O88.8 | Other obstetric embolism | LC | 1 |
| 090.3 | Cardiomyopathy in the puerperium | LC | 1 |
| O90.4 | Postpartum acute renal failure | LC | 1 |
| O90.5 | Postpartum thyroiditis | LC | 1 |
| O90.8 | Other complications of the puerperium, not elsewhere classified | LC | 1 |
| 090.9 | Complication of the puerperium, unspecified | LC | 1 |
| 092.3 | Agalactia | LC | 1 |
| O92.4 | Hypogalactia | LC | 1 |
| 096 | Death from any obstetric cause occurring more than 42 days but less | LC | 1 |
| P00.2 | Fetus and newborn affected by maternal infectious and parasitic | VC | 1 |
| P00.3 | Fetus and newborn affected by other maternal circulatory and | LC | 1 |
| P00.4 | Fetus and newborn affected by maternal nutritional disorders | C | 1 |
| P01.1 | Fetus and newborn affected by premature rupture of membranes | VC | 1 |
| P01.2 | Fetus and newborn affected by oligohydramnios | VC | 1 |
| P01.3 | Fetus and newborn affected by polyhydramnios | C | 1 |
| P01.6 | Fetus and newborn affected by maternal death | LC | 1 |
| P02.0 | Fetus and newborn affected by placenta praevia | VC | 1 |
| P02.3 | Fetus and newborn affected by placental transfusion syndromes | LC | 1 |
| P02.7 | Fetus and newborn affected by chorioamnionitis | С | 1 |
| P02.8 | Fetus and newborn affected by other abnormalities of membranes | LC | 1 |
| P03.8 | Fetus and newborn affected by other specified complications of labour | LC | 1 |
| P03.9 | Fetus and newborn affected by complication of labour and delivery, | VC | 1 |
| P04.0 | Fetus and newborn affected by maternal anaesthesia and analgesia in | LC | 1 |
| P04.5 | Fetus and newborn affected by maternal use of nutritional chemical | LC | 1 |
| P05.0 | Light for gestational age | VC | 1 |
| P05.1 | Small for gestational age | C | 1 |
| P05.2 | Fetal malnutrition without mention of light or small for gestational | LC | 1 |
| P07.0 | Extremely low birth weight | С | 1 |
| P07.2 | Extreme immaturity | LC | 1 |
| P08.0 | Exceptionally large baby | LC | 1 |
| P10.0 | Subdural haemorrhage due to birth injury | LC | 1 |
| P10.1 | Cerebral haemorrhage due to birth injury | LC | 1 |
| P10.2 | Intraventricular haemorrhage due to birth injury | C | 1 |
| P10.3 | Subarachnoid haemorrhage due to birth injury | LC | 1 |
| P10.4 | Tentorial tear due to birth injury | C | 1 |
| P11.0 | Cerebral oedema due to birth injury | LC | 1 |
| P11.3 | Birth injury to facial nerve | LC | 1 |
| P11.4 | Birth injury to other cranial nerves | LC | 1 |
| P11.5 | Birth injury to spine and spinal cord | LC | 1 |
| P11.9 | Birth injury to central nervous system, unspecified | LC | 1 |
| P12.2 | Epicranial subaponeurotic haemorrhage due to birth injury | LC | 1 |
| P13.0 | Fracture of skull due to birth injury | LC | 1 |

| Code | Name of the Diseases | MCH & SH | No. |
|-------|--|-------------|-----|
| P13.1 | Other birth injuries to skull | LC | 1 |
| P13.2 | Birth injury to femur | LC | 1 |
| P13.3 | Birth injury to other long bones | LC | 1 |
| P13.4 | Fracture of clavicle due to birth injury | LC | 1 |
| P13.8 | Birth injuries to other parts of skeleton | LC | 1 |
| P13.9 | Birth injury to skeleton, unspecified | LC | 1 |
| P14.2 | Phrenic nerve paralysis due to birth injury | LC | 1 |
| P15.0 | Birth injury to liver | LC | 1 |
| P15.1 | Birth injury to spleen | LC | 1 |
| P15.2 | Sternomastoid injury due to birth injury | LC | 1 |
| P15.3 | Birth injury to eye | LC | 1 |
| P15.8 | Other specified birth injuries | LC | 1 |
| P15.9 | Birth injury, unspecified | С | 1 |
| P21 | Birth asphyxia | C | 1 |
| P21.0 | Severe birth asphyxia | C | 1 |
| P22.0 | Respiratory distress syndrome of newborn | C | 1 |
| P24 | Neonatal aspiration syndromes | C | 1 |
| P24.0 | Neonatal aspiration of meconium | VC | 1 |
| P24.2 | Neonatal aspiration of blood | LC | 1 |
| P25 | Interstitial emphysema and related conditions originating in the | LC | 1 |
| P25.0 | Interstitial emphysema originating in the perinatal period | LC | 1 |
| P25.1 | Pneumothorax originating in the perinatal period | LC | 1 |
| P25.2 | Pneumomediastinum originating in the perinatal period | LC | 1 |
| P25.3 | Pneumopericardium originating in the perinatal period | LC | 1 |
| P25.8 | Other conditions related to interstitial emphysema originating in the | LC | 1 |
| P26 | Pulmonary haemorrhage originating in the perinatal period | LC | 1 |
| P26.0 | Tracheobronchial haemorrhage originating in the perinatal period | LC | 1 |
| P26.1 | Massive pulmonary haemorrhage originating in the perinatal period | LC | 1 |
| P26.8 | Other pulmonary haemorrhages originating in the perinatal period | LC | 1 |
| P26.9 | Unspecified pulmonary haemorrhage originating in the perinatal period | LC | 1 |
| P27 | Chronic respiratory disease originating in the perinatal period | LC | 1 |
| P27.0 | Wilson-Mikity syndrome | LC | 1 |
| P27.1 | Bronchopulmonary dysplasia originating in the perinatal period | LC | 1 |
| P27.8 | Other chronic respiratory diseases originating in the perinatal period | LC | 1 |
| P27.9 | Unspecified chronic respiratory disease originating in the perinatal | LC | 1 |
| P28 | Other respiratory conditions originating in the perinatal period | LC | 1 |
| P28.0 | Primary atelectasis of newborn | LC | 1 |
| P28.1 | Other and unspecified atelectasis of newborn | LC | 1 |
| P28.5 | Respiratory failure of newborn | LC | 1 |
| P28.8 | Other specified respiratory conditions of newborn | LC | 1 |
| P28.9 | Respiratory condition of newborn, unspecified | LC | 1 |
| P29 | Cardiovascular disorders originating in the perinatal period | LC | 1 |
| P29.0 | Neonatal cardiac failure | LC | 1 |
| P29.1 | Neonatal cardiac dysrhythmia | LC | 1 |
| P29.2 | Neonatal hypertension | LC | 1 |

| Code | Name of the Diseases | MCH & SH | No. |
|-------|--|-------------|-----|
| P29.3 | Persistent fetal circulation | LC | 1 |
| P29.4 | Transient myocardial ischaemia of newborn | LC | 1 |
| P29.8 | Other cardiovascular disorders originating in the perinatal period | LC | 1 |
| P29.9 | Cardiovascular disorder originating in the perinatal period, | LC | 1 |
| P35.1 | Congenital cytomegalovirus infection | LC | 1 |
| P37 | Other congenital infectious and parasitic diseases | LC | 1 |
| P37.0 | Congenital tuberculosis | LC | 1 |
| P37.1 | Congenital toxoplasmosis | LC | 1 |
| P37.2 | Neonatal (disseminated) listeriosis | LC | 1 |
| P37.3 | Congenital falciparum malaria | LC | 1 |
| P39.2 | Intra-amniotic infection of fetus, not elsewhere classified | LC | 1 |
| P50.0 | Fetal blood loss from vasa praevia | VC | 1 |
| P50.1 | Fetal blood loss from ruptured cord | VC | 1 |
| P50.2 | Fetal blood loss from placenta | VC | 1 |
| P50.3 | Haemorrhage into co-twin | LC | 1 |
| P51.0 | Massive umbilical haemorrhage of newborn | LC | 1 |
| P51.8 | Other umbilical haemorrhages of newborn | LC | 1 |
| P51.9 | Umbilical haemorrhage of newborn, unspecified | LC | 1 |
| P52 | Intracranial nontraumatic haemorrhage of fetus and newborn | LC | 1 |
| P52.0 | Intraventricular (nontraumatic) haemorrhage, grade 1, of fetus and | LC | 1 |
| P52.1 | Intraventricular (nontraumatic) haemorrhage, grade 2, of fetus and | LC | 1 |
| P52.2 | Intraventricular (nontraumatic) haemorrhage, grade 3, of fetus and | LC | 1 |
| P52.3 | Unspecified intraventricular (nontraumatic) haemorrhage of fetus and | LC | 1 |
| P52.4 | Intracerebral (nontraumatic) haemorrhage of fetus and newborn | LC | 1 |
| P52.5 | Subarachnoid (nontraumatic) haemorrhage of fetus and newborn | LC | 1 |
| P52.6 | Cerebellar (nontraumatic) and posterior fossa haemorrhage of fetus and | LC | 1 |
| P52.8 | Other intracranial (nontraumatic) haemorrhages of fetus and newborn | LC | 1 |
| P52.9 | Intracranial (nontraumatic) haemorrhage of fetus and newborn, | LC | 1 |
| P53 | Haemorrhagic disease of fetus and newborn | LC | 1 |
| P54 | Other neonatal haemorrhages | LC | 1 |
| P54.0 | Neonatal haematemesis | LC | 1 |
| P54.1 | Neonatal melaena | LC | 1 |
| P54.2 | Neonatal rectal haemorrhage | LC | 1 |
| P54.3 | Other neonatal gastrointestinal haemorrhage | LC | 1 |
| P54.4 | Neonatal adrenal haemorrhage | LC | 1 |
| P54.5 | Neonatal cutaneous haemorrhage | LC | 1 |
| P54.8 | Other specified neonatal haemorrhages | LC | 1 |
| P54.9 | Neonatal haemorrhage, unspecified | LC | 1 |
| P55 | Haemolytic disease of fetus and newborn | LC | 1 |
| P55.0 | Rh isoimmunization of fetus and newborn | VC | 1 |
| P55.1 | ABO isoimmunization of fetus and newborn | С | 1 |
| P55.8 | Other haemolytic diseases of fetus and newborn | LC | 1 |
| P55.9 | Haemolytic disease of fetus and newborn, unspecified | LC | 1 |
| P57 | Kernicterus | C | 1 |
| P57.0 | Kernicterus due to isoimmunization | C | 1 |

| Code | Name of the Diseases | MCH & SH | No. |
|-------|---|-------------|-----|
| P57.9 | Kernicterus, unspecified | VC | 1 |
| P58 | Neonatal jaundice due to other excessive haemolysis | VC | 1 |
| P58.0 | Neonatal jaundice due to bruising | VC | 1 |
| P58.1 | Neonatal jaundice due to bleeding | VC | 1 |
| P58.2 | Neonatal jaundice due to infection | VC | 1 |
| P58.3 | Neonatal jaundice due to polycythaemia | VC | 1 |
| P58.4 | Neonatal jaundice due to drugs or toxins transmitted from mother or | VC | 1 |
| P58.5 | Neonatal jaundice due to swallowed maternal blood | VC | 1 |
| P58.8 | Neonatal jaundice due to other specified excessive haemolysis | VC | 1 |
| P58.9 | Neonatal jaundice due to excessive haemolysis, unspecified | VC | 1 |
| P59.1 | Inspissated bile syndrome | LC | 1 |
| P59.2 | Neonatal jaundice from other and unspecified hepatocellular damage | LC | 1 |
| P59.3 | Neonatal jaundice from breast milk inhibitor | С | 1 |
| P59.8 | Neonatal jaundice from other specified causes | LC | 1 |
| P61.0 | Transient neonatal thrombocytopenia | С | 1 |
| P61.3 | Congenital anaemia from fetal blood loss | LC | 1 |
| P61.4 | Other congenital anaemias, not elsewhere classified | LC | 1 |
| P61.5 | Transient neonatal neutropenia | LC | 1 |
| P61.6 | Other transient neonatal disorders of coagulation | LC | 1 |
| P61.8 | Other specified perinatal haematological disorders | LC | 1 |
| P61.9 | Perinatal haematological disorder, unspecified | LC | 1 |
| P70.2 | Neonatal diabetes mellitus | LC | 1 |
| P70.3 | Iatrogenic neonatal hypoglycaemia | LC | 1 |
| P70.4 | Other neonatal hypoglycaemia | LC | 1 |
| P70.8 | Other transitory disorders of carbohydrate metabolism of fetus and | LC | 1 |
| P70.9 | Transitory disorder of carbohydrate metabolism of fetus and newborn, | LC | 1 |
| P71 | Transitory neonatal disorders of calcium and magnesium metabolism | LC | 1 |
| P71.0 | Cow's milk hypocalcaemia in newborn | LC | 1 |
| P71.1 | Other neonatal hypocalcaemia | LC | 1 |
| P71.2 | Neonatal hypomagnesaemia | LC | 1 |
| P71.3 | Neonatal tetany without calcium or magnesium deficiency | LC | 1 |
| P71.4 | Transitory neonatal hypoparathyroidism | LC | 1 |
| P71.8 | Other transitory neonatal disorders of calcium and magnesium metabolism | LC | 1 |
| P71.9 | Transitory neonatal disorder of calcium and magnesium metabolism, | LC | 1 |
| P72 | Other transitory neonatal endocrine disorders | LC | 1 |
| P72.1 | Transitory neonatal hyperthyroidism | LC | 1 |
| P72.2 | Other transitory neonatal disorders of thyroid function, not elsewhere | LC | 1 |
| P72.8 | Other specified transitory neonatal endocrine disorders | LC | 1 |
| P72.9 | Transitory neonatal endocrine disorder, unspecified | LC | 1 |
| P74 | Other transitory neonatal electrolyte and metabolic disturbances | LC | 1 |
| P74.0 | Late metabolic acidosis of newborn | LC | 1 |
| P74.2 | Disturbances of sodium balance of newborn | С | 1 |
| P74.3 | Disturbances of potassium balance of newborn | С | 1 |
| P74.4 | Other transitory electrolyte disturbances of newborn | С | 1 |
| P74.5 | Transitory tyrosinaemia of newborn | С | 1 |

| Code | Name of the Diseases | MCH & SH | No. |
|-------|--|-------------|-----|
| P74.8 | Other transitory metabolic disturbances of newborn | С | 1 |
| P74.9 | Transitory metabolic disturbance of newborn, unspecified | С | 1 |
| P75* | Meconium ileus (E84.1+) | С | 1 |
| P76 | Other intestinal obstruction of newborn | LC | 1 |
| P76.0 | Meconium plug syndrome | LC | 1 |
| P76.1 | Transitory ileus of newborn | LC | 1 |
| P76.2 | Intestinal obstruction due to inspissated milk | LC | 1 |
| P76.8 | Other specified intestinal obstruction of newborn | LC | 1 |
| P76.9 | Intestinal obstruction of newborn, unspecified | LC | 1 |
| P77 | Necrotizing enterocolitis of fetus and newborn | LC | 1 |
| P78 | Other perinatal digestive system disorders | LC | 1 |
| P78.0 | Perinatal intestinal perforation | LC | 1 |
| P78.8 | Other specified perinatal digestive system disorders | LC | 1 |
| P78.9 | Perinatal digestive system disorder, unspecified | LC | 1 |
| P80.8 | Other hypothermia of newborn | LC | 1 |
| P80.9 | Hypothermia of newborn, unspecified | LC | 1 |
| P81 | Other disturbances of temperature regulation of newborn | LC | 1 |
| P81.0 | Environmental hyperthermia of newborn | LC | 1 |
| P81.8 | Other specified disturbances of temperature regulation of newborn | LC | 1 |
| P81.9 | Disturbance of temperature regulation of newborn, unspecified | LC | 1 |
| P83 | Other conditions of integument specific to fetus and newborn | LC | 1 |
| P83.0 | Sclerema neonatorum | LC | 1 |
| P83.2 | Hydrops fetalis not due to haemolytic disease | LC | 1 |
| P83.3 | Other and unspecified oedema specific to fetus and newborn | LC | 1 |
| P83.6 | Umbilical polyp of newborn | LC | 1 |
| P83.8 | Other specified conditions of integument specific to fetus and newborn | LC | 1 |
| P83.9 | Condition of integument specific to fetus and newborn, unspecified | LC | 1 |
| P90 | Convulsions of newborn | VC | 1 |
| P91 | Other disturbances of cerebral status of newborn | LC | 1 |
| P91.1 | Acquired periventricular cysts of newborn | LC | 1 |
| P91.2 | Neonatal cerebral leukomalacia | LC | 1 |
| P91.4 | Neonatal cerebral depression | LC | 1 |
| P91.5 | Neonatal coma | С | 1 |
| P91.8 | Other specified disturbances of cerebral status of newborn | LC | 1 |
| P91.9 | Disturbance of cerebral status of newborn, unspecified | LC | 1 |
| P93 | Reactions and intoxications due to drugs administered to fetus and | LC | 1 |
| P94 | Disorders of muscle tone of newborn | LC | 1 |
| P94.0 | Transient neonatal myasthenia gravis | LC | 1 |
| P94.1 | Congenital hypertonia | LC | 1 |
| P94.2 | Congenital hypotonia | LC | 1 |
| P94.8 | Other disorders of muscle tone of newborn | LC | 1 |
| P94.9 | Disorder of muscle tone of newborn, unspecified | LC | 1 |
| P95 | Fetal death of unspecified cause | LC | 1 |
| P96 | Other conditions originating in the perinatal period | LC | 1 |
| Q00 | Anencephaly and similar malformations | LC | 1 |

| Code | Name of the Diseases | MCH & SH | No. |
|-------|---|-------------|-----|
| Q00.0 | Anencephaly | LC | 1 |
| Q00.1 | Craniorachischisis | | 1 |
| Q00.2 | Iniencephaly | | 1 |
| Q01 | Encephalocele | | 1 |
| Q01.0 | Frontal encephalocele | LC | 1 |
| Q01.1 | Nasofrontal encephalocele | LC | 1 |
| Q01.2 | Occipital encephalocele | LC | 1 |
| Q01.8 | Encephalocele of other sites | LC | 1 |
| Q01.9 | Encephalocele, unspecified | LC | 1 |
| Q02 | Microcephaly | LC | 1 |
| Q03 | Congenital hydrocephalus | LC | 1 |
| Q03.0 | Malformations of aqueduct of Sylvius | LC | 1 |
| Q03.1 | Atresia of foramina of Magendie and Luschka | LC | 1 |
| Q03.8 | Other congenital hydrocephalus | LC | 1 |
| Q03.9 | Congenital hydrocephalus, unspecified | LC | 1 |
| Q04 | Other congenital malformations of brain | LC | 1 |
| Q04.0 | Congenital malformations of corpus callosum | LC | 1 |
| Q04.1 | Arhinencephaly | LC | 1 |
| Q04.2 | Holoprosencephaly | LC | 1 |
| Q04.3 | Other reduction deformities of brain | LC | 1 |
| Q04.4 | Septo-optic dysplasia | LC | 1 |
| Q04.5 | Megalencephaly | LC | 1 |
| Q04.6 | Congenital cerebral cysts | LC | 1 |
| Q04.8 | Other specified congenital malformations of brain | LC | 1 |
| Q04.9 | Congenital malformation of brain, unspecified | LC | 1 |
| Q05 | Spina bifida | LC | 1 |
| Q05.0 | Cervical spina bifida with hydrocephalus | LC | 1 |
| Q05.1 | Thoracic spina bifida with hydrocephalus | LC | 1 |
| Q05.2 | Lumbar spina bifida with hydrocephalus | LC | 1 |
| Q05.3 | Sacral spina bifida with hydrocephalus | LC | 1 |
| Q05.4 | Unspecified spina bifida with hydrocephalus | LC | 1 |
| Q05.5 | Cervical spina bifida without hydrocephalus | LC | 1 |
| Q05.6 | Thoracic spina bifida without hydrocephalus | LC | 1 |
| Q05.7 | Lumbar spina bifida without hydrocephalus | LC | 1 |
| Q05.8 | Sacral spina bifida without hydrocephalus | LC | 1 |
| Q05.9 | Spina bifida, unspecified | LC | 1 |
| Q06 | Other congenital malformations of spinal cord | LC | 1 |
| Q06.0 | Amyelia | LC | 1 |
| Q06.1 | Hypoplasia and dysplasia of spinal cord | LC | 1 |
| Q06.2 | Diastematomyelia | LC | 1 |
| Q06.3 | Other congenital cauda equina malformations | LC | 1 |
| Q06.4 | Hydromyelia | LC | 1 |
| Q06.8 | Other specified congenital malformations of spinal cord | LC | 1 |
| Q06.9 | Congenital malformation of spinal cord, unspecified | LC | 1 |
| Q07 | Other congenital malformations of nervous system | LC | 1 |

| Code | Name of the Diseases | MCH & SH | No. |
|-------|--|-------------|-----|
| Q07.0 | Arnold-Chiari syndrome | LC | 1 |
| Q07.8 | Other specified congenital malformations of nervous system | LC | 1 |
| Q07.9 | Congenital malformation of nervous system, unspecified | LC | 1 |
| Q10 | Congenital malformations of eyelid, lacrimal apparatus and orbit | LC | 1 |
| Q10.0 | Congenital ptosis | LC | 1 |
| Q10.1 | Congenital ectropion | LC | 1 |
| Q10.2 | Congenital entropion | LC | 1 |
| Q10.3 | Other congenital malformations of eyelid | LC | 1 |
| Q10.4 | Absence and agenesis of lacrimal apparatus | LC | 1 |
| Q10.5 | Congenital stenosis and stricture of lacrimal duct | LC | 1 |
| Q10.6 | Other congenital malformations of lacrimal apparatus | LC | 1 |
| Q10.7 | Congenital malformation of orbit | LC | 1 |
| Q11 | Anophthalmos, microphthalmos and macrophthalmos | LC | 1 |
| Q11.0 | Cystic eyeball | LC | 1 |
| Q11.1 | Other anophthalmos | LC | 1 |
| Q11.2 | Microphthalmos | LC | 1 |
| Q11.3 | Macrophthalmos | LC | 1 |
| Q12 | Congenital lens malformations | LC | 1 |
| Q12.0 | Congenital cataract | LC | 1 |
| Q12.1 | Congenital displaced lens | LC | 1 |
| Q12.2 | Coloboma of lens | LC | 1 |
| Q12.3 | Congenital aphakia | LC | 1 |
| Q12.4 | Spherophakia | LC | 1 |
| Q12.8 | Other congenital lens malformations | LC | 1 |
| Q12.9 | Congenital lens malformation, unspecified | LC | 1 |
| Q13 | Congenital malformations of anterior segment of eye | LC | 1 |
| Q13.0 | Coloboma of iris | LC | 1 |
| Q13.1 | Absence of iris | LC | 1 |
| Q13.2 | Other congenital malformations of iris | LC | 1 |
| Q13.3 | Congenital corneal opacity | LC | 1 |
| Q13.4 | Other congenital corneal malformations | LC | 1 |
| Q13.5 | Blue sclera | LC | 1 |
| Q13.8 | Other congenital malformations of anterior segment of eye | LC | 1 |
| Q13.9 | Congenital malformation of anterior segment of eye, unspecified | LC | 1 |
| Q14 | Congenital malformations of posterior segment of eye | LC | 1 |
| Q14.0 | Congenital malformation of vitreous humour | LC | 1 |
| Q14.1 | Congenital malformation of retina | LC | 1 |
| Q14.2 | Congenital malformation of optic disc | LC | 1 |
| Q14.3 | Congenital malformation of choroid | LC | 1 |
| Q14.8 | Other congenital malformations of posterior segment of eye | LC | 1 |
| Q14.9 | Congenital malformation of posterior segment of eye, unspecified | LC | 1 |
| Q15 | Other congenital malformations of eye | LC | 1 |
| Q15.0 | Congenital glaucoma | LC | 1 |
| Q15.8 | Other specified congenital malformations of eye | LC | 1 |
| Q15.9 | Congenital malformation of eye, unspecified | LC | 1 |

| Code | Name of the Diseases | MCH & SH | No. |
|-------|--|-------------|-----|
| Q16 | Congenital malformations of ear causing impairment of hearing | LC | 1 |
| Q16.0 | Congenital absence of (ear) auricle | LC | 1 |
| Q16.1 | Congenital absence, atresia and stricture of auditory canal (external) | LC | 1 |
| Q16.2 | Absence of eustachian tube | LC | 1 |
| Q16.3 | Congenital malformation of ear ossicles | LC | 1 |
| Q16.4 | Other congenital malformations of middle ear | LC | 1 |
| Q16.5 | Congenital malformation of inner ear | LC | 1 |
| Q16.9 | Congenital malformation of ear causing impairment of hearing, | LC | 1 |
| Q17 | Other congenital malformations of ear | LC | 1 |
| Q17.0 | Accessory auricle | LC | 1 |
| Q17.1 | Macrotia | LC | 1 |
| Q17.2 | Microtia | LC | 1 |
| Q17.3 | Other misshapen ear | LC | 1 |
| Q17.4 | Misplaced ear | LC | 1 |
| Q17.5 | Prominent ear | LC | 1 |
| Q17.8 | Other specified congenital malformations of ear | LC | 1 |
| Q17.9 | Congenital malformation of ear, unspecified | LC | 1 |
| Q18 | Other congenital malformations of face and neck | LC | 1 |
| Q18.0 | Sinus, fistula and cyst of branchial cleft | LC | 1 |
| Q18.1 | Preauricular sinus and cyst | LC | 1 |
| Q18.2 | Other branchial cleft malformations | LC | 1 |
| Q18.3 | Webbing of neck | LC | 1 |
| Q18.4 | Macrostomia | LC | 1 |
| Q18.5 | Microstomia | LC | 1 |
| Q18.6 | Macrocheilia | LC | 1 |
| Q18.7 | Microcheilia | LC | 1 |
| Q18.8 | Other specified congenital malformations of face and neck | LC | 1 |
| Q18.9 | Congenital malformation of face and neck, unspecified | LC | 1 |
| Q20 | Congenital malformations of cardiac chambers and connections | LC | 1 |
| Q20.0 | Common arterial trunk | LC | 1 |
| Q20.1 | Double outlet right ventricle | LC | 1 |
| Q20.2 | Double outlet left ventricle | LC | 1 |
| Q20.3 | Discordant ventriculoarterial connection | LC | 1 |
| Q20.4 | Double inlet ventricle | LC | 1 |
| Q20.5 | Discordant atrioventricular connection | LC | 1 |
| Q20.6 | Isomerism of atrial appendages | LC | 1 |
| Q20.8 | Other congenital malformations of cardiac chambers and connections | LC | 1 |
| Q20.9 | Congenital malformation of cardiac chambers and connections, | LC | 1 |
| Q21.3 | Tetralogy of Fallot | LC | 1 |
| Q21.4 | Aortopulmonary septal defect | LC | 1 |
| Q21.8 | Other congenital malformations of cardiac septa | LC | 1 |
| Q21.9 | Congenital malformation of cardiac septum, unspecified | LC | 1 |
| Q22 | Congenital malformations of pulmonary and tricuspid valves | LC | 1 |
| Q22.0 | Pulmonary valve atresia | LC | 1 |
| Q22.1 | Congenital pulmonary valve stenosis | LC | 1 |

| Code | Name of the Diseases | MCH & | No. |
|-------|--|-------|------|
| Coue | Name of the Diseases | SH | 110. |
| Q22.2 | Congenital pulmonary valve insufficiency | LC | 1 |
| Q22.3 | Other congenital malformations of pulmonary valve | LC | 1 |
| Q22.4 | Congenital tricuspid stenosis | LC | 1 |
| Q22.5 | Ebstein's anomaly | LC | 1 |
| Q22.6 | Hypoplastic right heart syndrome | LC | 1 |
| Q22.8 | Other congenital malformations of tricuspid valve | LC | 1 |
| Q22.9 | Congenital malformation of tricuspid valve, unspecified | LC | 1 |
| Q23 | Congenital malformations of aortic and mitral valves | LC | 1 |
| Q23.0 | Congenital stenosis of aortic valve | LC | 1 |
| Q23.1 | Congenital insufficiency of aortic valve | LC | 1 |
| Q23.2 | Congenital mitral stenosis | LC | 1 |
| Q23.3 | Congenital mitral insufficiency | LC | 1 |
| Q23.4 | Hypoplastic left heart syndrome | LC | 1 |
| Q23.8 | Other congenital malformations of aortic and mitral valves | LC | 1 |
| Q23.9 | Congenital malformation of aortic and mitral valves, unspecified | LC | 1 |
| Q24 | Other congenital malformations of heart | LC | 1 |
| Q24.0 | Dextrocardia | LC | 1 |
| Q24.1 | Laevocardia | LC | 1 |
| Q24.2 | Cor triatriatum | LC | 1 |
| Q24.3 | Pulmonary infundibular stenosis | LC | 1 |
| Q24.4 | Congenital subaortic stenosis | LC | 1 |
| Q24.5 | Malformation of coronary vessels | LC | 1 |
| Q24.6 | Congenital heart block | LC | 1 |
| Q24.8 | Other specified congenital malformations of heart | LC | 1 |
| Q24.9 | Congenital malformation of heart, unspecified | LC | 1 |
| Q25 | Congenital malformations of great arteries | LC | 1 |
| Q25.0 | Patent ductus arteriosus | С | 1 |
| Q25.1 | Coarctation of aorta | С | 1 |
| Q25.2 | Atresia of aorta | LC | 1 |
| Q25.3 | Stenosis of aorta | LC | 1 |
| Q25.4 | Other congenital malformations of aorta | LC | 1 |
| Q25.5 | Atresia of pulmonary artery | LC | 1 |
| Q25.6 | Stenosis of pulmonary artery | LC | 1 |
| Q25.7 | Other congenital malformations of pulmonary artery | LC | 1 |
| Q25.8 | Other congenital malformations of great arteries | LC | 1 |
| Q25.9 | Congenital malformation of great arteries, unspecified | LC | 1 |
| Q26 | Congenital malformations of great veins | LC | 1 |
| Q26.0 | Congenital stenosis of vena cava | LC | 1 |
| Q26.1 | Persistent left superior vena cava | LC | 1 |
| Q26.2 | Total anomalous pulmonary venous connection | LC | 1 |
| Q26.3 | Partial anomalous pulmonary venous connection | LC | 1 |
| Q26.4 | Anomalous pulmonary venous connection, unspecified | LC | 1 |
| Q26.5 | Anomalous portal venous connection | LC | 1 |
| Q26.6 | Portal vein-hepatic artery fistula | LC | 1 |
| Q26.8 | Other congenital malformations of great veins | LC | 1 |

| Code | Name of the Diseases | MCH & SH | No. |
|-------|--|-------------|-----|
| Q26.9 | Congenital malformation of great vein, unspecified | LC | 1 |
| Q27 | Other congenital malformations of peripheral vascular system | LC | 1 |
| Q27.0 | Congenital absence and hypoplasia of umbilical artery | LC | 1 |
| Q27.1 | Congenital renal artery stenosis | LC | 1 |
| Q27.2 | Other congenital malformations of renal artery | LC | 1 |
| Q27.3 | Peripheral arteriovenous malformation | LC | 1 |
| Q27.4 | Congenital phlebectasia | LC | 1 |
| Q27.8 | Other specified congenital malformations of peripheral vascular system | LC | 1 |
| Q27.9 | Congenital malformation of peripheral vascular system, unspecified | LC | 1 |
| Q28 | Other congenital malformations of circulatory system | LC | 1 |
| Q28.0 | Arteriovenous malformation of precerebral vessels | LC | 1 |
| Q28.1 | Other malformations of precerebral vessels | LC | 1 |
| Q28.2 | Arteriovenous malformation of cerebral vessels | LC | 1 |
| Q28.3 | Other malformations of cerebral vessels | LC | 1 |
| Q28.8 | Other specified congenital malformations of circulatory system | LC | 1 |
| Q28.9 | Congenital malformation of circulatory system, unspecified | LC | 1 |
| Q30 | Congenital malformations of nose | LC | 1 |
| Q30.0 | Choanal atresia | LC | 1 |
| Q30.1 | Agenesis and underdevelopment of nose | LC | 1 |
| Q30.2 | Fissured, notched and cleft nose | LC | 1 |
| Q30.3 | Congenital perforated nasal septum | LC | 1 |
| Q30.8 | Other congenital malformations of nose | LC | 1 |
| Q30.9 | Congenital malformation of nose, unspecified | LC | 1 |
| Q31 | Congenital malformations of larynx | LC | 1 |
| Q31.0 | Web of larynx | LC | 1 |
| Q31.1 | Congenital subglottic stenosis | LC | 1 |
| Q31.2 | Laryngeal hypoplasia | LC | 1 |
| Q31.3 | Laryngocele | LC | 1 |
| Q31.4 | Congenital laryngeal stridor | LC | 1 |
| Q31.8 | Other congenital malformations of larynx | LC | 1 |
| Q31.9 | Congenital malformation of larynx, unspecified | LC | 1 |
| Q32 | Congenital malformations of trachea and bronchus | LC | 1 |
| Q32.0 | Congenital tracheomalacia | LC | 1 |
| Q32.1 | Other congenital malformations of trachea | LC | 1 |
| Q32.2 | Congenital bronchomalacia | LC | 1 |
| Q32.3 | Congenital stenosis of bronchus | LC | 1 |
| Q32.4 | Other congenital malformations of bronchus | LC | 1 |
| Q33 | Congenital malformations of lung | LC | 1 |
| Q33.0 | Congenital cystic lung | LC | 1 |
| Q33.1 | Accessory lobe of lung | LC | 1 |
| Q33.2 | Sequestration of lung | LC | 1 |
| Q33.3 | Agenesis of lung | LC | 1 |
| Q33.4 | Congenital bronchiectasis | LC | 1 |
| Q33.5 | Ectopic tissue in lung | LC | 1 |
| Q33.6 | Hypoplasia and dysplasia of lung | LC | 1 |

| Code | Name of the Diseases | MCH & SH | No. |
|-------|--|-------------|-----|
| Q33.8 | Other congenital malformations of lung | LC | 1 |
| Q33.9 | Congenital malformation of lung, unspecified | LC | 1 |
| Q34 | Other congenital malformations of respiratory system | LC | 1 |
| Q34.0 | Anomaly of pleura | LC | 1 |
| Q34.1 | Congenital cyst of mediastinum | LC | 1 |
| Q34.8 | Other specified congenital malformations of respiratory system | LC | 1 |
| Q34.9 | Congenital malformation of respiratory system, unspecified | LC | 1 |
| Q35 | Cleft palate | LC | 1 |
| Q35.0 | Cleft hard palate, bilateral | С | 1 |
| Q35.1 | Cleft hard palate, unilateral | С | 1 |
| Q35.2 | Cleft soft palate, bilateral | С | 1 |
| Q35.3 | Cleft soft palate, unilateral | С | 1 |
| Q35.4 | Cleft hard palate with cleft soft palate, bilateral | С | 1 |
| Q35.5 | Cleft hard palate with cleft soft palate, unilateral | С | 1 |
| Q35.6 | Cleft palate, medial | С | 1 |
| Q35.7 | Cleft uvula | С | 1 |
| Q35.8 | Cleft palate, unspecified, bilateral | С | 1 |
| Q35.9 | Cleft palate, unspecified, unilateral | С | 1 |
| Q36 | Cleft lip | С | 1 |
| Q36.0 | Cleft lip, bilateral | С | 1 |
| Q36.1 | Cleft lip, medial | С | 1 |
| Q36.9 | Cleft lip, unilateral | С | 1 |
| Q37 | Cleft palate with cleft lip | LC | 1 |
| Q37.0 | Cleft hard palate with cleft lip, bilateral | LC | 1 |
| Q37.1 | Cleft hard palate with cleft lip, unilateral | LC | 1 |
| Q37.2 | Cleft soft palate with cleft lip, bilateral | LC | 1 |
| Q37.3 | Cleft soft palate with cleft lip, unilateral | LC | 1 |
| Q37.4 | Cleft hard and soft palate with cleft lip, bilateral | LC | 1 |
| Q37.5 | Cleft hard and soft palate with cleft lip, unilateral | LC | 1 |
| Q37.8 | Unspecified cleft palate with cleft lip, bilateral | LC | 1 |
| Q37.9 | Unspecified cleft palate with cleft lip, unilateral | LC | 1 |
| Q38 | Other congenital malformations of tongue, mouth and pharynx | LC | 1 |
| Q38.0 | Congenital malformations of lips, not elsewhere classified | LC | 1 |
| Q38.1 | Ankyloglossia | LC | 1 |
| Q38.2 | Macroglossia | LC | 1 |
| Q38.3 | Other congenital malformations of tongue | LC | 1 |
| Q38.4 | Congenital malformations of salivary glands and ducts | LC | 1 |
| Q38.5 | Congenital malformations of palate, not elsewhere classified | LC | 1 |
| Q38.6 | Other congenital malformations of mouth | LC | 1 |
| Q38.7 | Pharyngeal pouch | LC | 1 |
| Q38.8 | Other congenital malformations of pharynx | LC | 1 |
| Q39 | Congenital malformations of oesophagus | LC | 1 |
| Q39.0 | Atresia of oesophagus without fistula | LC | 1 |
| Q39.1 | Atresia of oesophagus with tracheo-oesophageal fistula | LC | 1 |
| Q39.2 | Congenital tracheo-oesophageal fistula without atresia | LC | 1 |

| Code | Name of the Diseases | MCH & | No. |
|-------|--|-------|-----|
| | | SH | |
| Q39.3 | Congenital stenosis and stricture of oesophagus | LC | 1 |
| Q39.4 | Oesophageal web | LC | 1 |
| Q39.5 | Congenital dilatation of oesophagus | LC | 1 |
| Q39.6 | Diverticulum of oesophagus | LC | 1 |
| Q39.8 | Other congenital malformations of oesophagus | LC | 1 |
| Q39.9 | Congenital malformation of oesophagus, unspecified | LC | 1 |
| Q40 | Other congenital malformations of upper alimentary tract | LC | 1 |
| Q40.0 | Congenital hypertrophic pyloric stenosis | LC | 1 |
| Q40.1 | Congenital hiatus hernia | LC | 1 |
| Q40.2 | Other specified congenital malformations of stomach | LC | 1 |
| Q40.3 | Congenital malformation of stomach, unspecified | LC | 1 |
| Q40.8 | Other specified congenital malformations of upper alimentary tract | LC | 1 |
| Q40.9 | Congenital malformation of upper alimentary tract, unspecified | LC | 1 |
| Q41 | Congenital absence, atresia and stenosis of small intestine | LC | 1 |
| Q41.0 | Congenital absence, atresia and stenosis of duodenum | LC | 1 |
| Q41.1 | Congenital absence, atresia and stenosis of jejunum | LC | 1 |
| Q41.2 | Congenital absence, atresia and stenosis of ileum | LC | 1 |
| Q41.8 | Congenital absence, atresia and stenosis of other specified parts of | LC | 1 |
| Q41.9 | Congenital absence, atresia and stenosis of small intestine, part | LC | 1 |
| Q42 | Congenital absence, atresia and stenosis of large intestine | LC | 1 |
| Q42.0 | Congenital absence, atresia and stenosis of rectum with fistula | LC | 1 |
| Q42.1 | Congenital absence, atresia and stenosis of rectum without fistula | LC | 1 |
| Q42.2 | Congenital absence, atresia and stenosis of anus with fistula | LC | 1 |
| Q42.3 | Congenital absence, atresia and stenosis of anus without fistula | LC | 1 |
| Q42.8 | Congenital absence, atresia and stenosis of other parts of large | LC | 1 |
| Q42.9 | Congenital absence, atresia and stenosis of large intestine, part | LC | 1 |
| Q43 | Other congenital malformations of intestine | LC | 1 |
| Q43.0 | Meckel's diverticulum | LC | 1 |
| Q43.1 | Hirschsprung's disease | LC | 1 |
| Q43.2 | Other congenital functional disorders of colon | LC | 1 |
| Q43.3 | Congenital malformations of intestinal fixation | LC | 1 |
| Q43.4 | Duplication of intestine | LC | 1 |
| Q43.5 | Ectopic anus | LC | 1 |
| Q43.7 | Persistent cloaca | LC | 1 |
| Q43.8 | Other specified congenital malformations of intestine | LC | 1 |
| Q43.9 | Congenital malformation of intestine, unspecified | LC | 1 |
| Q44 | Congenital malformations of gallbladder, bile ducts and liver | LC | 1 |
| Q44.0 | Agenesis, aplasia and hypoplasia of gallbladder | LC | 1 |
| Q44.1 | Other congenital malformations of gallbladder | LC | 1 |
| Q44.2 | Atresia of bile ducts | LC | 1 |
| Q44.3 | Congenital stenosis and stricture of bile ducts | LC | 1 |
| Q44.4 | Choledochal cyst | LC | 1 |
| Q44.5 | Other congenital malformations of bile ducts | | 1 |
| Q44.6 | Cystic disease of liver | | 1 |
| Q44.7 | Other congenital malformations of liver | | 1 |

| Code | Name of the Diseases | MCH & SH | No. |
|-------|---|-------------|-----|
| Q45 | Other congenital malformations of digestive system | LC | 1 |
| Q45.0 | Agenesis, aplasia and hypoplasia of pancreas | | 1 |
| Q45.1 | Annular pancreas | | 1 |
| Q45.2 | Congenital pancreatic cyst | | 1 |
| Q45.3 | Other congenital malformations of pancreas and pancreatic duct | LC | 1 |
| Q45.8 | Other specified congenital malformations of digestive system | LC | 1 |
| Q45.9 | Congenital malformation of digestive system, unspecified | LC | 1 |
| Q50 | Congenital malformations of ovaries, fallopian tubes and broad | LC | 1 |
| Q50.0 | Congenital absence of ovary | LC | 1 |
| Q50.1 | Developmental ovarian cyst | LC | 1 |
| Q50.2 | Congenital torsion of ovary | LC | 1 |
| Q50.3 | Other congenital malformations of ovary | LC | 1 |
| Q50.4 | Embryonic cyst of fallopian tube | LC | 1 |
| Q50.5 | Embryonic cyst of broad ligament | LC | 1 |
| Q50.6 | Other congenital malformations of fallopian tube and broad ligament | LC | 1 |
| Q51 | Congenital malformations of uterus and cervix | LC | 1 |
| Q51.0 | Agenesis and aplasia of uterus | LC | 1 |
| Q51.1 | Doubling of uterus with doubling of cervix and vagina | LC | 1 |
| Q51.2 | Other doubling of uterus | LC | 1 |
| Q51.3 | Bicornate uterus | LC | 1 |
| Q51.4 | Unicornate uterus | LC | 1 |
| Q51.5 | Agenesis and aplasia of cervix | LC | 1 |
| Q51.6 | Embryonic cyst of cervix | LC | 1 |
| Q51.7 | Congenital fistulae between uterus and digestive and urinary tracts | LC | 1 |
| Q51.8 | Other congenital malformations of uterus and cervix | LC | 1 |
| Q51.9 | Congenital malformation of uterus and cervix, unspecified | LC | 1 |
| Q52 | Other congenital malformations of female genitalia | LC | 1 |
| Q52.0 | Congenital absence of vagina | LC | 1 |
| Q52.1 | Doubling of vagina | LC | 1 |
| Q52.2 | Congenital rectovaginal fistula | LC | 1 |
| Q52.3 | Imperforate hymen | LC | 1 |
| Q52.4 | Other congenital malformations of vagina | LC | 1 |
| Q52.5 | Fusion of labia | LC | 1 |
| Q52.6 | Congenital malformation of clitoris | LC | 1 |
| Q52.7 | Other congenital malformations of vulva | LC | 1 |
| Q52.8 | Other specified congenital malformations of female genitalia | LC | 1 |
| Q52.9 | Congenital malformation of female genitalia, unspecified | LC | 1 |
| Q53 | Undescended testicle | LC | 1 |
| Q53.0 | Ectopic testis | LC | 1 |
| Q53.1 | Undescended testicle, unilateral | LC | 1 |
| Q53.2 | Undescended testicle, bilateral | LC | 1 |
| Q53.9 | Undescended testicle, unspecified | LC | 1 |
| Q54 | Hypospadias | С | 1 |
| Q54.0 | Hypospadias, balanic | LC | 1 |
| Q54.1 | Hypospadias, penile | LC | 1 |

| Code | Name of the Diseases | MCH & SH | No. |
|-------|---|-------------|-----|
| Q54.2 | Hypospadias, penoscrotal | LC | 1 |
| Q54.3 | Hypospadias, perineal | LC | 1 |
| Q54.4 | Congenital chordee | LC | 1 |
| Q54.8 | Other hypospadias | LC | 1 |
| Q54.9 | Hypospadias, unspecified | LC | 1 |
| Q55 | Other congenital malformations of male genital organs | LC | 1 |
| Q55.0 | Absence and aplasia of testis | LC | 1 |
| Q55.1 | Hypoplasia of testis and scrotum | LC | 1 |
| Q55.2 | Other congenital malformations of testis and scrotum | LC | 1 |
| Q55.3 | Atresia of vas deferens | LC | 1 |
| Q55.4 | Other congenital malformations of vas deferens, epididymis, seminal | LC | 1 |
| Q55.5 | Congenital absence and aplasia of penis | LC | 1 |
| Q55.6 | Other congenital malformations of penis | LC | 1 |
| Q55.8 | Other specified congenital malformations of male genital organs | LC | 1 |
| Q55.9 | Congenital malformation of male genital organ, unspecified | LC | 1 |
| Q56 | Indeterminate sex and pseudohermaphroditism | LC | 1 |
| Q56.0 | Hermaphroditism, not elsewhere classified | LC | 1 |
| Q56.1 | Male pseudohermaphroditism, not elsewhere classified | LC | 1 |
| Q56.2 | Female pseudohermaphroditism, not elsewhere classified | LC | 1 |
| Q56.3 | Pseudohermaphroditism, unspecified | LC | 1 |
| Q56.4 | Indeterminate sex, unspecified | LC | 1 |
| Q60 | Renal agenesis and other reduction defects of kidney | LC | 1 |
| Q60.0 | Renal agenesis, unilateral | LC | 1 |
| Q60.1 | Renal agenesis, bilateral | LC | 1 |
| Q60.2 | Renal agenesis, unspecified | LC | 1 |
| Q60.3 | Renal hypoplasia, unilateral | LC | 1 |
| Q60.4 | Renal hypoplasia, bilateral | LC | 1 |
| Q60.5 | Renal hypoplasia, unspecified | LC | 1 |
| Q60.6 | Potter's syndrome | LC | 1 |
| Q61 | Cystic kidney disease | LC | 1 |
| Q61.0 | Congenital single renal cyst | LC | 1 |
| Q61.1 | Polycystic kidney, infantile type | LC | 1 |
| Q61.2 | Polycystic kidney, adult type | LC | 1 |
| Q61.3 | Polycystic kidney, unspecified | LC | 1 |
| Q61.4 | Renal dysplasia | LC | 1 |
| Q61.5 | Medullary cystic kidney | LC | 1 |
| Q61.8 | Other cystic kidney diseases | LC | 1 |
| Q61.9 | Cystic kidney disease, unspecified | LC | 1 |
| Q62 | Congenital obstructive defects of renal pelvis and congenital | LC | 1 |
| Q62.0 | Congenital hydronephrosis | LC | 1 |
| Q62.1 | Atresia and stenosis of ureter | LC | 1 |
| Q62.2 | Congenital megaloureter | LC | 1 |
| Q62.3 | Other obstructive defects of renal pelvis and ureter | LC | 1 |
| Q62.4 | Agenesis of ureter | LC | 1 |
| Q62.5 | Duplication of ureter | LC | 1 |

| Code | Name of the Diseases | MCH & | No. |
|-------|---|-------|------|
| Coue | Ivalle of the Diseases | SH | 140. |
| Q62.6 | Malposition of ureter | LC | 1 |
| Q62.7 | Congenital vesico-uretero-renal reflux | LC | 1 |
| Q62.8 | Other congenital malformations of ureter | LC | 1 |
| Q63 | Other congenital malformations of kidney | LC | 1 |
| Q63.0 | Accessory kidney | LC | 1 |
| Q63.1 | Lobulated, fused and horseshoe kidney | LC | 1 |
| Q63.2 | Ectopic kidney | LC | 1 |
| Q63.3 | Hyperplastic and giant kidney | LC | 1 |
| Q63.8 | Other specified congenital malformations of kidney | LC | 1 |
| Q63.9 | Congenital malformation of kidney, unspecified | LC | 1 |
| Q64 | Other congenital malformations of urinary system | LC | 1 |
| Q64.0 | Epispadias | LC | 1 |
| Q64.1 | Exstrophy of urinary bladder | LC | 1 |
| Q64.2 | Congenital posterior urethral valves | LC | 1 |
| Q64.3 | Other atresia and stenosis of urethra and bladder neck | LC | 1 |
| Q64.4 | Malformation of urachus | LC | 1 |
| Q64.5 | Congenital absence of bladder and urethra | LC | 1 |
| Q64.6 | Congenital diverticulum of bladder | LC | 1 |
| Q64.7 | Other congenital malformations of bladder and urethra | LC | 1 |
| Q64.8 | Other specified congenital malformations of urinary system | LC | 1 |
| Q64.9 | Congenital malformation of urinary system, unspecified | LC | 1 |
| Q65 | Congenital deformities of hip | LC | 1 |
| Q65.0 | Congenital dislocation of hip, unilateral | LC | 1 |
| Q65.1 | Congenital dislocation of hip, bilateral | LC | 1 |
| Q65.2 | Congenital dislocation of hip, unspecified | LC | 1 |
| Q65.3 | Congenital subluxation of hip, unilateral | LC | 1 |
| Q65.4 | Congenital subluxation of hip, bilateral | LC | 1 |
| Q65.5 | Congenital subluxation of hip, unspecified | LC | 1 |
| Q65.6 | Unstable hip | LC | 1 |
| Q65.8 | Other congenital deformities of hip | LC | 1 |
| Q65.9 | Congenital deformity of hip, unspecified | LC | 1 |
| Q66 | Congenital deformities of feet | С | 1 |
| Q66.0 | Talipes equinovarus | С | 1 |
| Q66.1 | Talipes calcaneovarus | LC | 1 |
| Q66.2 | Metatarsus varus | LC | 1 |
| Q66.3 | Other congenital varus deformities of feet | LC | 1 |
| Q66.4 | Talipes calcaneovalgus | LC | 1 |
| Q66.5 | Congenital pes planus | LC | 1 |
| Q66.6 | Other congenital valgus deformities of feet | LC | 1 |
| Q66.7 | Pes cavus | LC | 1 |
| Q66.8 | Other congenital deformities of feet | LC | 1 |
| Q66.9 | Congenital deformity of feet, unspecified | LC | 1 |
| Q67 | Congenital musculoskeletal deformities of head, face, spine and chest | LC | 1 |
| Q67.0 | Facial asymmetry | LC | 1 |
| Q67.1 | Compression facies | LC | 1 |

| Code | Name of the Diseases | MCH & SH | No. |
|-------|---|-------------|-----|
| Q67.2 | Dolichocephaly | LC | 1 |
| Q67.2 | Plagiocephaly | LC | 1 |
| Q67.4 | Other congenital deformities of skull, face and jaw | LC | 1 |
| Q67.5 | Congenital deformity of spine | LC | 1 |
| Q67.6 | Pectus excavatum | LC | 1 |
| Q67.7 | Pectus carinatum | LC | 1 |
| Q73 | Reduction defects of unspecified limb | LC | 1 |
| Q73.0 | Congenital absence of unspecified limb(s) | LC | 1 |
| Q73.1 | Phocomelia, unspecified limb(s) | LC | 1 |
| Q73.8 | Other reduction defects of unspecified limb(s) | LC | 1 |
| Q74 | Other congenital malformations of limb(s) | LC | 1 |
| Q74.0 | Other congenital malformations of upper limb(s), including shoulder | LC | 1 |
| Q74.1 | Congenital malformation of knee | LC | 1 |
| Q74.2 | Other congenital malformations of lower limb(s), including pelvic | LC | 1 |
| Q74.3 | Arthrogryposis multiplex congenita | LC | 1 |
| Q74.8 | Other specified congenital malformations of limb(s) | LC | 1 |
| Q74.9 | Unspecified congenital malformation of limb(s) | LC | 1 |
| Q75 | Other congenital malformations of skull and face bones | LC | 1 |
| Q75.0 | Craniosynostosis | LC | 1 |
| Q75.1 | Craniofacial dysostosis | LC | 1 |
| Q75.2 | Hypertelorism | LC | 1 |
| Q75.4 | Mandibulofacial dysostosis | LC | 1 |
| Q75.5 | Oculomandibular dysostosis | LC | 1 |
| Q75.8 | Other specified congenital malformations of skull and face bones | LC | 1 |
| Q75.9 | Congenital malformation of skull and face bones, unspecified | LC | 1 |
| Q76 | Congenital malformations of spine and bony thorax | LC | 1 |
| Q76.0 | Spina bifida occulta | LC | 1 |
| Q76.1 | Klippel-Feil syndrome | LC | 1 |
| Q76.2 | Congenital spondylolisthesis | LC | 1 |
| Q76.3 | Congenital scoliosis due to congenital bony malformation | LC | 1 |
| Q76.4 | Other congenital malformations of spine, not associated with scoliosis | LC | 1 |
| Q76.5 | Cervical rib | LC | 1 |
| Q76.6 | Other congenital malformations of ribs | LC | 1 |
| Q76.7 | Congenital malformation of sternum | LC | 1 |
| Q76.8 | Other congenital malformations of bony thorax | LC | 1 |
| Q76.9 | Congenital malformation of bony thorax, unspecified | LC | 1 |
| Q77 | Osteochondrodysplasia with defects of growth of tubular bones and spine | LC | 1 |
| Q77.0 | Achondrogenesis | LC | 1 |
| Q77.1 | Thanatophoric short stature | LC | 1 |
| Q77.2 | Short rib syndrome | LC | 1 |
| Q77.3 | Chondrodysplasia punctata | LC | 1 |
| Q77.4 | Achondroplasia | LC | 1 |
| Q77.5 | Dystrophic dysplasia | LC | 1 |
| Q77.6 | Chondroectodermal dysplasia | LC | 1 |
| Q77.7 | Spondyloepiphyseal dysplasia | LC | 1 |

| Code | Name of the Diseases | MCH & SH | No. |
|-------|---|-------------|-----|
| Q77.8 | Other osteochondrodysplasia with defects of growth of tubular bones and | LC | 1 |
| Q77.9 | Osteochondrodysplasia with defects of growth of tubular bones and | LC | 1 |
| Q78 | Other osteochondrodysplasias | LC | 1 |
| Q78.0 | Osteogenesis imperfecta | LC | 1 |
| Q78.1 | Polyostotic fibrous dysplasia | LC | 1 |
| Q78.2 | Osteopetrosis | LC | 1 |
| Q78.3 | Progressive diaphyseal dysplasia | LC | 1 |
| Q78.4 | Enchondromatosis | LC | 1 |
| Q78.5 | Metaphyseal dysplasia | LC | 1 |
| Q78.6 | Multiple congenital exostoses | LC | 1 |
| Q78.8 | Other specified osteochondrodysplasias | LC | 1 |
| Q78.9 | Osteochondrodysplasia, unspecified | LC | 1 |
| Q79 | Congenital malformations of the musculoskeletal system, not elsewhere | LC | 1 |
| Q79.0 | Congenital diaphragmatic hernia | LC | 1 |
| Q79.1 | Other congenital malformations of diaphragm | LC | 1 |
| Q79.2 | Exomphalos | LC | 1 |
| Q79.3 | Gastroschisis | LC | 1 |
| Q79.4 | Prune belly syndrome | LC | 1 |
| Q79.5 | Other congenital malformations of abdominal wall | LC | 1 |
| Q79.6 | Ehlers-Danlos syndrome | LC | 1 |
| Q79.8 | Other congenital malformations of musculoskeletal system | LC | 1 |
| Q79.9 | Congenital malformation of musculoskeletal system, unspecified | LC | 1 |
| Q80 | Congenital ichthyosis | LC | 1 |
| Q80.0 | Ichthyosis vulgaris | LC | 1 |
| Q80.1 | X-linked ichthyosis | LC | 1 |
| Q80.2 | Lamellar ichthyosis | LC | 1 |
| Q80.3 | Congenital bullous ichthyosiform erythroderma | LC | 1 |
| Q80.4 | Harlequin fetus | LC | 1 |
| Q80.8 | Other congenital ichthyosis | LC | 1 |
| Q80.9 | Congenital ichthyosis, unspecified | LC | 1 |
| Q81 | Epidermolysis bullosa | LC | 1 |
| Q81.0 | Epidermolysis bullosa simplex | LC | 1 |
| Q81.1 | Epidermolysis bullosa letalis | LC | 1 |
| Q81.2 | Epidermolysis bullosa dystrophica | LC | 1 |
| Q81.8 | Other epidermolysis bullosa | LC | 1 |
| Q81.9 | Epidermolysis bullosa, unspecified | LC | 1 |
| Q82 | Other congenital malformations of skin | LC | 1 |
| Q82.0 | Hereditary lymphoedema | LC | 1 |
| Q82.1 | Xeroderma pigmentosum | LC | 1 |
| Q82.2 | Mastocytosis | LC | 1 |
| Q82.3 | Incontinentia pigmenti | LC | 1 |
| Q82.4 | Ectodermal dysplasia (anhidrotic) | LC | 1 |
| Q82.5 | Congenital non-neoplastic naevus | LC | 1 |
| Q82.8 | Other specified congenital malformations of skin | LC | 1 |
| Q82.9 | Congenital malformation of skin, unspecified | LC | 1 |

| Code | Name of the Diseases | MCH & SH | No. |
|-------|---|-------------|-----|
| Q83 | Congenital malformations of breast | LC | 1 |
| Q83.0 | Congenital absence of breast with absent nipple | LC | 1 |
| Q83.1 | Accessory breast | LC | 1 |
| Q83.2 | Absent nipple | LC | 1 |
| Q83.3 | Accessory nipple | LC | 1 |
| Q83.8 | Other congenital malformations of breast | LC | 1 |
| Q83.9 | Congenital malformation of breast, unspecified | LC | 1 |
| Q84 | Other congenital malformations of integument | LC | 1 |
| Q84.0 | Congenital alopecia | LC | 1 |
| Q84.1 | Congenital morphological disturbances of hair, not elsewhere classified | LC | 1 |
| Q84.2 | Other congenital malformations of hair | LC | 1 |
| Q84.3 | Anonychia | LC | 1 |
| Q84.4 | Congenital leukonychia | LC | 1 |
| Q84.5 | Enlarged and hypertrophic nails | LC | 1 |
| Q84.6 | Other congenital malformations of nails | LC | 1 |
| Q84.8 | Other specified congenital malformations of integument | LC | 1 |
| Q84.9 | Congenital malformation of integument, unspecified | LC | 1 |
| Q85 | Phakomatoses, not elsewhere classified | LC | 1 |
| Q85.0 | Neurofibromatosis (nonmalignant) | LC | 1 |
| Q85.1 | Tuberous sclerosis | LC | 1 |
| Q85.8 | Other phakomatoses, not elsewhere classified | LC | 1 |
| Q85.9 | Phakomatosis, unspecified | LC | 1 |
| Q86 | Congenital malformation syndromes due to known exogenous causes, not | LC | 1 |
| Q86.0 | Fetal alcohol syndrome (dysmorphic) | LC | 1 |
| Q86.1 | Fetal hydantoin syndrome | LC | 1 |
| Q86.2 | Dysmorphism due to warfarin | LC | 1 |
| Q86.8 | Other congenital malformation syndromes due to known exogenous causes | LC | 1 |
| Q87 | Other specified congenital malformation syndromes affecting multiple | LC | 1 |
| Q87.0 | Congenital malformation syndromes predominantly affecting facial | LC | 1 |
| Q87.1 | Congenital malformation syndromes predominantly associated with short | LC | 1 |
| Q87.2 | Congenital malformation syndromes predominantly involving limbs | LC | 1 |
| Q87.3 | Congenital malformation syndromes involving early overgrowth | LC | 1 |
| Q87.4 | Marfan's syndrome | LC | 1 |
| Q87.5 | Other congenital malformation syndromes with other skeletal changes | LC | 1 |
| Q87.8 | Other specified congenital malformation syndromes, not elsewhere | LC | 1 |
| Q89 | Other congenital malformations, not elsewhere classified | LC | 1 |
| Q89.0 | Congenital malformations of spleen | LC | 1 |
| Q89.1 | Congenital malformations of adrenal gland | LC | 1 |
| Q89.2 | Congenital malformations of other endocrine glands | LC | 1 |
| Q89.3 | Situs inversus | LC | 1 |
| Q89.4 | Conjoined twins | LC | 1 |
| Q89.7 | Multiple congenital malformations, not elsewhere classified | LC | 1 |
| Q89.8 | Other specified congenital malformations | LC | 1 |
| Q89.9 | Congenital malformation, unspecified | LC | 1 |

| Code | Name of the Diseases | MCH & SH | No. |
|-------|---|-------------|-----|
| Q90 | Down's syndrome | С | 1 |
| Q90.0 | Trisomy 21, meiotic nondisjunction | С | 1 |
| Q90.1 | Trisomy 21, mosaicism (mitotic nondisjunction) | C | 1 |
| Q90.2 | Trisomy 21, translocation | С | 1 |
| Q90.9 | Down's syndrome, unspecified | С | 1 |
| Q91 | Edwards' syndrome and Patau's syndrome | С | 1 |
| Q91.0 | Trisomy 18, meiotic nondisjunction | С | 1 |
| Q91.1 | Trisomy 18, mosaicism (mitotic nondisjunction) | С | 1 |
| Q91.2 | Trisomy 18, translocation | С | 1 |
| Q91.3 | Edwards' syndrome, unspecified | С | 1 |
| Q91.4 | Trisomy 13, meiotic nondisjunction | С | 1 |
| Q91.5 | Trisomy 13, mosaicism (mitotic nondisjunction) | С | 1 |
| Q91.6 | Trisomy 13, translocation | С | 1 |
| Q91.7 | Patau's syndrome, unspecified | LC | 1 |
| Q92 | Other trisomies and partial trisomies of the autosomes, not elsewhere | LC | 1 |
| Q92.0 | Whole chromosome trisomy, meiotic nondisjunction | LC | 1 |
| Q92.1 | Whole chromosome trisomy, mosaicism (mitotic nondisjunction) | LC | 1 |
| Q92.2 | Major partial trisomy | LC | 1 |
| Q92.3 | Minor partial trisomy | LC | 1 |
| Q92.4 | Duplications seen only at prometaphase | LC | 1 |
| Q92.5 | Duplications with other complex rearrangements | LC | 1 |
| Q92.6 | Extra marker chromosomes | LC | 1 |
| Q92.7 | Triploidy and polyploidy | LC | 1 |
| Q92.8 | Other specified trisomies and partial trisomies of autosomes | LC | 1 |
| Q92.9 | Trisomy and partial trisomy of autosomes, unspecified | LC | 1 |
| Q93 | Monosomies and deletions from the autosomes, not elsewhere classified | LC | 1 |
| Q93.0 | Whole chromosome monosomy, meiotic nondisjunction | LC | 1 |
| Q93.1 | Whole chromosome monosomy, mosaicism (mitotic nondisjunction) | LC | 1 |
| Q93.2 | Chromosome replaced with ring or dicentric | LC | 1 |
| Q93.3 | Deletion of short arm of chromosome 4 | LC | 1 |
| Q93.4 | Deletion of short arm of chromosome 5 | LC | 1 |
| Q93.5 | Other deletions of part of a chromosome | LC | 1 |
| Q93.6 | Deletions seen only at prometaphase | LC | 1 |
| Q93.7 | Deletions with other complex rearrangements | LC | 1 |
| Q93.8 | Other deletions from the autosomes | LC | 1 |
| Q93.9 | Deletion from autosomes, unspecified | LC | 1 |
| Q95 | Balanced rearrangements and structural markers, not elsewhere | LC | 1 |
| Q95.0 | Balanced translocation and insertion in normal individual | LC | 1 |
| Q95.1 | Chromosome inversion in normal individual | LC | 1 |
| Q95.2 | Balanced autosomal rearrangement in abnormal individual | LC | 1 |
| Q95.3 | Balanced sex/autosomal rearrangement in abnormal individual | LC | 1 |
| Q95.4 | Individuals with marker heterochromatin | LC | 1 |
| Q95.5 | Individuals with autosomal fragile site | LC | 1 |
| Q95.8 | Other balanced rearrangements and structural markers | LC | 1 |
| Q95.9 | Balanced rearrangement and structural marker, unspecified | LC | 1 |

| Code | Name of the Diseases | MCH & SH | No. |
|-------|---|-------------|-----|
| Q96 | Turner's syndrome | С | 1 |
| Q96.0 | Karyotype 45,X | LC | 1 |
| Q96.1 | Karyotype 46,X iso (Xq) | LC | 1 |
| Q96.2 | Karyotype 46,X with abnormal sex chromosome, except iso (Xq) | LC | 1 |
| Q96.3 | Mosaicism, 45,X/46,XX or XY | LC | 1 |
| Q96.4 | Mosaicism, 45,X/other cell line(s) with abnormal sex chromosome | LC | 1 |
| Q96.8 | Other variants of Turner's syndrome | LC | 1 |
| Q96.9 | Turner's syndrome, unspecified | С | 1 |
| Q97 | Other sex chromosome abnormalities, female phenotype, not elsewhere | LC | 1 |
| Q97.0 | Karyotype 47,XXX | LC | 1 |
| Q97.1 | Female with more than three X chromosomes | LC | 1 |
| Q97.2 | Mosaicism, lines with various numbers of X chromosomes | LC | 1 |
| Q97.3 | Female with 46,XY karyotype | LC | 1 |
| Q97.8 | Other specified sex chromosome abnormalities, female phenotype | LC | 1 |
| Q97.9 | Sex chromosome abnormality, female phenotype, unspecified | LC | 1 |
| Q98 | Other sex chromosome abnormalities, male phenotype, not elsewhere | LC | 1 |
| Q98.0 | Klinefelter's syndrome karyotype 47,XXY | LC | 1 |
| Q98.1 | Klinefelter's syndrome, male with more than two X chromosomes | LC | 1 |
| Q98.2 | Klinefelter's syndrome, male with 46,XX karyotype | LC | 1 |
| Q98.3 | Other male with 46,XX karyotype | LC | 1 |
| Q98.4 | Klinefelter's syndrome, unspecified | LC | 1 |
| Q98.5 | Karyotype 47,XYY | LC | 1 |
| Q98.6 | Male with structurally abnormal sex chromosome | LC | 1 |
| Q98.7 | Male with sex chromosome mosaicism | LC | 1 |
| Q98.8 | Other specified sex chromosome abnormalities, male phenotype | LC | 1 |
| Q98.9 | Sex chromosome abnormality, male phenotype, unspecified | LC | 1 |
| Q99 | Other chromosome abnormalities, not elsewhere classified | LC | 1 |
| R09.8 | Other specified symptoms and signs involving the circulatory and | LC | 1 |
| R76.2 | False-positive serological test for syphilis | LC | 1 |
| R76.8 | Other specified abnormal immunological findings in serum | LC | 1 |
| R76.9 | Abnormal immunological finding in serum, unspecified | LC | 1 |
| R77 | Other abnormalities of plasma proteins | LC | 1 |
| R77.0 | Abnormality of albumin | LC | 1 |
| R77.1 | Abnormality of globulin | LC | 1 |
| R77.2 | Abnormality of alphafetoprotein | LC | 1 |
| R77.8 | Other specified abnormalities of plasma proteins | LC | 1 |
| R77.9 | Abnormality of plasma protein, unspecified | LC | 1 |
| R78 | Findings of drugs and other substances, not normally found in blood | LC | 1 |
| R78.0 | Finding of alcohol in blood | LC | 1 |
| R78.1 | Finding of opiate drug in blood | LC | 1 |
| R78.2 | Finding of cocaine in blood | LC | 1 |
| R78.3 | Finding of hallucinogen in blood | LC | 1 |
| R78.4 | Finding of other drugs of addictive potential in blood | LC | 1 |
| R78.5 | Finding of psychotropic drug in blood | LC | 1 |
| R78.6 | Finding of steroid agent in blood | LC | 1 |

| Code | Name of the Diseases | MCH & SH | No. |
|-------|---|-------------|-----|
| R78.7 | Finding of abnormal level of heavy metals in blood | LC | 1 |
| R78.8 | Finding of other specified substances, not normally found in blood | LC | 1 |
| R78.9 | Finding of unspecified substance, not normally found in blood | LC | 1 |
| R79 | Other abnormal findings of blood chemistry | LC | 1 |
| R79.0 | Abnormal level of blood mineral | LC | 1 |
| R79.8 | Other specified abnormal findings of blood chemistry | LC | 1 |
| R79.9 | Abnormal finding of blood chemistry, unspecified | LC | 1 |
| R83.4 | Abnormal findings in cerebrospinal fluid, abnormal immunological | LC | 1 |
| R83.5 | Abnormal findings in cerebrospinal fluid, abnormal microbiological | LC | 1 |
| R83.6 | Abnormal findings in cerebrospinal fluid, abnormal cytological findings | LC | 1 |
| R83.7 | Abnormal findings in cerebrospinal fluid, abnormal histological | LC | 1 |
| R83.8 | Abnormal findings in cerebrospinal fluid, other abnormal findings | LC | 1 |
| R83.9 | Abnormal findings in cerebrospinal fluid, unspecified abnormal finding | LC | 1 |
| R84 | Abnormal findings in specimens from respiratory organs and thorax | LC | 1 |
| R84.0 | Abnormal findings in specimens from respiratory organs and thorax, | LC | 1 |
| R84.1 | Abnormal findings in specimens from respiratory organs and thorax, | LC | 1 |
| R84.2 | Abnormal findings in specimens from respiratory organs and thorax, | LC | 1 |
| R84.3 | Abnormal findings in specimens from respiratory organs and thorax, | LC | 1 |
| R84.4 | Abnormal findings in specimens from respiratory organs and thorax, | LC | 1 |
| R84.5 | Abnormal findings in specimens from respiratory organs and thorax, | LC | 1 |
| R84.6 | Abnormal findings in specimens from respiratory organs and thorax, | LC | 1 |
| R84.7 | Abnormal findings in specimens from respiratory organs and thorax, | LC | 1 |
| R84.8 | Abnormal findings in specimens from respiratory organs and thorax, | LC | 1 |
| R84.9 | Abnormal findings in specimens from respiratory organs and thorax, | LC | 1 |
| R85 | Abnormal findings in specimens from digestive organs and abdominal | LC | 1 |
| R85.0 | Abnormal findings in specimens from digestive organs and abdominal | LC | 1 |
| R85.1 | Abnormal findings in specimens from digestive organs and abdominal | LC | 1 |
| R85.2 | Abnormal findings in specimens from digestive organs and abdominal | LC | 1 |
| R85.3 | Abnormal findings in specimens from digestive organs and abdominal | LC | 1 |
| R85.4 | Abnormal findings in specimens from digestive organs and abdominal | LC | 1 |
| R85.5 | Abnormal findings in specimens from digestive organs and abdominal | LC | 1 |
| R85.6 | Abnormal findings in specimens from digestive organs and abdominal | LC | 1 |
| R85.7 | Abnormal findings in specimens from digestive organs and abdominal | LC | 1 |
| R85.8 | Abnormal findings in specimens from digestive organs and abdominal | LC | 1 |
| R85.9 | Abnormal findings in specimens from digestive organs and abdominal | LC | 1 |
| R86 | Abnormal findings in specimens from male genital organs | LC | 1 |
| R86.0 | Abnormal findings in specimens from male genital organs, abnormal level | LC | 1 |
| R86.1 | Abnormal findings in specimens from male genital organs, abnormal level | LC | 1 |
| R86.2 | Abnormal findings in specimens from male genital organs, abnormal level | LC | 1 |
| R86.3 | Abnormal findings in specimens from male genital organs, abnormal level | LC | 1 |
| R86.4 | Abnormal findings in specimens from male genital organs, abnormal | LC | 1 |
| R86.5 | Abnormal findings in specimens from male genital organs, abnormal | LC | 1 |
| R86.6 | Abnormal findings in specimens from male genital organs, abnormal | LC | 1 |

| Code | Name of the Diseases | MCH & SH | No. |
|-------|---|-------------|-----|
| R86.7 | Abnormal findings in specimens from male genital organs, abnormal | LC | 1 |
| R86.8 | Abnormal findings in specimens from male genital organs, other abnormal | LC | 1 |
| R86.9 | Abnormal findings in specimens from male genital organs, unspecified | LC | 1 |
| R87 | Abnormal findings in specimens from female genital organs | LC | 1 |
| R87.0 | Abnormal findings in specimens from female genital organs, abnormal | LC | 1 |
| R87.1 | Abnormal findings in specimens from female genital organs, abnormal | LC | 1 |
| R87.2 | Abnormal findings in specimens from female genital organs, abnormal | LC | 1 |
| R87.3 | Abnormal findings in specimens from female genital organs, abnormal | LC | 1 |
| R87.4 | Abnormal findings in specimens from female genital organs, abnormal | LC | 1 |
| R87.5 | Abnormal findings in specimens from female genital organs, abnormal | LC | 1 |
| R87.6 | Abnormal findings in specimens from female genital organs, abnormal | LC | 1 |
| R87.7 | Abnormal findings in specimens from female genital organs, abnormal | LC | 1 |
| R87.8 | Abnormal findings in specimens from female genital organs, other | LC | 1 |
| R87.9 | Abnormal findings in specimens from female genital organs, unspecified | LC | 1 |
| R89 | Abnormal findings in specimens from other organs, systems and tissues | LC | 1 |
| R89.0 | Abnormal findings in specimens from other organs, abnormal level of | LC | 1 |
| R89.1 | Abnormal findings in specimens from other organs, abnormal level of | LC | 1 |
| R89.2 | Abnormal findings in specimens from other organs, abnormal level of | LC | 1 |
| R89.3 | Abnormal findings in specimens from other organs, abnormal level of | LC | 1 |
| R89.4 | Abnormal findings in specimens from other organs, abnormal | LC | 1 |
| R89.5 | Abnormal findings in specimens from other organs, abnormal | LC | 1 |
| R89.6 | Abnormal findings in specimens from other organs, abnormal cytological | LC | 1 |
| R89.7 | Abnormal findings in specimens from other organs, abnormal histological | LC | 1 |
| R89.8 | Abnormal findings in specimens from other organs, other abnormal | LC | 1 |
| R89.9 | Abnormal findings in specimens from other organs, unspecified abnormal | LC | 1 |
| R90 | Abnormal findings on diagnostic imaging of central nervous system | LC | 1 |
| R90.0 | Intracranial space-occupying lesion | LC | 1 |
| R90.8 | Other abnormal findings on diagnostic imaging of central nervous system | LC | 1 |
| R91 | Abnormal findings on diagnostic imaging of lung | LC | 1 |
| R92 | Abnormal findings on diagnostic imaging of breast | LC | 1 |
| R93 | Abnormal findings on diagnostic imaging of other body structures | LC | 1 |
| R93.0 | Abnormal findings on diagnostic imaging of skull and head, not | LC | 1 |
| R93.1 | Abnormal findings on diagnostic imaging of heart and coronary | LC | 1 |
| R93.2 | Abnormal findings on diagnostic imaging of liver and biliary tract | LC | 1 |
| R93.3 | Abnormal findings on diagnostic imaging of other parts of digestive | LC | 1 |
| R93.4 | Abnormal findings on diagnostic imaging of urinary organs | LC | 1 |
| R93.5 | Abnormal findings on diagnostic imaging of other abdominal regions | LC | 1 |
| R93.6 | Abnormal findings on diagnostic imaging of limbs | LC | 1 |
| R93.7 | Abnormal findings on diagnostic imaging of other parts of | LC | 1 |
| R93.8 | Abnormal findings on diagnostic imaging of other specified body | LC | 1 |
| R94 | Abnormal results of function studies | LC | 1 |
| R94.0 | Abnormal results of function studies of central nervous system | LC | 1 |
| R94.1 | Abnormal results of function studies of peripheral nervous system and | LC | 1 |
| S02 | Fracture of skull and facial bones | LC | 1 |
| S03 | Dislocation, sprain and strain of joints and ligaments of head | LC | 1 |

| Code | Name of the Diseases | MCH & SH | No. |
|-------|--|-------------|-----|
| S04 | Injury of cranial nerves | LC | 1 |
| S05 | Injury of eye and orbit | С | 1 |
| S06 | Intracranial injury | С | 1 |
| S06.4 | Epidural haemorrhage | С | 1 |
| S06.5 | Traumatic subdural haemorrhage | LC | 1 |
| S06.6 | Traumatic subarachnoid haemorrhage | LC | 1 |
| S06.7 | Intracranial injury with prolonged coma | LC | 1 |
| S07 | Crushing injury of head | LC | 1 |
| S08.0 | Avulsion of scalp | LC | 1 |
| S09 | Other and unspecified injuries of head | LC | 1 |
| S09.2 | Traumatic rupture of ear drum | С | 1 |
| S12 | Fracture of neck | LC | 1 |
| S12.1 | Fracture of second cervical vertebra | LC | 1 |
| S13 | Dislocation, sprain and strain of joints and ligaments at neck level | LC | 1 |
| S14 | Injury of nerves and spinal cord at neck level | LC | 1 |
| S15 | Injury of blood vessels at neck level | LC | 1 |
| S17 | Crushing injury of neck | LC | 1 |
| S22 | Fracture of rib(s), sternum and thoracic spine | LC | 1 |
| S22.3 | Fracture of rib | LC | 1 |
| S22.4 | Multiple fractures of ribs | LC | 1 |
| S22.5 | Flail chest | LC | 1 |
| S23 | Dislocation, sprain and strain of joints and ligaments of thorax | LC | 1 |
| S23.0 | Traumatic rupture of thoracic intervertebral disc | | 1 |
| S24 | Injury of nerves and spinal cord at thorax level | LC | 1 |
| S25 | Injury of blood vessels of thorax | LC | 1 |
| S26 | Injury of heart | LC | 1 |
| S27 | Injury of other and unspecified intrathoracic organs | LC | 1 |
| S27.0 | Traumatic pneumothorax | LC | 1 |
| S27.1 | Traumatic haemothorax | LC | 1 |
| S27.2 | Traumatic haemopneumothorax | LC | 1 |
| S29 | Other and unspecified injuries of thorax | LC | 1 |
| S31 | Open wound of abdomen, lower back and pelvis | С | 1 |
| S32 | Fracture of lumbar spine and pelvis | LC | 1 |
| S32.0 | Fracture of lumbar vertebra | LC | 1 |
| S33 | Dislocation, sprain and strain of joints and ligaments of lumbar spine | С | 1 |
| S34 | Injury of nerves and lumbar spinal cord at abdomen, lower back and | LC | 1 |
| S35 | Injury of blood vessels at abdomen, lower back and pelvis level | LC | 1 |
| S35.1 | Injury of inferior vena cava | LC | 1 |
| S35.3 | Injury of portal or splenic vein | LC | 1 |
| S35.4 | Injury of renal blood vessels | LC | 1 |
| S35.5 | Injury of iliac blood vessels | LC | 1 |
| S36 | Injury of intra-abdominal organs | VC | 1 |
| S36.0 | Injury of spleen | С | 1 |
| S36.1 | Injury of liver or gallbladder | С | 1 |
| S36.2 | Injury of pancreas | LC | 1 |

| Code | Name of the Diseases | MCH & | No. |
|-------|--|-------|-----|
| | | SH | |
| S36.3 | Injury of stomach | LC | 1 |
| S36.4 | Injury of small intestine | C | 1 |
| S36.5 | Injury of colon | C | 1 |
| S36.6 | Injury of rectum | LC | 1 |
| S36.7 | Injury of multiple intra-abdominal organs | LC | 1 |
| S37 | Injury of pelvic organs | С | 1 |
| S37.0 | Injury of kidney | С | 1 |
| S37.1 | Injury of ureter | LC | 1 |
| S37.2 | Injury of bladder | С | 1 |
| S37.3 | Injury of urethra | VC | 1 |
| S37.8 | Injury of other pelvic organs | LC | 1 |
| S38 | Crushing injury and traumatic amputation of part of abdomen, lower back | LC | 1 |
| S39 | Other and unspecified injuries of abdomen, lower back and pelvis | LC | 1 |
| S40 | Superficial injury of shoulder and upper arm | LC | 1 |
| S41 | Open wound of shoulder and upper arm | LC | 1 |
| S42 | Fracture of shoulder and upper arm | LC | 1 |
| S42.0 | Fracture of clavicle | VC | 1 |
| S42.3 | Fracture of shaft of humerus | LC | 1 |
| S42.4 | Fracture of lower end of humerus | С | 1 |
| S43 | Dislocation, sprain and strain of joints and ligaments of shoulder | С | 1 |
| S44 | Injury of nerves at shoulder and upper arm level | LC | 1 |
| S44.0 | Injury of ulnar nerve at upper arm level | LC | 1 |
| S44.1 | Injury of median nerve at upper arm level | LC | 1 |
| S44.2 | Injury of radial nerve at upper arm level | LC | 1 |
| S44.3 | Injury of axillary nerve | LC | 1 |
| S45 | Injury of blood vessels at shoulder and upper arm level | LC | 1 |
| S45.0 | Injury of axillary artery | LC | 1 |
| S45.1 | Injury of brachial artery | LC | 1 |
| S45.2 | Injury of axillary or brachial vein | LC | 1 |
| S46 | Injury of muscle and tendon at shoulder and upper arm level | LC | 1 |
| S48 | Traumatic amputation of shoulder and upper arm | LC | 1 |
| S49 | Other and unspecified injuries of shoulder and upper arm | LC | 1 |
| S52.0 | Fracture of upper end of ulna | LC | 1 |
| S52.1 | Fracture of upper end of radius | LC | 1 |
| S52.7 | Multiple fractures of forearm | LC | 1 |
| S54 | Injury of nerves at forearm level | LC | 1 |
| S54.0 | Injury of ulnar nerve at forearm level | LC | 1 |
| S54.1 | Injury of median nerve at forearm level | LC | 1 |
| S54.2 | Injury of radial nerve at forearm level | LC | 1 |
| S54.7 | Injury of multiple nerves at forearm level | LC | 1 |
| S55 | Injury of blood vessels at forearm level | LC | 1 |
| S55.1 | Injury of radial artery at forearm level | C | 1 |
| S55.8 | Injury of other blood vessels at forearm level | LC | 1 |
| S55.0 | Injury of muscle and tendon at forearm level | C | 1 |

| Code | Name of the Diseases | MCH & SH | No. |
|--------|--|-------------|-----|
| S56.2 | Injury of other flexor muscle and tendon at forearm level | C | 1 |
| \$56.4 | Injury of extensor muscle and tendon of other finger(s) at forearm | LC | 1 |
| S57 | Crushing injury of forearm | | 1 |
| S58 | Traumatic amputation of forearm | | 1 |
| S59 | Other and unspecified injuries of forearm | | 1 |
| S62 | Fracture at wrist and hand level | | 1 |
| S62.0 | Fracture of navicular [scaphoid] bone of hand | LC | 1 |
| S62.2 | Fracture of first metacarpal bone | LC | 1 |
| S62.3 | Fracture of other metacarpal bone | LC | 1 |
| S62.5 | Fracture of thumb | LC | 1 |
| S62.6 | Fracture of other finger | C | 1 |
| S63 | Dislocation, sprain and strain of joints and ligaments at wrist and | LC | 1 |
| \$63.1 | Dislocation of finger | C | 1 |
| S63.3 | Traumatic rupture of ligament of wrist and carpus | LC | 1 |
| S63.5 | Sprain and strain of wrist | C | 1 |
| S63.6 | Sprain and strain of finger(s) | C | 1 |
| S64 | Injury of nerves at wrist and hand level | LC | 1 |
| S64.1 | Injury of median nerve at wrist and hand level | C | 1 |
| S64.3 | Injury of digital nerve of thumb | LC | 1 |
| S64.4 | Injury of digital nerve of other finger | LC | 1 |
| S65 | Injury of blood vessels at wrist and hand level | LC | 1 |
| S65.0 | Injury of ulnar artery at wrist and hand level | LC | 1 |
| S65.1 | Injury of radial artery at wrist and hand level | LC | 1 |
| S65.7 | Injury of multiple blood vessels at wrist and hand level | LC | 1 |
| S66 | Injury of muscle and tendon at wrist and hand level | LC | 1 |
| S66.0 | Injury of long flexor muscle and tendon of thumb at wrist and hand | С | 1 |
| \$66.2 | Injury of extensor muscle and tendon of thumb at wrist and hand level | LC | 1 |
| S67 | Crushing injury of wrist and hand | LC | 1 |
| S68 | Traumatic amputation of wrist and hand | LC | 1 |
| S68.2 | Traumatic amputation of two or more fingers alone (complete) (partial) | LC | 1 |
| S68.4 | Traumatic amputation of hand at wrist level | LC | 1 |
| S69 | Other and unspecified injuries of wrist and hand | LC | 1 |
| S70 | Superficial injury of hip and thigh | LC | 1 |
| S71 | Open wound of hip and thigh | LC | 1 |
| S71.1 | Open wound of thigh | С | 1 |
| S72 | Fracture of femur | С | 1 |
| S72.0 | Fracture of neck of femur | С | 1 |
| S72.3 | Fracture of shaft of femur | С | 1 |
| S72.4 | Fracture of lower end of femur | LC | 1 |
| S73 | Dislocation, sprain and strain of joint and ligaments of hip | LC | 1 |
| S73.0 | Dislocation of hip | LC | 1 |
| S74 | Injury of nerves at hip and thigh level | LC | 1 |
| S75 | Injury of blood vessels at hip and thigh level | LC | 1 |
| S76 | Injury of muscle and tendon at hip and thigh level | LC | 1 |
| S77 | Crushing injury of hip and thigh | LC | 1 |

| Code | Name of the Diseases | MCH & | No. |
|---------|---|-------|------|
| | | SH | 110. |
| S78 | Traumatic amputation of hip and thigh | LC | 1 |
| S79 | Other and specified injuries of hip and thigh | LC | 1 |
| S80.7 | Multiple superficial injuries of lower leg | LC | 1 |
| S82 | Fracture of lower leg, including ankle | LC | 1 |
| S82.0 | Fracture of patella | C | 1 |
| S82.1 | Fracture of upper end of tibia | LC | 1 |
| S82.2 | Fracture of shaft of tibia | C | 1 |
| S83 | Dislocation, sprain and strain of joints and ligaments of knee | С | 1 |
| S83.0 | Dislocation of patella | С | 1 |
| S83.2 | Tear of meniscus, current | LC | 1 |
| S83.4 | Sprain and strain involving (fibular)(tibial) collateral ligament of | LC | 1 |
| S84 | Injury of nerves at lower leg level | LC | 1 |
| S84.0 | Injury of tibial nerve at lower leg level | LC | 1 |
| S84.1 | Injury of peroneal nerve at lower leg level | С | 1 |
| S84.9 | Injury of unspecified nerve at lower leg level | LC | 1 |
| S85 | Injury of blood vessels at lower leg level | LC | 1 |
| S85.0 | Injury of popliteal artery | LC | 1 |
| S85.5 | Injury of popliteal vein | LC | 1 |
| S86 | Injury of muscle and tendon at lower leg level | LC | 1 |
| S86.0 | Injury of Achilles tendon | С | 1 |
| S86.2 | Injury of muscle(s) and tendon(s) of anterior muscle group at lower leg | LC | 1 |
| S88 | Traumatic amputation of lower leg | LC | 1 |
| S89 | Other and unspecified injuries of lower leg | LC | 1 |
| S91 | Open wound of ankle and foot | C | 1 |
| S91.1 | Open wound of toe(s) without damage to nail | С | 1 |
| S91.2 | Open wound of toe(s) with damage to nail | LC | 1 |
| S92 | Fracture of foot, except ankle | LC | 1 |
| S92.3 | Fracture of metatarsal bone | C | 1 |
| S92.4 | Fracture of great toe | LC | 1 |
| S92.5 | Fracture of other toe | LC | 1 |
| S94 | Injury of nerves at ankle and foot level | LC | 1 |
| S95 | Injury of blood vessels at ankle and foot level | LC | 1 |
| S96 | Injury of muscle and tendon at ankle and foot level | C | 1 |
| S96.0 | Injury of muscle and tendon of long flexor muscle of toe at ankle and | LC | 1 |
| S96.1 | Injury of muscle and tendon of long extensor muscle of toe at ankle and | С | 1 |
| S97 | Crushing injury of ankle and foot | С | 1 |
| S97.1 | Crushing injury of toe(s) | С | 1 |
| S98 | Traumatic amputation of ankle and foot | LC | 1 |
| S98.1 | Traumatic amputation of one toe | С | 1 |
| S98.2 | Traumatic amputation of two or more toes | LC | 1 |
| S99 | Other and unspecified injuries of ankle and foot | LC | 1 |
| Symptom | s and signs involving speech and voice (R47-R49) | С | 1 |
| Systemi | c connective tissue disorders (M30-M36) | С | 1 |
| T01 | Open wounds involving multiple body regions | LC | 1 |
| T02 | Fractures involving multiple body regions | LC | 1 |

| Code | Name of the Diseases | MCH & | No. |
|-------|--|-------|-----|
| | | SH | |
| T03 | Dislocations, sprains and strains involving multiple body regions | LC | 1 |
| T04 | Crushing injuries involving multiple body regions | LC | 1 |
| T05 | Traumatic amputations involving multiple body regions | LC | 1 |
| T05.2 | Traumatic amputation of both arms [any level] | LC | 1 |
| T05.3 | Traumatic amputation of both feet | LC | 1 |
| T05.5 | Traumatic amputation of both legs [any level] | LC | 1 |
| T05.6 | Traumatic amputation of upper and lower limbs, any combination [any] | LC | 1 |
| T06 | Other injuries involving multiple body regions, not elsewhere | LC | 1 |
| T07 | Unspecified multiple injuries | LC | 1 |
| T08 | Fracture of spine, level unspecified | LC | 1 |
| T09 | Other injuries of spine and trunk, level unspecified | LC | 1 |
| T10 | Fracture of upper limb, level unspecified | LC | 1 |
| T15.0 | Foreign body in cornea | С | 1 |
| T15.8 | Foreign body in other and multiple parts of external eye | С | 1 |
| T17.4 | Foreign body in trachea | С | 1 |
| T17.5 | Foreign body in bronchus | С | 1 |
| T18 | Foreign body in alimentary tract | VC | 1 |
| T18.1 | Foreign body in oesophagus | C | 1 |
| T18.2 | Foreign body in stomach | С | 1 |
| T18.3 | Foreign body in small intestine | С | 1 |
| T18.4 | Foreign body in colon | LC | 1 |
| T18.5 | Foreign body in anus and rectum | C | 1 |
| T19 | Foreign body in genitourinary tract | С | 1 |
| T19.0 | Foreign body in urethra | LC | 1 |
| T19.1 | Foreign body in bladder | C | 1 |
| T19.2 | Foreign body in vulva and vagina | С | 1 |
| T19.3 | Foreign body in uterus [any part] | С | 1 |
| T20 | Burn and corrosion of head and neck | С | 1 |
| T21.3 | Burn of third degree of trunk | LC | 1 |
| T21.4 | Corrosion of unspecified degree of trunk | LC | 1 |
| T23 | Burn and corrosion of wrist and hand | С | 1 |
| T24 | Burn and corrosion of hip and lower limb, except ankle and foot | С | 1 |
| T25 | Burn and corrosion of ankle and foot | С | 1 |
| T26 | Burn and corrosion confined to eye and adnexa | LC | 1 |
| T27 | Burn and corrosion of respiratory tract | С | 1 |
| | Burns and corrosions of multiple body regions | С | 1 |
| T31.2 | Burns involving 20-29% of body surface | С | 1 |
| T31.3 | Burns involving 30-39% of body surface | С | 1 |
| T31.4 | Burns involving 40-49% of body surface | С | 1 |
| T31.5 | Burns involving 50-59% of body surface | С | 1 |
| T31.6 | Burns involving 60-69% of body surface | С | 1 |
| T31.7 | Burns involving 70-79% of body surface | LC | 1 |
| T31.8 | Burns involving 80-89% of body surface | LC | 1 |
| T31.9 | Burns involving 90% or more of body surface | LC | 1 |
| T32.2 | Corrosions involving 20-29% of body surface | LC | 1 |

| CodeName of the DiseasesSHT32.3Corrosions involving 30-39% of body surfaceLCT32.4Corrosions involving 50-59% of body surfaceLCT32.5Corrosions involving 50-59% of body surfaceLCT32.6Corrosions involving 70-79% of body surfaceLCT32.7Corrosions involving 70-79% of body surfaceLCT32.7Corrosions involving 90% or more of body surfaceLCT32.8Corrosions involving 90% or more of body surfaceLCT32.9Corrosions involving 90% or more of body surfaceLCT38Poisoning by systemic antibioticsLCT39Poisoning by nonpoid analgesics, antipyretics and antiheumaticsLCT40Poisoning by nacotics and psychodysleptics [hallucinogens]CT41.0OpiumCCT41.0Inhaled anaestheticsLCT41.1Intravenous anaestheticsLCT42.3BarbituratesCT42.4BenzodiazepinesCT42.4BenzodiazepinesCT44.7Other and unspecified general anaestheticsLCT44.1Other parasympathorip (aftering the autonomic nervous systemCT44.3Odher parasympathorip (aftering the autonomic nervous systemCT44.4Poisoning by psychotropic drugs, not elsewhere classifiedLCT44.2Der parasympathorimetics [cholinergics]LCT44.3Other parasympathorimetics [cholinergics]LCT44.3Other parasympathorimetics [cholinergics]LC <tr< th=""><th></th></tr<> | |
|--|-----|
| T32.4Corrosions involving 40-49% of body surfaceLCT32.5Corrosions involving 50-59% of body surfaceLCT32.6Corrosions involving 70-79% of body surfaceLCT32.7Corrosions involving 80-89% of body surfaceLCT32.8Corrosions involving 90% or more of body surfaceLCT32.9Corrosions involving 90% or more of body surfaceLCT32.9Corrosions involving 90% or more of body surfaceLCT36Poisoning by systemic antibioticsLCT39Poisoning by nonopioid analgesics, antipyretics and antirheumaticsLCT40.0OpiumCT40.2Other opioidsCT41.1Poisoning by anaesthetics and therapeutic gasesCT41.2Other opioidsCT41.3Local anaestheticsLCT42.3BarbituratesCT42.4BenzodiazepinesCT44.4Poisoning by psychotropic drugs, not elsewhere classifiedLCT44.1Other parasympatholytics [anticholinergics]LCT44.2Poisoning by grimarily affecting the autonomic nervous systemCT44.3Other parasympatholytics [anticholinergics]LCT44.1Other parasympatholytics [anticholinergics]LCT44.3Other parasympatholytics [anticholinergics]LCT44.4Poisoning by primarily affecting the cardiovascular systemCT44.5Poisoning by primarily affecting the cardiovascular systemCT44.6Poisoning by primarily affecting the cardiovascular s | No. |
| T32.5Corrosions involving 50-59% of body surfaceLCT32.6Corrosions involving 60-69% of body surfaceLCT32.7Corrosions involving 70-79% of body surfaceLCT32.8Corrosions involving 80-89% of body surfaceLCT32.9Corrosions involving 90% or more of body surfaceLCT36Poisoning by systemic antibioticsLCT39Poisoning by nonpoioid analgesics, antipyretics and antirheumaticsLCT40.0OpiumCT40.1Opisoning by nacotics and psychodysleptics [hallucinogens]CT41.1Poisoning by anaesthetics and therapeutic gasesCT41.2Other opioidsCT41.3Local anaestheticsLCT42.3BarbituratesCT41.3Local anaestheticsLCT42.4BenzodizepinesCT44.4Poisoning by primarily affecting the autonomic nervous systemCT41.3Local anaestheticsLCT44.4Poisoning by primarily affecting the cardiovascular systemCT41.4Poisoning by grimarily affecting the cardiovascular systemCT44.4Poisoning by gents primarily affecting the cardiovascular systemCT44.0Anticholinesterase agentsLCT44.1Other parasympatholytics [anticholinergics]LCT44.2Poisoning by gents primarily affecting the cardiovascular systemCT41.4Poisoning by gents primarily affecting the cardiovascular systemCT44.4Poisoning by gents primarily affecting th | 1 |
| T32.6Corrosions involving 60-69% of body surfaceLCT32.7Corrosions involving 70-79% of body surfaceLCT32.8Corrosions involving 80-89% of body surfaceLCT32.9Corrosions involving 90% or more of body surfaceLCT36Poisoning by systemic antibioticsLCT39Poisoning by hormones and their synthetic substitutes and antagonistsLCT40Poisoning by nonopioid analgesics, antipyretics and antirheumaticsLCT40Poisoning by nacotics and psychodysleptics [hallucinogens]CT41.0OpiumCT41.1Intravenous anaestheticsLCT41.2Other opioidsCT41.3Local anaestheticsLCT42.3BarbituratesCT42.4BenzoliazepinesCT43Poisoning by psychotropic drugs, not elsewhere classifiedLCT44.0Anticholinesterase agentsLCT44.1Other parasympathonimetics [cholinergics]LCT44.2Other parasympatholytics [anticholinergics and antimuscarinics] andLCT44.3Other parasympatholytics [anticholinergics and antimuscarinics] andLCT44.1Other parasympatholytics [anticholinergics]LCT44.3Other alcoholsLCT44.4Poisoning by primarily affecting the cardiovascular systemCT44.1Other parasympatholytics [anticholinergics]LCT44.2Poisoning by primarily affecting the cardiovascular systemCT44.4Poisoning by gents primarily affecting | 1 |
| T32.7Corrosions involving 70-79% of body surfaceLCT32.8Corrosions involving 80-89% of body surfaceLCT32.9Corrosions involving 90% or more of body surfaceLCT36Poisoning by systemic antibioticsLCT38Poisoning by hormones and their synthetic substitutes and antagonistsLCT40Poisoning by nonopioid analgesics, antipyretics and antirheumaticsLCT40Poisoning by nacotics and psychodysleptics [hallucinogens]CT40.0OpiumCT41.1Poisoning by anaestheticsCT41.2Other opioidsCT41.3Local anaestheticsLCT42.3BarbituratesCT42.4BenzodiazepinesCT43Poisoning by psychotropic drugs, not elsewhere classifiedLCT44.0Anticholinesterase agentsLCT44.1Other parasympathomimetics [cholinergics]LCT44.2Poisoning by primarily affecting the autonomic nervous systemCT44.1Other parasympathomimetics [cholinergics]LCT44.3Obisoning by primarily affecting the cardiovascular systemLCT44.3Other parasympathomimetics [cholinergics]LCT45Poisoning by primarily affecting the gastrointestinal systemCT47Poisoning by primarily affecting the gastrointestinal systemCT41.2Other parasympathomimetics [cholinergics]LCT44.4Poisoning by primarily affecting the cardiovascular systemLCT44.5Poisoning by gen | 1 |
| T32.8Corrosions involving 80-89% of body surfaceLCT32.9Corrosions involving 90% or more of body surfaceLCT36Poisoning by systemic antibioticsLCT38Poisoning by hormones and their synthetic substitutes and antagonistsLCT39Poisoning by nonopioid analgesics, antipyretics and antirheumaticsLCT40.0OpiumCT40.0OpiumCT40.1Other opioidsCT41.1Poisoning by anaesthetics and therapeutic gasesCT41.2Other and unspecified general anaestheticsLCT41.3Local anaestheticsLCT41.4Poisoning by psychotropic drugs, not elsewhere classifiedLCT42.4BenzodiazepinesCT42.4BenzodiazepinesCT44.0Anticholinesterase agentsLCT44.1Other parasympatholytics [anticholinergics]LCT44.2Poisoning by psychotropic drugs, not elsewhere classifiedLCT44.3Poisoning by drugs primarily affecting the autonomic nervous systemCT44.0Anticholinesterase agentsLCT44.1Other parasympatholytics [anticholinergics]LCT44.3Other parasympatholytics [anticholinergics]LCT44.4Poisoning by primarily affecting the cardiovascular systemCT44.3Other parasympatholytics [anticholinergics]LCT44.4Poisoning by agents primarily affecting the gastrointestinal systemCT44.5Poisoning by agents primarily affecting the gastroin | 1 |
| T32.9Corrosions involving 90% or more of body surfaceLCT36Poisoning by systemic antibioticsLCT38Poisoning by hormones and their synthetic substitutes and antagonistsLCT39Poisoning by nonopioid analgesics, antipyretics and antirheumaticsLCT40Poisoning by narcotics and psychodysleptics [hallucinogens]CT40.0OpiumCT40.2Other opioidsCT41Poisoning by anaesthetics and therapeutic gasesCT41.0Inhaled anaestheticsLCT41.1Intravenous anaestheticsCT41.2Other and unspecified general anaestheticsLCT42.3BarbituratesCT42.4BenzodiazepinesCT42.4BenzodiazepinesCT44.0Anticholinesterase agentsLCT44.1Other parasympatholytics [anticholinergics]LCT44.2Other parasympatholytics [anticholinergics]LCT44.3Other parasympatholytics [anticholinergics]LCT44.1Other parasympatholytics [anticholinergics]LCT44.2Poisoning by primarily affecting the cardiovascular systemCT44.3Other parasympatholytics [and haematological agents, notLCT45Poisoning by agents primarily affecting the gastrointestinal systemCT44.3Other parasympatholytics [anticholinergics]LCT44.4Poisoning by agents primarily affecting the gastrointestinal systemCT44.1Other parasympatholytics [anticholinergics] <td< td=""><td>1</td></td<> | 1 |
| T36Poisoning by systemic antibioticsLCT38Poisoning by hormones and their synthetic substitutes and antagonistsLCT39Poisoning by nonopioid analgesics, antipyretics and antirheumaticsLCT40Poisoning by narcotics and psychodysleptics [hallucinogens]CT40.0OpiumCT40.2Other opioidsCT41.0Inhaled anaesthetics and therapeutic gasesCT41.1Intravenous anaestheticsLCT41.2Other and unspecified general anaestheticsLCT41.3Local anaestheticsLCT41.4BenzodiazepinesCT42.4BenzodiazepinesCT43Poisoning by gychotropic drugs, not elsewhere classifiedLCT44.0Anticholinesterase agentsLCT44.1Other parasympatholytics [anticholinergics]LCT44.2Other parasympatholytics [anticholinergics]LCT44.3Other parasympatholytics [anticholinergics and antimuscarinics] andLCT45Poisoning by gents primarily affecting the cardiovascular systemLCT46Poisoning by agents primarily affecting the gastrointestinal systemCT47Poisoning by agents primarily affecting the gastrointestinal systemCT47Poisoning by agents primarily affecting the gastrointestinal systemCT44.3Other alcoholsLCT44.4Poisoning by agents primarily affecting the gastrointestinal systemCT44.5Poisoning by agents primarily affecting the gastrointestinal system <t< td=""><td>1</td></t<> | 1 |
| T38Poisoning by hormones and their synthetic substitutes and antagonistsLCT39Poisoning by nonopioid analgesics, antipyretics and antirheumaticsLCT40Poisoning by narcotics and psychodysleptics [hallucinogens]CT40.0OpiumCT40.2Other opioidsCT41Poisoning by anaesthetics and therapeutic gasesCT41.0Inhaled anaestheticsLCT41.1Intravenous anaestheticsLCT41.2Other and unspecified general anaestheticsLCT41.3Local anaestheticsLCT41.4BarbituratesCT42.4BenzodiazepinesCT42.4BenzodiazepinesCT44.0Anticholinesterase agentsLCT44.1Other parasympathomimetics [cholinergics]LCT44.3Other parasympatholytics [anticholinergics and antimuscarinics] andLCT44.3Other parasympatholytics [anticholinergics and antimuscarinics] andLCT45Poisoning by primarily affecting the cardiovascular systemCT46Poisoning by primarily affecting the gastrointestinal systemCT51.22-PropanolLCT51.3Fusel oilLCT51.9Alcohol, unspecifiedLCT52Toxic effect of organic solventsLCT52.0Petroleum productsLC | 1 |
| T39Poisoning by nonopioid analgesics, antipyretics and antirheumaticsLCT40Poisoning by narcotics and psychodysleptics [hallucinogens]CT40.0OpiumCT40.2Other opioidsCT41Poisoning by anaesthetics and therapeutic gasesCT41.0Inhaled anaestheticsLCT41.1Intravenous anaestheticsCT41.2Other and unspecified general anaestheticsLCT41.3Local anaestheticsLCT41.3Local anaestheticsLCT42.3BarbituratesCT42.4BenzodiazepinesCT43Poisoning by psychotropic drugs, not elsewhere classifiedLCT44.0Anticholinesterase agentsLCT44.1Other parasympathomimetics [cholinergics]LCT44.3Other parasympatholytics [anticholinergics and antimuscarinics] andLCT45Poisoning by rimarily systemic and haematological agents, notLCT46Poisoning by agents primarily affecting the cardiovascular systemCT47Poisoning by agents primarily affecting the gastrointestinal systemCT46Poisoning by agents primarily affecting the gastrointestinal systemCT51.22-PropanolLCLCT51.8Other alcoholsLCT51.9Alcohol, unspecifiedLCT52Toxic effect of organic solventsLCT52.0Petroleum productsLC | 1 |
| T39Poisoning by nonopioid analgesics, antipyretics and antirheumaticsLCT40Poisoning by narcotics and psychodysleptics [hallucinogens]CT40.0OpiumCT40.2Other opioidsCT41Poisoning by anaesthetics and therapeutic gasesCT41.0Inhaled anaestheticsLCT41.1Intravenous anaestheticsLCT41.2Other and unspecified general anaestheticsLCT41.3Local anaestheticsLCT41.4BarbituratesCT42.3BarbituratesCT42.4BenzodiazepinesCT42.4BenzodiazepinesCT44.0Anticholinesterase agentsLCT44.0Anticholinesterase agentsLCT44.1Other parasympathomimetics [cholinergics]LCT44.3Other parasympatholytics [anticholinergics and antimuscarinics] andLCT45Poisoning by gents primarily affecting the cardiovascular systemLCT46Poisoning by agents primarily affecting the gastrointestinal systemCT51.22-PropanolLCT51.3Fusel oilLCT51.4Other alcoholsLCT51.9Alcohol, unspecifiedLCT52Toxic effect of organic solventsLCT52.0Petroleum productsLC | 1 |
| T40.0OpiumCT40.2Other opioidsCT41Poisoning by anaesthetics and therapeutic gasesCT41.0Inhaled anaestheticsLCT41.1Intravenous anaestheticsCT41.2Other and unspecified general anaestheticsLCT41.3Local anaestheticsLCT42.3BarbituratesCT43Poisoning by psychotropic drugs, not elsewhere classifiedLCT44.0Anticholinesterase agentsCT44.1Other parasympathonimetics [cholinergics]LCT44.2Other parasympatholytics [anticholinergics]LCT44.3Other parasympatholytics [anticholinergics] andLCT44.3Other parasympatholytics [anticholinergics]LCT44.3Other parasympatholytics [anticholinergics]LCT45Poisoning by agents primarily affecting the cardiovascular systemLCT47Poisoning by agents primarily affecting the gastrointestinal systemCT51.22-PropanolLCLCT51.3Fusel oilLCT51.4Other alcoholsLCT51.5Alcohol, unspecifiedLCT51.9Alcohol, unspecifiedLCT52Toxic effect of organic solventsLCT52.0Petroleum productsLC | 1 |
| T40.0OpiumCT40.2Other opioidsCT41Poisoning by anaesthetics and therapeutic gasesCT41.0Inhaled anaestheticsLCT41.1Intravenous anaestheticsCT41.2Other and unspecified general anaestheticsLCT41.3Local anaestheticsLCT41.3Local anaestheticsLCT42.3BarbituratesCT42.4BenzodiazepinesCT43Poisoning by psychotropic drugs, not elsewhere classifiedLCT44.0Anticholinesterase agentsLCT44.1Other parasympathomimetics [cholinergics]LCT44.3Other parasympatholytics [anticholinergics and antimuscarinics] andLCT45Poisoning by agents primarily affecting the cardiovascular systemLCT47Poisoning by agents primarily affecting the gastrointestinal systemCT47Poisoning by agents primarily affecting the gastrointestinal systemCT47Poisoning by agents primarily affecting the gastrointestinal systemCT47Poisoning by agents primarily affecting the gastrointestinal systemCT51.22-PropanolLCTT51.3Fusel oilLCT51.4Other alcoholsLCT51.9Alcohol, unspecifiedLCT52Toxic effect of organic solventsLCT52.0Petroleum productsLC | 1 |
| T40.2Other opioidsCT41Poisoning by anaesthetics and therapeutic gasesCT41.0Inhaled anaestheticsLCT41.1Intravenous anaestheticsCT41.2Other and unspecified general anaestheticsLCT41.3Local anaestheticsLCT41.4Dother and unspecified general anaestheticsLCT41.3Local anaestheticsLCT42.4BenzodiazepinesCT43Poisoning by psychotropic drugs, not elsewhere classifiedLCT44Poisoning by drugs primarily affecting the autonomic nervous systemCT44.0Anticholinesterase agentsLCT44.1Other parasympathomimetics [cholinergics]LCT44.3Other parasympatholytics [anticholinergics and antimuscarinics] andLCT45Poisoning by primarily affecting the cardiovascular systemLCT46Poisoning by agents primarily affecting the gastrointestinal systemCT51.22-PropanolLCT51.3Fusel oilLCT51.9Alcohol, unspecifiedLCT52Toxic effect of organic solventsLCT52.0Petroleum productsLC | 1 |
| T41Poisoning by anaesthetics and therapeutic gasesCT41.0Inhaled anaestheticsLCT41.1Intravenous anaestheticsCT41.2Other and unspecified general anaestheticsLCT41.3Local anaestheticsLCT42.3BarbituratesCT42.4BenzodiazepinesCT43Poisoning by psychotropic drugs, not elsewhere classifiedLCT44.0Anticholinesterase agentsLCT44.1Other parasympathomimetics [cholinergics]LCT44.2Poisoning by psychotropic drugs, not elsewhere classifiedLCT44.0Anticholinesterase agentsLCT44.1Other parasympathomimetics [cholinergics]LCT44.3Other parasympatholytics [anticholinergics and antimuscarinics] andLCT45Poisoning by primarily affecting the cardiovascular systemLCT46Poisoning by agents primarily affecting the gastrointestinal systemCT51.22-PropanolLCT51.3Fusel oilLCT51.9Alcohol, unspecifiedLCT52Toxic effect of organic solventsLCT52.0Petroleum productsLC | 1 |
| T41.0Inhaled anaestheticsLCT41.1Intravenous anaestheticsCT41.2Other and unspecified general anaestheticsLCT41.3Local anaestheticsLCT42.3BarbituratesCT42.4BenzodiazepinesCT43Poisoning by psychotropic drugs, not elsewhere classifiedLCT44.0Anticholinesterase agentsLCT44.1Other parasympathomimetics [cholinergics]LCT44.3Other parasympatholytics [anticholinergics and antimuscarinics] andLCT45Poisoning by agents primarily affecting the cardiovascular systemLCT46Poisoning by agents primarily affecting the gastrointestinal systemCT47Poisoning by agents primarily affecting the gastrointestinal systemCT51.22-PropanolLCT51.8Other alcoholsLCT51.9Alcohol, unspecifiedLCT52Toxic effect of organic solventsLCT52.0Petroleum productsLC | 1 |
| T41.1Intravenous anaestheticsCT41.2Other and unspecified general anaestheticsLCT41.3Local anaestheticsLCT42.3BarbituratesCT42.4BenzodiazepinesCT43Poisoning by psychotropic drugs, not elsewhere classifiedLCT44Poisoning by drugs primarily affecting the autonomic nervous systemCT44.0Anticholinesterase agentsLCT44.1Other parasympathomimetics [cholinergics]LCT44.3Other parasympatholytics [anticholinergics and antimuscarinics] andLCT45Poisoning by agents primarily affecting the cardiovascular systemLCT46Poisoning by agents primarily affecting the gastrointestinal systemCT51.22-PropanolLCT51.3Fusel oilLCT51.8Other alcoholsLCT52Toxic effect of organic solventsLCT52.0Petroleum productsLC | 1 |
| T41.3Local anaestheticsLCT42.3BarbituratesCT42.4BenzodiazepinesCT43Poisoning by psychotropic drugs, not elsewhere classifiedLCT44Poisoning by drugs primarily affecting the autonomic nervous systemCT44.0Anticholinesterase agentsLCT44.1Other parasympathomimetics [cholinergics]LCT44.3Other parasympatholytics [anticholinergics and antimuscarinics] andLCT45Poisoning by agents primarily affecting the cardiovascular systemLCT46Poisoning by agents primarily affecting the gastrointestinal systemCT51.22-PropanolLCT51.3Fusel oilLCT51.9Alcohol, unspecifiedLCT52Toxic effect of organic solventsLCT52.0Petroleum productsLC | 1 |
| T41.3Local anaestheticsLCT42.3BarbituratesCT42.4BenzodiazepinesCT43Poisoning by psychotropic drugs, not elsewhere classifiedLCT44Poisoning by drugs primarily affecting the autonomic nervous systemCT44.0Anticholinesterase agentsLCT44.1Other parasympathomimetics [cholinergics]LCT44.3Other parasympatholytics [anticholinergics and antimuscarinics] andLCT45Poisoning by agents primarily affecting the cardiovascular systemLCT46Poisoning by agents primarily affecting the gastrointestinal systemCT51.22-PropanolLCT51.3Fusel oilLCT51.9Alcohol, unspecifiedLCT52Toxic effect of organic solventsLCT52.0Petroleum productsLC | 1 |
| T42.3BarbituratesCT42.4BenzodiazepinesCT43Poisoning by psychotropic drugs, not elsewhere classifiedLCT44Poisoning by drugs primarily affecting the autonomic nervous systemCT44.0Anticholinesterase agentsLCT44.1Other parasympathomimetics [cholinergics]LCT44.3Other parasympatholytics [anticholinergics and antimuscarinics] andLCT45Poisoning by gents primarily affecting the cardiovascular systemLCT46Poisoning by agents primarily affecting the gastrointestinal systemCT51.22-PropanolLCT51.3Fusel oilLCT51.9Alcohol, unspecifiedLCT52Toxic effect of organic solventsLCT52.0Petroleum productsLC | 1 |
| T42.4BenzodiazepinesCT43Poisoning by psychotropic drugs, not elsewhere classifiedLCT44Poisoning by drugs primarily affecting the autonomic nervous systemCT44.0Anticholinesterase agentsLCT44.1Other parasympathomimetics [cholinergics]LCT44.3Other parasympatholytics [anticholinergics and antimuscarinics] andLCT45Poisoning by primarily systemic and haematological agents, notLCT46Poisoning by agents primarily affecting the cardiovascular systemLCT47Poisoning by agents primarily affecting the gastrointestinal systemCT51.22-PropanolLCT51.3Fusel oilLCT51.9Alcohol, unspecifiedLCT52Toxic effect of organic solventsLCT52.0Petroleum productsLC | 1 |
| T43Poisoning by psychotropic drugs, not elsewhere classifiedLCT44Poisoning by drugs primarily affecting the autonomic nervous systemCT44.0Anticholinesterase agentsLCT44.1Other parasympathomimetics [cholinergics]LCT44.3Other parasympatholytics [anticholinergics and antimuscarinics] andLCT45Poisoning by primarily systemic and haematological agents, notLCT46Poisoning by agents primarily affecting the cardiovascular systemLCT47Poisoning by agents primarily affecting the gastrointestinal systemCT51.22-PropanolLCT51.3Fusel oilLCT51.9Alcohol, unspecifiedLCT52Toxic effect of organic solventsLCT52.0Petroleum productsLC | 1 |
| T44Poisoning by drugs primarily affecting the autonomic nervous systemCT44.0Anticholinesterase agentsLCT44.1Other parasympathomimetics [cholinergics]LCT44.3Other parasympatholytics [anticholinergics and antimuscarinics] andLCT45Poisoning by primarily systemic and haematological agents, notLCT46Poisoning by agents primarily affecting the cardiovascular systemLCT47Poisoning by agents primarily affecting the gastrointestinal systemCT51.22-PropanolLCT51.3Fusel oilLCT51.9Alcohol, unspecifiedLCT52Toxic effect of organic solventsLCT52.0Petroleum productsLC | 1 |
| T44.0Anticholinesterase agentsLCT44.1Other parasympathomimetics [cholinergics]LCT44.3Other parasympatholytics [anticholinergics and antimuscarinics] andLCT45Poisoning by primarily systemic and haematological agents, notLCT46Poisoning by agents primarily affecting the cardiovascular systemLCT47Poisoning by agents primarily affecting the gastrointestinal systemCT51.22-PropanolLCT51.3Fusel oilLCT51.9Alcohol, unspecifiedLCT52Toxic effect of organic solventsLCT52.0Petroleum productsLC | 1 |
| T44.1Other parasympathonimetics [cholinergics]LCT44.3Other parasympatholytics [anticholinergics and antimuscarinics] andLCT45Poisoning by primarily systemic and haematological agents, notLCT46Poisoning by agents primarily affecting the cardiovascular systemLCT47Poisoning by agents primarily affecting the gastrointestinal systemCT51.22-PropanolLCT51.3Fusel oilLCT51.8Other alcoholsLCT52Toxic effect of organic solventsLCT52.0Petroleum productsLC | 1 |
| T44.3Other parasympatholytics [anticholinergics and antimuscarinics] andLCT45Poisoning by primarily systemic and haematological agents, notLCT46Poisoning by agents primarily affecting the cardiovascular systemLCT47Poisoning by agents primarily affecting the gastrointestinal systemCT51.22-PropanolLCT51.3Fusel oilLCT51.8Other alcoholsLCT52Toxic effect of organic solventsLCT52.0Petroleum productsLC | 1 |
| T45Poisoning by primarily systemic and haematological agents, notLCT46Poisoning by agents primarily affecting the cardiovascular systemLCT47Poisoning by agents primarily affecting the gastrointestinal systemCT51.22-PropanolLCT51.3Fusel oilLCT51.8Other alcoholsLCT51.9Alcohol, unspecifiedLCT52Toxic effect of organic solventsLCT52.0Petroleum productsLC | 1 |
| T46Poisoning by agents primarily affecting the cardiovascular systemLCT47Poisoning by agents primarily affecting the gastrointestinal systemCT51.22-PropanolLCT51.3Fusel oilLCT51.8Other alcoholsLCT51.9Alcohol, unspecifiedLCT52Toxic effect of organic solventsLCT52.0Petroleum productsLC | 1 |
| T47Poisoning by agents primarily affecting the gastrointestinal systemCT51.22-PropanolLCT51.3Fusel oilLCT51.8Other alcoholsLCT51.9Alcohol, unspecifiedLCT52Toxic effect of organic solventsLCT52.0Petroleum productsLC | 1 |
| T51.22-PropanolLCT51.3Fusel oilLCT51.8Other alcoholsLCT51.9Alcohol, unspecifiedLCT52Toxic effect of organic solventsLCT52.0Petroleum productsLC | 1 |
| T51.3Fusel oilLCT51.8Other alcoholsLCT51.9Alcohol, unspecifiedLCT52Toxic effect of organic solventsLCT52.0Petroleum productsLC | 1 |
| T51.8Other alcoholsLCT51.9Alcohol, unspecifiedLCT52Toxic effect of organic solventsLCT52.0Petroleum productsLC | 1 |
| T51.9Alcohol, unspecifiedLCT52Toxic effect of organic solventsLCT52.0Petroleum productsLC | 1 |
| T52Toxic effect of organic solventsLCT52.0Petroleum productsLC | 1 |
| T52.0 Petroleum products LC | 1 |
| | 1 |
| T52.1 Benzene LC | 1 |
| T52.2 Homologues of benzene LC | 1 |
| T52.3 Glycols LC | 1 |
| T52.4 Ketones LC | 1 |
| T52.8 Other organic solvents LC | 1 |
| T52.9 Organic solvent, unspecified LC | 1 |
| T52.9Organic solvent, unspectivedLCT53Toxic effect of halogen derivatives of aliphatic and aromaticLC | 1 |
| T53.0Carbon tetrachlorideLC | 1 |
| T53.2 Trichloroethylene LC | 1 |
| T53.3 Tetrachloroethylene LC | 1 |
| T53.4 Dichloromethane LC | 1 |
| T53.5 Chlorofluorocarbons LC | 1 |
| T53.5ChildronaloocarbonsLCT53.6Other halogen derivatives of aliphatic hydrocarbonsLC | 1 |

| | | MCH & | |
|--------|---|-------|-----|
| Code | Name of the Diseases | SH | No. |
| T53.7 | Other halogen derivatives of aromatic hydrocarbons | LC | 1 |
| T53.9 | Halogen derivative of aliphatic and aromatic hydrocarbons, unspecified | LC | 1 |
| T54.0 | Phenol and phenol homologues | LC | 1 |
| T58 | Toxic effect of carbon monoxide | LC | 1 |
| T59.4 | Chlorine gas | С | 1 |
| T59.7 | Carbon dioxide | LC | 1 |
| T68 | Hypothermia | LC | 1 |
| T69.1 | Chilblains | LC | 1 |
| T70 | Effects of air pressure and water pressure | LC | 1 |
| T70.0 | Otitic barotrauma | LC | 1 |
| T71 | Asphyxiation | LC | 1 |
| T74.2 | Sexual abuse | С | 1 |
| T74.3 | Psychological abuse | С | 1 |
| T75.3 | Motion sickness | VC | 1 |
| T78.4 | Allergy, unspecified | С | 1 |
| T79.0 | Air embolism (traumatic) | LC | 1 |
| T79.1 | Fat embolism (traumatic) | LC | 1 |
| T79.2 | Traumatic secondary and recurrent haemorrhage | LC | 1 |
| T79.5 | Traumatic anuria | LC | 1 |
| T79.6 | Traumatic ischaemia of muscle | LC | 1 |
| T79.7 | Traumatic subcutaneous emphysema | LC | 1 |
| T80.3 | ABO incompatibility reaction | LC | 1 |
| T80.4 | Rh incompatibility reaction | LC | 1 |
| T80.5 | Anaphylactic shock due to serum | LC | 1 |
| T80.6 | Other serum reactions | LC | 1 |
| T81.5 | Foreign body accidentally left in body cavity or operation wound | LC | 1 |
| T82 | Complications of cardiac and vascular prosthetic devices, implants and | LC | 1 |
| T86 | Failure and rejection of transplanted organs and tissues | LC | 1 |
| T86.0 | Bone-marrow transplant rejection | LC | 1 |
| T86.1 | Kidney transplant failure and rejection | LC | 1 |
| T86.2 | Heart transplant failure and rejection | LC | 1 |
| T86.3 | Heart-lung transplant failure and rejection | LC | 1 |
| T86.4 | Liver transplant failure and rejection | LC | 1 |
| T90 | Sequelae of injuries of head | LC | 1 |
| T92 | Sequelae of injuries of upper limb | LC | 1 |
| T93 | Sequelae of injuries of lower limb | LC | 1 |
| T94 | Sequelae of injuries involving multiple and unspecified body regions | LC | 1 |
| T95 | Sequelae of burns, corrosions and frostbite | C | 1 |
| T96 | Sequelae of poisoning by drugs, medicaments and biological substances | LC | 1 |
| T98 | Sequelae of other and unspecified effects of external causes | | 1 |
| H02.4 | Ptosis of eyelid | | + |
| H02.6 | Xanthelasma of eyelid | LC | |
| H03* | Disorders of eyelid in diseases classified elsewhere | UC | + |
| H03.0* | Parasitic infestation of eyelid in diseases classified elsewhere | UC | + |
| H03.1* | Involvement of eyelid in other infectious diseases classified elsewhere | UC | |

| Code | Name of the Diseases | MCH & | No. |
|--------------|---|-------|------|
| Code | Name of the Diseases | SH | INO. |
| H03.8* | Involvement of eyelid in other diseases classified elsewhere | UC | |
| H04.6 | Other changes in lacrimal passages | UC | |
| H04.8 | Other disorders of lacrimal system | UC | |
| H04.9 | Disorder of lacrimal system, unspecified | UC | |
| H05 | Disorders of orbit | UC | |
| H05.0 | Acute inflammation of orbit | UC | |
| H05.1 | Chronic inflammatory disorders of orbit | UC | |
| H05.2 | Exophthalmic conditions | UC | |
| H05.3 | Deformity of orbit | UC | |
| H05.4 | Enophthalmos | UC | |
| H05.5 | Retained (old) foreign body following penetrating wound of orbit | UC | |
| H05.8 | Other disorders of orbit | UC | |
| H05.9 | Disorder of orbit, unspecified | UC | |
| H06* | Disorders of lacrimal system and orbit in diseases classified elsewhere | UC | |
| H06.0* | Disorders of lacrimal system in diseases classified elsewhere | UC | |
| H06.1* | Parasitic infestation of orbit in diseases classified elsewhere | UC | |
| H06.2* | Dysthyroid exophthalmos (E05+) | UC | |
| H06.3* | Other disorders of orbit in diseases classified elsewhere | UC | |
| H10.1 | Acute atopic conjunctivitis | LC | |
| H10.3 | Acute conjunctivitis, unspecified | LC | |
| H10.4 | Chronic conjunctivitis | С | |
| H10.9 | Conjunctivitis, unspecified | LC | |
| H11.1 | Conjunctival degenerations and deposits | LC | |
| H11.4 | Other conjunctival vascular disorders and cysts | UC | |
| H11.8 | Other specified disorders of conjunctiva | LC | |
| H11.9 | Disorder of conjunctiva, unspecified | UC | |
| H13* | Disorders of conjunctiva in diseases classified elsewhere | UC | |
| H13.0* | Filarial infection of conjunctiva (B74+) | UC | |
| H13.1* | Conjunctivitis in infectious and parasitic diseases classified | UC | |
| H13.2* | Conjunctivitis in other diseases classified elsewhere | UC | |
| H13.3* | Ocular pemphigoid (L12+) | | |
| H13.8* | Other disorders of conjunctiva in diseases classified elsewhere | UC | |
| H15 | Disorders of sclera | UC | |
| H16.3 | Interstitial and deep keratitis | LC | |
| H16.9 | Keratitis, unspecified | UC | |
| H17 | Corneal scars and opacities | UC | |
| H18 | Other disorders of cornea | UC | |
| H18.7 | Other corneal deformities | UC | |
| H18.8 | Other specified disorders of cornea | UC | |
| H18.9 | Disorder of cornea, unspecified | UC | |
| H19* | Disorders of cornea, anspectived Disorders of sclera and cornea in diseases classified elsewhere | UC | |
| H19.8* | Other disorders of sclera and cornea in diseases classified elsewhere | UC | |
| H19.0 H20 | Iridocyclitis | LC | |
| H20.0 | Acute and subacute iridocyclitis | LC | |
| H20.1 | Chronic iridocyclitis | LC | |
| H20.2 | Lens-induced iridocyclitis | LC | |
| H20.8 | Other iridocyclitis | LC | |

| Cele | Newson (Alson Discourse | MCH & | |
|--------|---|-------|-----|
| Code | Name of the Diseases | SH | No. |
| H20.9 | Iridocyclitis, unspecified | UC | |
| H21 | Other disorders of iris and ciliary body | UC | |
| H22* | Disorders of iris and ciliary body in diseases classified elsewhere | UC | |
| H22.0* | Iridocyclitis in infectious and parasitic diseases classified elsewhere | UC | |
| H22.1* | Iridocyclitis in other diseases classified elsewhere | UC | |
| H22.8* | Other disorders of iris and ciliary body in diseases classified | UC | |
| H25 | Senile cataract | VC | |
| H26 | Other cataract | LC | |
| H26.0 | Infantile, juvenile and presenile cataract | LC | |
| H26.1 | Traumatic cataract | LC | |
| H26.2 | Complicated cataract | LC | |
| H26.3 | Drug-induced cataract | LC | |
| H26.4 | After-cataract | LC | |
| H26.8 | Other specified cataract | LC | |
| H26.9 | Cataract, unspecified | UC | |
| H27 | Other disorders of lens | LC | |
| H27.0 | Aphakia | LC | |
| H27.1 | Dislocation of lens | LC | |
| H28* | Cataract and other disorders of lens in diseases classified elsewhere | С | |
| H28.0* | Diabetic cataract (E10-E14+ with common fourth character .3) | С | |
| H30 | Chorioretinal inflammation | UC | |
| H31 | Other disorders of choroid | UC | |
| H31.8 | Other specified disorders of choroid | UC | |
| H31.9 | Disorder of choroid, unspecified | UC | |
| H32.0* | Chorioretinal inflammation in infectious and parasitic diseases | UC | |
| H32.8* | Other chorioretinal disorders in diseases classified elsewhere | UC | |
| H33 | Retinal detachments and breaks | UC | |
| H34 | Retinal vascular occlusions | LC | |
| H34.0 | Transient retinal artery occlusion | LC | |
| H34.1 | Central retinal artery occlusion | LC | |
| H34.2 | Other retinal artery occlusions | LC | |
| H34.8 | Other retinal vascular occlusions | LC | |
| H34.9 | Retinal vascular occlusion, unspecified | LC | |
| H35 | Other retinal disorders | С | |
| H35.0 | Background retinopathy and retinal vascular changes | C | |
| H35.1 | Retinopathy of prematurity | C | |
| H35.2 | Other proliferative retinopathy | C | |
| H35.3 | Degeneration of macula and posterior pole | C | |
| H35.4 | Peripheral retinal degeneration | C | |
| H35.5 | Hereditary retinal dystrophy | C | |
| H35.6 | Retinal haemorrhage | C | |
| H35.8 | Other specified retinal disorders | UC | |
| H35.9 | Retinal disorder, unspecified | UC | 1 |
| H36* | Retinal disorders in diseases classified elsewhere | UC | |
| H36.0* | Diabetic retinopathy (E10-E14+ with common fourth character .3) | C | |
| H36.8* | Other retinal disorders in diseases classified elsewhere | C | |
| H36.a | Hypertensive Retinopathy | | 1 |

| Code | Name of the Diseases | MCH & SH | No. |
|--------|---|-------------|-----|
| H40 | Glaucoma | C | |
| H40.0 | Glaucoma suspect | C | |
| H40.1 | Primary open-angle glaucoma | C | |
| H40.2 | Primary angle-closure glaucoma | C | |
| H40.3 | Glaucoma secondary to eye trauma | C | |
| H40.4 | Glaucoma secondary to eye inflammation | C | |
| H40.5 | Glaucoma secondary to other eye disorders | C | |
| H40.6 | Glaucoma secondary to drugs | C | |
| H40.8 | Other glaucoma | C | |
| H40.9 | Glaucoma, unspecified | C | |
| H42* | Glaucoma in diseases classified elsewhere | UC | |
| H42.0* | Glaucoma in endocrine, nutritional and metabolic diseases | UC | |
| H42.8* | Glaucoma in other diseases classified elsewhere | UC | |
| H43 | Disorders of vitreous body | LC | |
| H43.0 | Vitreous prolapse | | |
| H43.1 | Vitreous haemorrhage | LC | |
| H43.2 | Crystalline deposits in vitreous body | LC | |
| H43.3 | Other vitreous opacities | LC | |
| H43.8 | Other disorders of vitreous body | LC | |
| H43.9 | Disorder of vitreous body, unspecified | LC | |
| H44 | Disorders of globe | LC | |
| H44.0 | Purulent endophthalmitis | LC | |
| H44.1 | Other endophthalmitis | LC | |
| H44.2 | Degenerative myopia | LC | |
| H44.3 | Other degenerative disorders of globe | LC | |
| H44.4 | Hypotony of eye | LC | |
| H44.5 | Degenerated conditions of globe | LC | |
| H44.6 | Retained (old) intraocular foreign body, magnetic | LC | |
| H44.7 | Retained (old) intraocular foreign body, nonmagnetic | LC | |
| H44.8 | Other disorders of globe | UC | |
| H45* | Disorders of vitreous body and globe in diseases classified elsewhere | UC | |
| H45.0* | Vitreous haemorrhage in diseases classified elsewhere | UC | |
| H45.1* | Endophthalmitis in diseases classified elsewhere | UC | |
| H45.8* | Other disorders of vitreous body and globe in diseases classified | UC | |
| H46 | Optic neuritis | UC | |
| H47 | Other disorders of optic [2nd] nerve and visual pathways | LC | |
| H47.0 | Disorders of optic nerve, not elsewhere classified | LC | |
| H47.1 | Papilloedema, unspecified | LC | |
| H47.2 | Optic atrophy | LC | |
| H48* | Disorders of optic [2nd] nerve and visual pathways in diseases | UC | |
| H48.0* | Optic atrophy in diseases classified elsewhere | UC | |
| H48.1* | Retrobulbar neuritis in diseases classified elsewhere | UC | |
| H48.8* | Other disorders of optic nerve and visual pathways in diseases | UC | |
| H49 | Paralytic strabismus | UC | |
| H49.0 | Third [oculomotor] nerve palsy | UC | |
| H49.1 | Fourth [trochlear] nerve palsy | UC | |
| H49.2 | Sixth [abducent] nerve palsy | UC | 1 |

| Code | Name of the Diseases | MCH & | No. |
|--------|--|-------|-----|
| | | SH | 1 |
| H49.3 | Total (external) ophthalmoplegia | UC | |
| H49.4 | Progressive external ophthalmoplegia | UC | |
| H50 | Other strabismus | UC | |
| H50.0 | Convergent concomitant strabismus | | |
| H50.3 | Intermittent heterotropia | | |
| H50.4 | Other and unspecified heterotropia | | |
| H50.5 | Heterophoria | | |
| H50.6 | Mechanical strabismus | | |
| H50.8 | Other specified strabismus | | |
| H50.9 | Strabismus, unspecified | | |
| H51 | Other disorders of binocular movement | UC | |
| H51.0 | Palsy of conjugate gaze | UC | |
| H51.1 | Convergence insufficiency and excess | UC | |
| H51.2 | Internuclear ophthalmoplegia | UC | |
| H51.8 | Other specified disorders of binocular movement | UC | |
| H51.9 | Disorder of binocular movement, unspecified | UC | |
| H53 | Visual disturbances | С | |
| H53.0 | Amblyopia ex anopsia | С | |
| H53.1 | Subjective visual disturbances | С | |
| H53.2 | Diplopia | С | |
| H53.3 | Other disorders of binocular vision | С | |
| H53.4 | Visual field defects | С | |
| H53.5 | Colour vision deficiencies | С | |
| H53.6 | Night blindness | С | |
| H53.8 | Other visual disturbances | С | |
| H53.9 | Visual disturbance, unspecified | С | |
| H54 | Blindness and low vision | LC | |
| H54.0 | Blindness, both eyes | LC | |
| H54.1 | Blindness, one eye, low vision other eye | LC | |
| H54.2 | Low vision, both eyes | LC | |
| H54.3 | Unqualified visual loss, both eyes | LC | |
| H54.4 | Blindness, one eye | LC | |
| H54.5 | Low vision, one eye | LC | |
| H54.6 | Unqualified visual loss, one eye | LC | |
| H54.7 | Unspecified visual loss | LC | |
| H55 | Nystagmus and other irregular eye movements | UC | |
| H57 | Other disorders of eye and adnexa | UC | |
| H57.0 | Anomalies of pupillary function | LC | |
| H60.9 | Otitis externa, unspecified | UC | |
| H61 | Other disorders of external ear | С | |
| H61.0 | Perichondritis of external ear | LC | |
| H61.1 | Noninfective disorders of pinna | С | |
| H61.2 | Impacted cerumen | С | 1 |
| H61.8 | Other specified disorders of external ear | UC | 1 |
| H61.9 | Disorder of external ear, unspecified | UC | |
| H62.2* | Otitis externa in mycoses | UC | |
| H62.3* | Otitis externa in other infectious and parasitic diseases classified | UC | 1 |

| Code | Name of the Diseases | MCH & | No. |
|--------|---|-------|-----|
| | | SH | |
| H62.4* | Otitis externa in other diseases classified elsewhere | UC | |
| H62.8* | Other disorders of external ear in diseases classified elsewhere | С | |
| H66 | Suppurative and unspecified otitis media | С | |
| H66.0 | Acute suppurative otitis media | С | |
| H66.1 | Chronic tubotympanic suppurative otitis media | С | |
| H66.2 | Chronic atticoantral suppurative otitis media | С | |
| H66.3 | Other chronic suppurative otitis media | UC | |
| H66.4 | Suppurative otitis media, unspecified | UC | |
| H66.9 | Otitis media, unspecified | UC | |
| H67* | Otitis media in diseases classified elsewhere | UC | |
| H67.0* | Otitis media in bacterial diseases classified elsewhere | UC | |
| H67.1* | Otitis media in viral diseases classified elsewhere | UC | |
| H67.8* | Otitis media in other diseases classified elsewhere | С | |
| H68 | Eustachian salpingitis and obstruction | С | |
| H68.1 | Obstruction of Eustachian tube | С | |
| H69 | Other disorders of Eustachian tube | С | |
| H69.0 | Patulous Eustachian tube | С | |
| H69.8 | Other specified disorders of Eustachian tube | С | |
| H70.0 | Acute mastoiditis | С | |
| H70.2 | Petrositis | С | |
| H70.8 | Other mastoiditis and related conditions | С | |
| H72.0 | Central perforation of tympanic membrane | С | |
| H72.1 | Attic perforation of tympanic membrane | С | |
| H72.2 | Other marginal perforations of tympanic membrane | С | |
| H72.8 | Other perforations of tympanic membrane | С | |
| H72.9 | Perforation of tympanic membrane, unspecified | LC | |
| H73 | Other disorders of tympanic membrane | LC | |
| H73.0 | Acute myringitis | LC | |
| H73.1 | Chronic myringitis | LC | |
| H73.8 | Other specified disorders of tympanic membrane | LC | |
| H73.9 | Disorder of tympanic membrane, unspecified | UC | |
| H74 | Other disorders of middle ear and mastoid | UC | |
| H74.0 | Tympanosclerosis | UC | |
| H74.1 | Adhesive middle ear disease | UC | |
| H74.2 | Discontinuity and dislocation of ear ossicles | UC | |
| H74.3 | Other acquired abnormalities of ear ossicles | UC | |
| H74.4 | Polyp of middle ear | UC | |
| H74.8 | Other specified disorders of middle ear and mastoid | UC | |
| H74.9 | Disorder of middle ear and mastoid, unspecified | UC | |
| H75* | Other disorders of middle ear and mastoid in diseases classified | UC | |
| H75.0* | Mastoiditis in infectious and parasitic diseases classified elsewhere | UC | |
| H75.8* | Other specified disorders of middle ear and mastoid in diseases | UC | |
| H80.2 | Cochlear otosclerosis | UC | |
| H80.8 | Other otosclerosis | UC | |
| H81 | Disorders of vestibular function | LC | Ì |
| H81.0 | Meniere's disease | LC | |
| H81.1 | Benign paroxysmal vertigo | LC | İ |

| Code | Name of the Diseases | MCH & SH | No. |
|------------------|---|-------------|-----|
| H81.2 | Vestibular neuronitis | LC | |
| H81.3 | Other peripheral vertigo | LC | |
| H81.4 | Vertigo of central origin | LC | |
| H81.8 | Other disorders of vestibular function | LC | |
| H81.9 | Disorder of vestibular function, unspecified | UC | |
| H82* | Vertiginous syndromes in diseases classified elsewhere | UC | |
| H83 | Other diseases of inner ear | UC | |
| H83.2 | Labyrinthine dysfunction | UC | |
| H83.3 | Noise effects on inner ear | UC | |
| H83.8 | Other specified diseases of inner ear | UC | |
| H83.9 | Disease of inner ear, unspecified | C | |
| H90 | Conductive and sensorineural hearing loss | C | |
| H90.0 | Conductive hearing loss, bilateral | C | |
| H90.1 | Conductive hearing loss, unilateral with unrestricted hearing on the | C | |
| H90.2 | Conductive hearing loss, unspecified | C | |
| H90.3 | Sensorineural hearing loss, bilateral | C | |
| H90.4 | Sensorineural hearing loss, unilateral with unrestricted hearing on the | C | |
| H90.5 | Sensorineural hearing loss, unspecified | UC | |
| H90.6 | Mixed conductive and sensorineural hearing loss, bilateral | UC | |
| H90.7 | Mixed conductive and sensorineural hearing loss, unilateral with | UC | |
| H90.8 | Mixed conductive and sensorineural hearing loss, unspecified | LC | |
| H91 | Other hearing loss | LC | |
| H91.0 | Ototoxic hearing loss | LC | |
| H91.1 | Presbycusis | UC | |
| H91.2 | Sudden idiopathic hearing loss | UC | |
| H91.3 | Deaf mutism, not elsewhere classified | UC | |
| H91.8 | Other specified hearing loss | UC | |
| H91.9 | Hearing loss, unspecified | C | |
| H91.5 | Otalgia and effusion of ear | C | |
| H92.0 | Otalgia | LC | |
| H92.1 | Otorrhoea | LC | |
| H92.2 | Otorrhagia | UC | |
| H93 | Other disorders of ear, not elsewhere classified | UC | |
| H93.0 | Degenerative and vascular disorders of ear | C | |
| H93.1 | Tinnitus | LC | |
| H93.2 | Other abnormal auditory perceptions | LC | |
| H93.3 | Disorders of acoustic nerve | UC | |
| H93.8 | Other specified disorders of ear | UC | |
| H93.9 | Disorder of ear, unspecified | UC | |
| H94* | Other disorders of ear in diseases classified elsewhere | LC | |
| H94.0* | Acoustic neuritis in infectious and parasitic diseases classified | UC | |
| H94.0* H94.8* | Other specified disorders of ear in diseases classified elsewhere | LC | |

