

**Quality Improvement Secretariat** 

Ministry of Health & Family Welfare

## **Checklist for IPC**

1	Hand hygiene		
	a. Hand wash arrangement (Structure)		
	Hand wash basin present	Yes/No	
	Running water present	Yes/ No	
	Soap available	Yes/ No	
	Six step poster	Yes/ No	
	b. Hand wash process		
	Hand wash done before /after	Yes/ No	
	(Touching patient/ procedure/touching		
	surrounding/contacting body fluid)		
	<ul> <li>Hexisole rub done before patient examination</li> </ul>	Yes/No/NA	
2	Sterilization		
	a. Structure		
	Autoclave is present	Yes/ No	
	Autoclave is functional	Yes/ No	
	Autoclave has no leaks	Yes/ No	
	<ul> <li>Door seal is in good condition</li> </ul>	Yes/ No	
	<ul> <li>Autoclave manual is available at autoclave room</li> </ul>	Yes/ No	
	Autoclave user log present		
	Boiler is present	Yes/ No	
	Boiler is functional	Yes/ No	
	Indicator tap present	Yes/ No	
	Wrapping linens are present	Yes/ No	
	Drum is present	Yes/ No	
	Decontamination bowl/ jar/ container present	Yes/ No	
	b. Process		
	Decontamination of instruments done by soap water	Yes/ No	
	Boiling done by maintaining temperature & time	Yes/ No	
	Autoclaving done by maintaining pressure, temperature &	Yes/ No	
	time		
	<ul> <li>Indicator tap attached on packs and drums</li> </ul>	Yes/ No	
	Autoclave log is used	Yes/ No	
3	Sharp management		
	a. Structure		
	One way safety /sealed container present for keeping sharps	Yes/ No	
	Needle crusher/ deforming hex present		
	b. Process		
	All sharps are kept in protected safety and sealed jar/	Yes/ No	

			Annex-08		
	container				
	<ul> <li>Needles are destroyed/ deformed before keeping in jar/</li> </ul>	Yes/ No			
	container				
	<ul> <li>All sharps are collected with highest care/ precaution using</li> </ul>	Yes/ No			
	utility gloves				
Γ	<ul> <li>Sharps are finally disposed in designated pit</li> </ul>	Yes/ No			
4	Spill management				
Ē	a. Structure				
Γ	• Spill covering gauze/ towels present	Yes/ No			
Ē	<ul> <li>Readily accessible with spill covering gauze/ towel reserving</li> </ul>	Yes/ No			
	container	, -			
	Designated drum / containing for keeping soiled clothes	Yes/ No			
F	b. Process	,			
F	Body fluid spills arecovered as soon as possible (including	Yes/ No			
	vomit/ urine/ stool/cough/spit)				
┝	<ul> <li>Soiled gauze/ towels are kept in a particular designated</li> </ul>	Yes/ No			
	<ul> <li>Solied gauze/ towers are kept in a particular designated drum/container</li> </ul>				
5	Waste management				
5	a. Structure				
F		Yes/ No			
-	Required colour bins with closed lids present at workplace	Tes/ NO			
-	Infectious waste in robust containers with closed lids				
-	Bin carrying cart present	Yes/ No			
	• 3 pits (Red/ Yellow/ Black) present for final disposal within	Yes/ No			
_	hospital area				
Ļ	All PPE available	Yes/ No			
	b. Process	T	1		
	<ul> <li>Wastes are segregated at workplace</li> </ul>	Yes/ No			
	Waste filled bins are carried to pits by cart	Yes/ No			
	<ul> <li>Wastes are moved out to distant spot / doing burial following SOP</li> </ul>	Yes/ No			
	• Infectious sharps waste are kept in puncture proof container	Yes/ No			
F	Waste bins are filled no more than 2/3 full	Yes/ No			
F	• Sharp bins are filled no more than 2/3 full	Yes/ No			
F	Waste management workers are vaccinated	Yes/ No			
		,			
6	PPE (Personal protective equipment)				
•	a. Structure				
	PPE items are present as per need of workplace	Yes/ No			
	b. Process	100,110			
	Gloves are used	Yes/ No			
		-			
	Masks are used	Yes/No			
	Caps are used	Yes/ No			
	Gowns are used	Yes/ No			
	Trouser are used	Yes/ No			
	Mackintoshes are present				
	Gum boots ( Rubber shoes) are used	Yes/ No			
	Goggles are used	Yes/ No			
	<ul> <li>Mackintoshes are present</li> <li>Gum boots (Rubber shoes) are used</li> </ul>				